

I have:

III. Gaura ifolia

I want:

I. tenella L.

I. Greenei O. Kt.

I. Veseyi w. p.

I. bellidifolia L. (not seen from)

I. Grisebachii (distinct!)

I. bonariensis

Stringolifolia

I. dichotoma Baile

At home Aug 23 1865

Dear Gray

I hope you are back by the time this reaches Cambridge — and I add to whom I have given up who will also soon be there.

I have written to W. Gibbs at Hove Soc. that I can not attend, & that if they conclude that I am not worth a member, they give me the privilege to resign.

If ~~that~~ ^{is} *Acanthaea* ^{properly} Mead's Illinois plant is also not nor *Richardsonii* — and all is *Americana* which has slightly (more or less) oblique flowers! See whether the seeds help to throw any light on these species.

I got to overshooting *Tenui*, and have got some very pretty results; and several new species. But I can not satisfy myself about ^{all} the old ones. So you must help me, and get me a fragment, a few flowers & if possible

I. marginata Nutt.

I. heterothalia Britt.

I. Linnei w. p.

I. longistylis Tourn.
(= *I. Meiggsii* var. Gray H. K.)

I. fulcrata May.

I. Meiggsii A. Br.
var.

macrosperrini

I. bifida L.

I. castanea Sol.

I. triglocaea L.

I. Stygia L.

I. bigelovii
(A. Gray)

With the exception of *I. paniculata* I can not identify my *I. tenui* and *i. triandra*; I have a number of species — one for example, common here, which might be your *debilis*, but is the stoutest of all our *Juncos*! I want authentic specimens or small fragments of them, to identify. I have two, which may be *tiducta* corresponds to one or two others common here, which you do not have in Man. etc.

Very truly yours

J. Engleman

fruit and seed of the following species, and if you can, do it soon, as long as I have my hand well in it!

The Rocky Mountain *I. Baldwini* is rather different from the Balt.ⁿ one in Hill, however, send yours with acetate & others with ethanol. Sepals - all with narrower & much more acute capsule than the Balt.ⁿ plant.

Your *I. acutifolia* is very well distinguished by its pointed seeds from the true *acutifolia* and the Gent's is, whether new, or a Hänkeli & whether this a *Compressa*?

New specimen of Sibⁿ Hall named *I. casipolica*? *I. xiphoides* - with 6 stamens etc - was it mixed with real *casipolica*?

The *I. tennis* or Greenin' which Vasey sends is certainly new, with long twisted seeds etc. I have had Vasey here a few days ago.

Your *Magyaricus* var can not be the true *magyaricus*, but I can not distinguish it from Ternyo's *I. longistylis*, so that name will stand, I should like to see the true *magyaricus*.

Europe *I. ligularia*, I have examined but not seen the standard form. The large loosely curled seeds are very characteristic for that section.

I. sibiricaria is a very pretty species, allied to *I. capillaris* of Europe (cannot tell?) You must have it for Wright & Reddie both. Let's discuss a great deal against it - you must help me in this, & I will do the thinking!

<u>I have</u>	<u>I <i>Saxifraga</i> var</u>	<u>I want</u>
<i>I. effusa</i> L.		<i>I. compressa</i> Hoch. & von
<i>I. Bulleyana</i> Willd.		<i>I. setacea</i> Rostk.
<i>I. Henningsii</i> Mey? (<i>anthemis</i> Griseb.)		<i>I. Rydbii</i> Schuyler
<i>I. filiformis</i> L.		<i>I. filiformis</i> f.
<i>I. maritima</i> Lam		<i>I. maritima</i>

II. *Juncus* *acutifolius* Griseb.

I. paradoxus Mey

<i>I. scorpioides</i> L.
<i>I. polycephalus</i> DC
<i>I. dubius</i> Grz
<i>I. acuminatus</i> Michx
<i>I. Albidulus</i> Chap
<i>I. oligophorus</i> (Nees) DC
<i>I. Canadensis</i> Gay
<i>I. subtilis</i> Mey
<i>I. caspifolius</i> Willd
<i>I. fraternus</i> Kunth
<i>I. ciliolatus</i> DC. Kth
<i>I. Hirtomarginatus</i> Griseb (= <i>caspifolius</i> Hoch)

hexandrus

I. articulatus L.

I. polycarpos Mey

I. militaris Bij

I. rodericiana L.

I. megaphylloides

I. Connelli Reichenb

I. xiphoides Mey

I. conditae Chap

I. abortivae Chap

I. officinalis A.Bru

Aug. 24 Just before going to the Post office I got pairs of Aug 18 & Wrights - that Nymphaea looks odd - leaves seem like *elatia* veins, not prominent. I hope you have put up 1 gooded pair for one of the smaller & the larger form of. I still recommend

I should like to get harder Brown Junq.



Engelmann, George. 1865. "Engelmann, George Aug. 23, 1865." *George Engelmann letters to Asa Gray*

View This Item Online: <https://www.biodiversitylibrary.org/item/227886>

Permalink: <https://www.biodiversitylibrary.org/partpdf/255640>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Arcadia 19th Century Collections Digitization/Harvard Library

Copyright & Reuse

Copyright Status: Public domain. The Library considers that this work is no longer under copyright protection

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.