

Sept Mr. Wood

Oct. 1047

- |    |                          |                 |     |                       |                 |
|----|--------------------------|-----------------|-----|-----------------------|-----------------|
| 1  | N. taur.                 | 3 (thick top)   | 1   | metida                |                 |
|    | S. of S. Southwick's     |                 | 10. | geminata              |                 |
| 2  | Aster                    | ? blue fl.      | 3   | echinatus             | bica monosperma |
|    | with drooping lvs.       | leaves purplish | 11. | flavescens            | caugustata      |
| 3  | V. amethystina?          | 8 fl.           | 1   | luteum                | corymbosa       |
|    | the old C. Spring place  |                 | 12. | erectissima           | Paradoxa        |
| 4  | Oreaster lobulata        | 1               | 13. | strigata              | spatulata       |
|    | x x x ~ ~ ~ N.C. Hooker? |                 |     | Sweet purple          | spicifolia      |
| 5  | Scirpus subterminalis    | 1               | 14. | spinosus              | flava et var.   |
| 6  | Elymus Robbinsii         | 1               | 15. | spinosus              | stipitolic fls  |
| 7  | Sc. Torreyi              | 1               | 16. | agusat                | var laevigatus  |
| 8  | Alop. spicat.            | 1               | 17. | latifol.              | ciliata         |
| 9  | Ranunc. (Peruvian Fls.)  | 1               | 18. | oblongatum            | lineare         |
| 10 | Atrop. portoricensis?    | 1               | 19. | canad.                | plana           |
| 11 | Tilia microphy?          | 1               | 20. | virginicus            | arcuata         |
| 12 | Rud. hirta               | 1               | 21. | hypoleuca             |                 |
| 13 | Panicum sepi. (Branchy)  | 1               | 22. | racemata              | a Villars       |
|    | book of R. Thayer        |                 |     | hypothecata           | la              |
| 14 | Panicum - ?              | 1               | 23. | pyriforme             | ii              |
|    | Canal Lagoon A. Ellius   |                 | 24. | pubescens             | minima          |
| 15 | Rhynchos. capit.         | 1               | 25. | spicata               | octaefolium     |
|    | " fasciculata            | 3               | 26. | racemosa              | Minutifidum     |
|    | vesiculos. r. orna       |                 |     | pilosula              |                 |
|    | Polygonia ramosa         |                 | 27. | opposita              |                 |
|    | Robinia hispida          |                 |     |                       |                 |
|    | Tepleronia hispida       |                 | 28. | Decoplearia Nuttallii |                 |
|    | Astragalus Mexicanus     |                 |     | Cornus stricta        |                 |
|    |                          |                 | 29. | Argia triflora        |                 |
|    |                          |                 |     | Douceria hirsuta      |                 |

<i>Calypso borealis</i> , Schleb.	M. 14 Pro. alluvia	1
<i>Lycopodium Dicroidium</i> , Retz.	16. Reg. Larva	2
<i>Smilacina trifolia</i> , L.		
<i>Streptopus amplexifolius</i>	17	Eng. mount
<i>Zygadenus glaucus</i> , L.		1
<i>Sophrodes glutinosa</i> , L.	18 Hlyp. Berg. var?	1
<i>Genus Balticus</i> , L.		
" <i>acuminatus</i> , L.	Cayenne, heat swampy	
<i>Urticae palustris</i> , L.		
<i>Scirpus cespitosus</i> , L.		
" <i>subterminalis</i> , ?		
<i>Bromophorum allinum</i> , L.	19 Ec. fr. rice field	4
<i>Rhynchospora alba</i> , Vahl		
<i>Carox paniculata</i> , Ligustrum	20 <i>Soleria gracilis</i>	16
" <i>teretiformula</i> , L.		
" <i>chondroloiza</i> , L.	21 Ut. int.	5
" <i>tenuissima</i> , Schleb.		
" <i>scoparia</i> , Schleb.		
" <i>festucacea</i> , Schleb.	22 Ut. var. lac. Diff. 2 sp. M. 10	12
" <i>var. mirabilis</i> , Schleb.		
" <i>straminea</i> , Schleb.		
" <i>festucularis</i> , Schleb.		
" <i>limosa</i> , L.		
" <i>torrigua</i> , Smth.		
" <i>aurea</i> , Nutt.		
" <i>lividula</i> , Willd.		
" <i>vaginata</i> , Taus.		
" <i>arctata</i> , Bos.		
" <i>flexuosa</i> , Rudge		
" <i>flava</i> , L.		
" <i>Oederi</i> , Kuhn.		
" <i>filiformis</i> , L.		
" <i>Hongkongii</i> , Do.		
" <i>lacustris</i> , Willd.		
" <i>Pseudo-Cyperus</i> , Willd.		
" <i>hystericina</i> , Willd.		
" <i>rostrata</i> , Willd.		
" <i>retusa</i> , Schleb.		
" <i>monile</i> , Tuck.		
" <i>ampullacea</i> , Tuck.		
" <i>Cyathula</i> , Tuck.		
" <i>odigocarpa</i> , Willd.		
<i>Alopeurus articulatus</i> , M.		
<i>Calamagrostis Longidorffii</i>		
" <i>Stricula</i> , Br.		
" <i>sp. x</i>		
" <i>arenaria</i> , L.		
<i>Graphidophorum medicagineum</i>		
<i>Glyceria aquatica</i> , S.		

2	Shaw Dr. Gray Oct. 63	A Lapham (about 1860-5)	for 1865
1	<i>Hilcaea strumosa</i>	<i>Succow crypsoides</i>	
1	<i>Eryz. strig. Bdis.</i>	<i>Kallstroemia nitida</i>	
1	<i>Sal. acer</i> (L.)	<i>et topo. genis.</i>	
1	" - (acrid) Taut	<i>Hieroch. leucanthis</i>	<i>cidentalis</i>
1	<i>Sal. Tuok.</i>	<i>Glycine floritans</i>	<i>hica monosperma</i>
1	<i>Spiranthes, nov. of Connecticut</i>	<i>Agrostis Muhlenbergii</i>	<i>ie augustata</i>
1	<i>Stellaria nemor.</i>	<i>Bromus purgans</i>	<i>corymbosa</i>
4	<i>Hyp. of Nby</i>	<i>Festuca neutans</i>	<i>Paradysce</i>
16	" of Shovis	<i>Heteria truncata</i>	<i>spatulata</i>
5	<i>Dyris of Shovis</i>	<i>Acacia striata</i>	<i>apicifolia</i>
12	" coronae	<i>Lysimachia pulchra</i>	<i>flava et var.</i>
	<i>Carex mit</i>	<i>Athyropogon aplocten</i>	<i>multifolia</i> fls
	<i>Sagitt. of Shovis</i>	<i>Oryzopsis asperif</i>	<i>ter laevigatus</i>
	" of Ellipt.	<i>Triticum spicatum</i>	
	<i>Astragalus</i>	<i>Liz. aquat</i>	
	"	<i>Panicum bisagittale</i>	
	" maritimus	" latifol.	
	<i>Carex panicina</i>	<i>Muhlenbergia villosa</i>	
	" lacustris	" crinita	
	" sanguinosa	<i>Crypsop. Canad.</i>	
	" bruncoides	<i>Poa nemoralis</i>	
	" acuta	" nemoralis	
	" Muskingum	<i>Elymus Can.</i>	
	" aquatica	<i>Gautheria spicata</i>	
	" Stellatula	<i>Elymus hystrich</i>	
	" Tenuistylata	" virgin.	
	" Boudo-cyp.	<i>Habenaria procera</i>	
	" granularis	" sulphurea	
	" sinuata	" pyriformis	
	" polystachya	<i>Grevillea pubescens</i>	
	<i>Anemone scoparia</i>	" parvif.	
	" fasciculata	<i>Ceratodon spicatus</i>	
	<i>resedae</i> ratae	" acutifoliis	
	<i>Polygala ramosa</i>	<i>Cleopogon pilosulus</i>	
	<i>Robinia hispida</i>	" paniculatum	
	<i>Teplaronia hispida</i>	<i>Descouleura Nuttallii</i>	
	<i>Astragalus Mexicanus</i>	<i>Cornus stricta</i>	



New England Botanical Club. 1847. "Sent Mr. Wood, Oct. 1847." *Plant lists from the New England Botanical Club*

**View This Item Online:** <https://www.biodiversitylibrary.org/item/243155>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/266312>

**Holding Institution**

Harvard University Botany Libraries

**Sponsored by**

CLIR

**Copyright & Reuse**

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.