

9

H. Pittier et al.  
Early collections, perhaps at Gray and New York.  
Det. E. P. Killip, unless otherwise noted.

Pittier

- Sic.* X 6398. *Lantana achyranthifolia* Dietr. (Det. Moldenke)  
X 8357. *Befaria* cf. *resinosa* Mutis (not *B. ledifolia*)  
9319. *Anthurium bredemeyeri* Schott (A good match for Fendler 1346)  
9428. *Beurreria succulenta* Jacq.  
10055. *Anthurium bredemeyeri* Schott (A good match for the sketch [no. 91, Engler dist.] of Fendler 1346)
- 12085. *Lantana fucata* Lindl. (Det. Moldenke)  
X 11410. *Pavonia paniculata* Cav. (Not *Malvaviscus concinnus*; corr. by Schery)  
12294. *Cordia collococca* L. (*C. glabra* of auth., not L.)  
12348. " " " " " " " " "  
X 12607. *Merremia quinquefolia* (L.) Hall. f. Cited by O'Donell  
X 12648. *Lantana fucata* Lindl. (Det. Moldenke)  
12936. *Hackelia revoluta* (R. & P.) Johnst.?  
Hermanos Christianos 197. *Wedelia jacquini* Rich. var.? (Det. Blake)  
" " 236. *Ipomoea tiliacea* (Willd.) Choisy.  
X Holt & Blake 574. *Solanum subinerme* Jacq. (Det. C. V. Morton)  
X " " 855. *Lantana moritziana* Otto & Dietr. (Det. Moldenke)
- Convolv.* X Holt & Gehriger 154. *Aniseia gracillima* Choisy.  
X Jahn 476. *Delastrus pachyrachis* Lundell (type)  
" 1119. *Lepechinia bullata* (H.B.K.) Epling (Syn.: *Sphacele bullata*,  
*S. parviflora*)  
" 1127. *Hackelia revoluta* (R. & P.) Johnst.  
X Sargent 26. *Gentiana nevadensis* Gilg  
X Tejera 158. *Aegiphila pendula* Moldenke (Det. Moldenke)  
X " 168. " " " " " "  
X " 237. *Strychnos panamensis* Seem. (Det. Krukoff)

Solanum, det. Morton

Pittier

- 5/ 5960. *S. hyporhodium* Kunth & Bouché  
6087. *S. nigrum* var. *americanum* (Mill.) Schulz  
6174. *S. gardneri* Sendtn.  
6305. *S. lanugiflorum* Pittier  
6333. *S. nigrum* var. *americanum* (Mill.) Schulz  
6337. *S. hirtum* Vahl  
- 7180. *S. mixtipilosum* Pittier  
- 8735. *S. subinerme* Jacq.  
9326. *S. vestissimum* Dunal (not *S. hyporhodium*)  
- 9379. *S. felinum* Bitter (not *S. quitense*)  
9487. *S. dissimile* Pittier (type) (Perhaps reported as *S. trichocarpum*)  
- 9562. *S. mesopliarthrum* Pittier type  
- 9846. *S. bipedicellatum* Pittier type (Perhaps reported as *S. ovalifolium*)  
- 10251. *S. hypodischroum* Pittier type  
11044. *S. xerophilum* Pittier type (Perhaps reported as *S. torvum*)  
10255. *S. spinulosum* Pittier  
10530. *S. allophyllum* Standl. (syn. *S. ellipsoideibaccatum* Bitter)  
- 10610. *S.* " " " " "  
- 10771. *S. mixtipilosum* Pittier  
- 11045. *S. scabrum* Vahl (not *S. lanceifolium*)  
11639. *S. pseudoobtusifrons* Pittier (not *S. torvum*)  
11779. *S. lanceifolium* Jacq. (not *S. scabrum*)  
11958. *S. scabrum* Vahl (not *S. lanceifolium*)  
11983. *S. carabolense* Pittier type (perhaps reported as *S. torvum*.)

Pittier

- 12307. *S. lanceifolium* Jacq.
- 12413. *S. lanugiflorum* Pittier
- 12625. *S. mixtipilosum* Pittier type (perhaps reported as *S. platyphyllum*)
- 12647. *S. lanugiflorum* Pittier type
- 12683. *S. timotense* Pittier type
- 12689. *S. pseudocapsicum* L.
- 12900. *S. meridense* Bitter & Pittier
- 13091. *S. lanceifolium* Jacq.
- 13126. *S. hirtum* Vahl
- 13160. *S. lanugiflorum* Pittier
- 13203. *S. meridense* Bitt. & Pittier
- 13313. *S. hirtum* Vahl
- 13435. *S.* " "

- E. Pittier 117. *S. vestissimum* Dunal
- Holt & Gehriger 162. *S. bicolor* Willd. var.
- " " 218. *S. ~~bicolor~~Willd. subinerme Jacq.*

Holt & Blake

- 654. *S. sacupanense* Rusby
- 736. *S. torvum* Sw.
- 783. *S. sacupanense* Rusby
- 842. *S.* " "

- Jahn 71. *S. meridense* Bitt. & Pittier (not *S. torvum*)
- " 790. *S.* " " "
- Tamayo 207. *S. fraxinifolium* Dunal
- " 492. *S. lanugiflorum* Pittier

Y

---

Pittier 12896. *Minthostachys mollis* (H.B.K.) Griseb. (Det. Epling;  
distributed as "Lippia")



Holt, Ernest Golsan, Blake, Emmet Reid, and Gehriger, Wilhelm. 1930. "H. Pittier et al. Early Collections." *Plant lists : Colombia, Costa Rica, and Venezuela*

**View This Item Online:** <https://www.biodiversitylibrary.org/item/241871>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/267099>

**Holding Institution**

Harvard University Botany Libraries

**Sponsored by**

CLIR

**Copyright & Reuse**

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.