

Plants of Coastal South Carolina,
collected by G. L. Robinson, 1912.

1	<i>Stipa avenacea</i> L.	3
2	<i>Aubus trivialis</i> Michx.	1
3	<i>Linaria canadensis</i> (L.) Dumort.	2
4	<i>Viburnum obovatum</i> Walt.	2
5	<i>Pinus palustris</i> Mill.	1
6	<i>Cyrus melanocarpa</i> (Michx.) Willd.	2
7	<i>Eucherna indica</i> (Andr.) Focke (in fl.)	2
8	" " " " (in fr.)	1
9	<i>Cratiola sphaerocarpa</i> Ell.	2
10	<i>Veronica peregrina</i> L.	1
11	<i>Pinguicula lutea</i> Walt.	2
12	<i>Symplocos tinctoria</i> (L.) L'Hér.	3
13	<i>Erigeron vernus</i> (L.) Torr. & Gray	1
14	<i>Portonia verna</i> (Michx.) Muhl.	1
15	<i>Bignonia capreolata</i> L.	1
16	<i>Geranium carolinianum</i> L.	1
17	<i>Houstonia patens</i> Ell.	1
18	<i>Houstonia rotundifolia</i> Michx.	1
19	<i>Pinguicula lutea</i> Walt.	1
20	<i>Viburnum obovatum</i> Walt.	2
21	<i>Symplocos tinctoria</i> (L.) L'Hér.	4
22	<i>Broussonetia papyrifera</i> (L.) Vent.	2
23	<i>Viburnum obovatum</i> Walt.	1
24	<i>Veronica arvensis</i> L.	1
25	<i>Galium belaytoni</i> Michx.	2
26	<i>Verbena carolinensis</i> (Walt.) Robinson	2
27	<i>Specularia perfoliata</i> (L.) A. N. S.	2
28	<i>Podophyllum peltatum</i> L.	1
29	<i>Houstonia rotundifolia</i> Michx.	1
30	<i>Chaerophyllum Tainturieri</i> Hook.	3
31	<i>Orosera brevifolia</i> Pursh	1
32	<i>Lagerstroemia indica</i> L.	1
33	<i>Tetragonotheca helianthoides</i>	1
34	<i>Pterocaulon undulatum</i> (Walt.) Mohr.	2
35	<i>Rugia virginica</i> (L.) Willd.	2
36	<i>Cynodon Dactylon</i> (L.) Pers.	2
37	<i>Cleusine indica</i> Gaertn.	1
38	<i>Sporobolus indicus</i> (L.) R. Br.	1
39	" " " "	2
40	<i>Anthoxanthum odoratum</i> L.	1
41	<i>Hordeum pusillum</i> Nutt.	2
42	" " " "	1
43	<i>Gromus unioloides</i> (Willd.) HBK.	1
44	" " " "	1
45	<i>Lolium perenne</i> L.	1
46	<i>Erigeron ramosus</i> (Walt.) B. & P.	2
47	<i>Specularia biflora</i> (R. & P.) Fisch. & Mey.	3
48	<i>Erigeron quercifolius</i> Lam.	1
49	" " " "	1

Plants of Coastal South Carolina, collected by B.L. Robinson, 1912.

50	<i>Erigeron linifolius</i> Willd.	1
51	<i>Erigeron canadensis</i> L.	1
52	<i>Chaetalia semifloccularis</i> (Walt.) Robinson	2
53	<i>Stellaria media</i> (L.) Cyrill.	1
54	<i>Geranium viscosum</i> L.	1
55	<i>Sagina decumbens</i> (Ell.) Torr. & Gray	1
56	<i>Sahouaria Vaccaria</i> L.	1
57	<i>Silene antirrhina</i> L.	2
58	<i>Silene pennsylvanica</i> Michx.	2
59	<i>Panicum angustifolium</i> Ell.	3
60	" " "	2
61	" <i>laxiflorum</i> Lam.	4
62	" <i>oliganthus</i> Schultes	6
63	" <i>sphaerocarum</i> Ell.	2
64	" <i>chamaelonche</i> Trin.	3
65	" <i>lancearium</i> Trin.	4
66	<i>Viola primulifolia</i> L., var. <i>villosa</i> Eat.	2
67	" <i>esculenta</i> Ell.	2
68	" <i>septemloba</i> LeBoute (typical form)	1
69	" " " (form = <i>V. vincinalis</i> Greene)	2
70	" <i>vittata</i> Greene	5
71	" <i>primulifolia</i> L.	2
72	" " " toward var. <i>villosa</i> Eat.	2
73	<i>Amaranthus viridis</i> L.	1
74	<i>Chenopodium album</i> L.	1
75	<i>Polygonum tetrasphyllum</i>	2
76	<i>Alternanthera repens</i> (L.) Stue.	1
77	<i>Polygala lutea</i> L.	1
78	" <i>grandiflora</i> Walt.	1
79	<i>Portulaca oleracea</i> L.	1
80	<i>Polygonum aviculare</i> L.	1
81	" <i>convolvulus</i> L.	1
82	" <i>Priscaria</i> L.	1
83	<i>Rumex crispus</i> L.	1
84	" <i>pulcher</i> L., var. <i>hirtus</i> Brev. & Godr.	1
85	" " L.	2
86	" <i>verticillatus</i> L.	1
87	" <i>hastatulus</i> Baldu.	1
88	" " "	1
89	" <i>Acetosella</i> L.	1
90	<i>Briza minor</i> L.	1
91	" " "	1
92	<i>Festuca rugosa</i> L.	3
93	<i>Poa pratensis</i> L.	1
94	<i>Sphenopholis obtusata</i> (Michx.) Scribn., var. <i>lobata</i> (Trin.) Scribn.	2
95	" <i>nitida</i> (Spreng.) Scribn.	1
96	" <i>obtusata</i> (Trin.) Scribn.	1 2
97	<i>Agrostis antecedens</i> Picknell.	5
98	<i>Festuca sciurea</i> Nutt.	2

Plants of Coastal South Carolina, collected by B. L. Robinson, 1912

99	<i>Polygou monspeliensis</i> (L.) Desf.	1
100	<i>Stipa avenacea</i> L.	2
101	<i>Sphenopholis nitida</i> (Spreng.) Scribn., var. <i>glabra</i> (Nash) Scribn.	1
102	<i>Festuca octoflora</i> Walt.	3
103	<i>Poa peratensis</i> L.	2
104	" <i>annua</i> L.	1
105	" " "	2
106	" <i>compressa</i> L.	1
107	<i>Festuca myuros</i> L.	3
108	<i>Ranunculus parviflorus</i> L.	2
109	" <i>muricatus</i> L.	1
110	" <i>palmatus</i> Ell. ?	1
111	" <i>pusillus</i> Poir.	2
112	<i>Clematis crispa</i> L., var. <i>Walteri</i> (Wursh) Gray	4
113	<i>Liriodendron Tulniferum</i> L.	1
114	<i>Alnus rugosa</i> (DuRoi) Spreng.	2
115	<i>Coronopus didymus</i> (L.) Sm.	1
116	<i>Brassica arvensis</i> (L.) Ktze.	1
117	" <i>nigra</i> (L.) Koch.	1
118	<i>Capsella Bursa-pastoris</i> (L.) Medic.	1
119	<i>Lepidium campestre</i> (L.) R. Br.	1
120	" <i>virginicum</i> L.	1
121	" " "	1
122	<i>Disynbrium canescens</i> Nutt.	3
123	<i>Lepidium apetalum</i> Willd.	1
124	<i>Cunelina sativa</i> (L.) Crantz.	1
125	<i>Cakile edentula</i> (Bigel.) Hook.	1
126	<i>Lippia nodiflora</i> L.	1
127	<i>Verbena bonariensis</i> L.	2
128	<i>Plantago heterophylla</i> Nutt.	1
129	" <i>lanceolata</i> L.	1
130	" <i>virginica</i> L.	1
131	<i>Helianthemum carolinianum</i> (Walt.) Michx.	1
132	" " " "	1
133	" <i>corymbosum</i> Michx.	2
134	<i>Udiola carolina</i> (L.) Don.	1
135	<i>Trifolium carolinianum</i> Michx.	1
136	" <i>procumbens</i> L.	2
137	" " "	2
138	" " "	2
139	" <i>repens</i> L.	1
140	<i>Medicago hispida</i> Gaertn.	1
141	<i>Melilotus indica</i> (L.) All.	2
142	<i>Medicago lupulina</i> L.	1
143	<i>Rhynchosia simplicifolia</i> (Walt.) Wood.	1
144	<i>Crotalaria rotundifolia</i> (Walt.) Poir.	2
145	<i>Schrankia angustata</i> T. & G.	1
146	<i>Wisteria chinensis</i> Wb.	1
147	<i>Vicia caroliniana</i> Walt.	1

Plants of Coastal South Carolina, collected by B.L. Robinson, 1912

148	<i>Vicia sativa</i> L.	1
149	" <i>lirata</i> (L.) S.F. Gray	2
150	<i>Lyonia ligustrina</i> (L.) Wb., var. <i>foliosiflora</i> (Mx.) Fern.	2
151	<i>Leucothoe racemosa</i> (L.) Gray	1
152	<i>Lyonia nitida</i> (Bartr.) Fernald	2
153	" <i>mariana</i> (L.) W. Dou.	2
154	" " " "	1
155	<i>Leucothoe axillaris</i> (Lam.) W. Dou.	2
156	<i>Vaccinium corymbosum</i> L.	2
157	" <i>virgatum</i> Ait.	1
158	" <i>nitidum</i> Andr.	1
159	<i>Hydrocotyle bonariensis</i> Lam.	3
160	" <i>umbellata</i> L.	1
161	<i>Spermodieps divaricatus</i> (Walt.) Britton	1
162	" " " "	1
163	<i>Sanicula marilandica</i> L.	3
164	<i>Apium Anni</i> (L.) Urb.	1
165	" " " "	1
166	<i>Salium blaytoni</i> Michx.	1
167	<i>Cornus florida</i> L.	2
168	<i>Samolus floribundus</i> HBK.	1
169	<i>Asclepias tuberosa</i> L.	1
170	<i>Islemium sempervirens</i> (L.) Ait. f.	1
171	<i>Dichondra repens</i> Forst.	2
172	<i>Salvia lyrata</i> L.	2
173	<i>Laminum amplexicaule</i> L.	1
174	<i>Aletris farinosa</i> L.	2
175	<i>Zephyranthes Atamasco</i> (L.) Herb.	1
176	<i>Styphloxia lirata</i> (L.) Coville	1
177	<i>Amiantanthium muscaetoxicum</i> (Walt.) Gray	1
178	<i>Nothoscordum fragrans</i> (Vent.) Smith	2
179	" " " "	1
180	" <i>bivalve</i> (L.) Britton.	1
181	<i>Oenomodium virginianum</i> (L.) A. Wb.	1
182	<i>Myosotis virginica</i> (L.) G.P.	1
183	<i>Lithospermum arvense</i> L.	2
184	<i>Lseranium maculatum</i> L.	1
185	<i>Vitis aestivalis</i> Michx.	3
186	<i>Oxalis stricta</i> L.	1
187	" <i>violacea</i> L.	2
188	" <i>recurva</i> Ell.	1
189	" <i>stricta</i> L.	1
190	<i>Acer rubrum</i> L.	1
191	<i>Aesculus Pavia</i> L.	2
192	<i>Ilex decidua</i> Walt.	1
193	" <i>vomitoria</i> Ait.	3
194	<i>Oenothera laciniata</i> Hill.	2
195	" <i>Drummondii</i> Hook.	2
196	<i>Gaura sinuata</i> Nutt.	2

Plants of Coastal South Carolina, collected by B. L. Robinson, 1912.

197	<i>Pteris serrulata</i> L. f.	1
198	" <i>aquilina</i> L.	2
199	<i>Polypodium polypodioides</i> (L.) Hitchc.	1
200	<i>Asplenium platyneuron</i> (L.) Oakes	1
201	<i>Smilax rotundifolia</i> L.	2
202	" <i>Bona-nox</i> L.	2
203	<i>Cyperus rotundus</i> L.	1
204	<i>Scleria Elliottii</i> Chapm.	1
205	<i>Carex stipata</i> Muhl. var. <i>uberior</i> C. Mohr.	3
206	<i>Scirpus americanus</i> Pers.	1
207	<i>Solanum nigrum</i> L.	1
208	<i>Fragaria virginiana</i> Duchesne	1
209	<i>Pyrus arbutifolia</i> (L.) L. f.	1
210	<i>Galatriche heterophylla</i> Pursh	1
211	<i>Spiranthes gracilis</i> (Bigel.) Beck.	1
212	<i>Potentilla monspeliensis</i> L.	1
213	<i>Fagus grandifolia</i> Ehrh.	1
214	<i>Quercus virginiana</i> Mill.	1
215	" " "	1
216	" <i>nigra</i> L.	2
217	" <i>marilandica</i> Wmench.	1
218	<i>Castanea pumila</i> (L.) Mill.	2
219	<i>Quercus pumila</i> Walt.	1
220	" <i>virginiana</i> Mill.	2
221	" <i>falcata</i> Michx.	1
222	" <i>stellata</i> Wang.	1
223	" " "	1
224	<i>Juncus bufonius</i> L.	1
225	" " " var. <i>congestus</i> Wahlb.	1
226	<i>Physalis viscosa</i> L.	1
227	<i>Ulyrica cerifera</i> L.	1
228	" " "	1
229	" " "	1
230	<i>Juncus dichotomus</i> L.	3
231	" <i>aristulatus</i> Michx.	1
232	" <i>canadensis</i> J. Gay, var. <i>subcaudatus</i> Engelm.	1
233	" <i>dichotomus</i> L.	1
234	" <i>effusus</i> L., var. <i>solutus</i> Fernald and Wiegand	1
235	<i>Salix nigra</i> Marsh.	2
236	" " "	1
237	<i>Euphorbia prostrata</i> Ait.	1
238	" <i>corollata</i> L. (narrow-leaved)	1
239	" " "	2
240	<i>Jatropha stimulea</i> Michx.	1
241	" " "	1
242	<i>Birns Taeda</i> L.	1
243	" <i>serotina</i> Michx.	1
244	<i>Sisyrinchium rosulatum</i> Bicknell	2
245	" " "	1

Plants of South Carolina, collected by P. L. Robinson, 1912.

246	<i>Sisyrinchium gramineum</i> W. Curtie	1
247	<i>Rhododendron viscosum</i> (L.) Torr.	1
248	" <i>canescens</i> (Michx.) S. Don.	2
249	" " " " (white-flowered)	1
250	<i>Fumaria officinalis</i> L.	1
251	<i>Corydalis micrantha</i> (Engelm.) Gray	1
252	<i>Potentilla canadensis</i> L., var. <i>simplex</i> (Michx.) T. & G.	1
253	" <i>humilis</i> Poir.	2
254	<i>Ilex glabra</i> (L.) Gray	1
255	<i>Cleocharis montana</i> (HBK.) R. & S.	1
256	" " " "	2
257	" <i>obtusata</i> (Willd.) Schultze	1
258	<i>Carex albo-lutescens</i> Schwein.	1
259	<i>Rhynchospora brevifolia</i> Kunth.	1
260	<i>Carex albo-lutescens</i> Schwein.	2
261	" <i>intumescens</i> Rudge.	1
262	<i>Cleocharis montana</i> (HBK.) R. & S.	1
263	<i>Euphorbia gracilis</i> Ell.	1
264	<i>Lactuca graminifolia</i> Michx.	1
265	<i>Cynrhodopappus carolinianus</i> (Walt.) Wb.	1
266	<i>Sonchus asper</i> (L.) Hill.	1
267	<i>Arnica acaulis</i> (Walt.) B.S.P.	1
268	<i>Cirsium horridulum</i> Pursh.	1
269	<i>Gaillardia pulchella</i> Fouq., var. <i>picta</i> (Don) Gray.	1
270	<i>Viburnum venosum</i> Britton, var. <i>laevis</i> Reicher	2
271	<i>Lonicera sempervirens</i> L.	1
272	" <i>japonica</i> Thunb.	2
273	" " " "	1
274	<i>Knaphalium purpureum</i> L., forma	1
275	" " " "	1
276	" " " "	1
277	" " " "	1
278	" <i>falcatum</i> Lam.	1
279	" <i>purpureum</i> L., forma	1
280	" " " "	1
281	<i>Heterotheca subaxillaris</i> (Lam.) Britton & Rusby.	1

Plants of Coastal Virginia, collected by P. L. Robinson, 1912.

282	<i>Baptisia tinctoria</i> (L.) G. Br.	1
283	<i>Medicago lupulina</i> L.	1
284	<i>Trifolium hybridum</i> L.	1
285	" <i>pratense</i> L.	1
286	" <i>repens</i> L.	1
287	" <i>dubium</i> Sibth.	1
288	" <i>arvense</i> L.	1
289	" <i>procumbens</i> L.	1



Robinson, Benjamin Lincoln. 1912. "Plants of coastal South Carolina, 1912."
Gray Herbarium miscellaneous plant lists

View This Item Online: <https://www.biodiversitylibrary.org/item/258912>

Permalink: <https://www.biodiversitylibrary.org/partpdf/273175>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Andrew W. Mellon Foundation

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.