

Plants of Alberta, Assiniboia, etc., collected
by M. A. Barber, 1903.

- 1
- 2 *Carex flava* L.
- 3 *Equisetum palustre* Ehrh.
- 4 *Aster*
- 5 *Saxifraga aizoides* L.
- 6
- 7 *Scutellaria galericulata* L.
- 8
- 9 *Campanula uliginosa* Rydb.
- 10 *Sparganium salicifolia* L.
- 11 *Lysimachia terrestris* (L.) B.S.P.
- 12 *Lobelia leptostachya* DC.
- 13
- 14
- 15
- 16
- 17
- 18
- 19
- 20
- 21
- 22
- 23
- 24
- 25 *Actinea Richardsoni* (Hook.) Ktze.
- 26 *Agoseris glauca* (Pursh) Greene.
- 27
- 28
- 29 *Gleome serrulata* Pursh.
- 30 *Gentiana amarella* L., var. *acuta* Oberder.
- 31 *Oenothera caespitosa* Nutt.
- 32
- 33 *Oxytropis Lamberti* Pursh.
- 34 *Eurotia lanata* (Pursh) Moq.
- 35 *Stanleya pinnatifida* Nutt.
- 36 *Astragalus*
- 37 *Artemisia canadensis* Michx.
- 38 *Bouteloua gracilis* (N.B.K.) Lag.
- 39 *Polygala alba* Nutt.
- 40 *Lactuca pulchella* (Pursh) DC.
- 41 *Clematis ligusticifolia* Nutt.
- 42 *Rhus trilobata* Nutt.
- 43 *Stephanomeria pauciflora* (Torr.) Nels.
- 44 *Clematis ligusticifolia* Nutt.
- 45 *Linum rigidum* Pursh.
- 46 *Eriogonum flavum* Nutt.
- 47 *Lesquerella ludoviciana* Wats.
- 48
- 49 *Oxytropis Lamberti* Pursh.

Nos. 51-143 see p. 285-286.

- | | | |
|-----|---|-------------|
| 50 | <i>Oenothera serrulata</i> Nutt. | |
| 144 | <i>Clematis ligusticifolia</i> Nutt. | |
| 145 | | no specimen |
| 146 | <i>Eurotia lanata</i> (Pursh) Moq. | |
| 147 | | no specimen |
| 148 | <i>Sarcobatus vermiculatus</i> Torr. | |
| 149 | <i>Beckmannia erucaeformis</i> (L.) Host. | |
| 150 | <i>Onosmodium occidentale</i> Mackenzie. | |
| 151 | <i>Gaillardia pulchella</i> Foug. | |
| 152 | <i>Brauneria angustifolia</i> (DC.) Heller. | |
| 153 | <i>Agropyron Smithii</i> Rydb. | |
| 154 | <i>Lepachys columnaris</i> S. & G. | |
| 155 | <i>Rosa pratincola</i> Greene. | |
| 156 | <i>Oenothera serrulata</i> Nutt. | |
| 157 | | |
| 158 | <i>Astragalus</i> | |
| 159 | <i>Vicia americana</i> Muhl. | |
| 160 | <i>Lathyrus ochroleucus</i> Hook. | |
| 161 | | |
| 162 | <i>Actaea spicata</i> L., var. <i>arguta</i> Torr. | |
| 163 | <i>Clematis verticillaris</i> DC., var. <i>columbiana</i> Gray. | |
| 164 | <i>Aquilegia brevityla</i> Hook. | |
| 165 | <i>Lonicera glaucescens</i> Rydb. | |
| 166 | <i>Smilacina stellata</i> Desf. | |
| 167 | <i>Borydalis aurea</i> Willd. | |
| 168 | <i>Lupinus</i> | |
| 169 | <i>Thalictrum venulosum</i> Trel. | |
| 170 | <i>Castilleja</i> | |
| 171 | <i>Arctostaphylos Uva-ursi</i> Spreng. | |
| 172 | <i>Lupinus</i> | |
| 173 | <i>Geranium incisum</i> Nutt. | |
| 174 | <i>Dysodia papposa</i> (Vent.) Hitchc. | |
| 175 | <i>Vicia americana</i> Muhl., var. <i>linearis</i> (Nutt.) Wats. | |
| 176 | <i>Lupinus</i> | |
| 177 | <i>Eriogonum multiceps</i> Nees. | |
| 178 | <i>Atriplex Nuttallii</i> Wats. | |
| 179 | <i>Gaura coccinea</i> Nutt. | |
| 180 | <i>Potentilla arguta</i> Pursh. | |
| 181 | <i>Comandra pallida</i> DC. | |
| 182 | <i>Hordeum jubatum</i> L. | |
| 183 | <i>Carex festucacea</i> Schkuhr, var. <i>brevis</i> (Dawson) Fernald. | |
| 184 | <i>Viburnum Opulus</i> L., var. <i>americanum</i> (Mill.) Ait. | |
| 185 | | |
| 186 | | |
| 187 | <i>Lonicera glaucescens</i> Rydb. | |
| 188 | <i>Cardamine pennsylvanica</i> Muhl. | |
| 189 | <i>Maianthemum canadense</i> Desf. | |
| 190 | <i>Orchis rotundifolia</i> Pursh. | |
| 191 | <i>Arenaria lateriflora</i> L. <i>Dodecatheon jeffreyi</i> Moore. | |

Plants of Alberta, Assiniboia, etc., collected
by M. A. Barber, 1903.

- 192 *Habenaria viride* R. Br., var. *bracteata* Gray.
 193 *Lithospermum pilosum* Nutt.
 194 *Amelanchier florida* Lindl.
 195 *Mitella nuda* L.
 196 *Rosa nutkana* Presl.
 197 *Geranium Richardsonii* F. & M.
 198 *Mertensia*
 199 *Erigeron philadelphicus* L.
 200 *Utricularia vulgaris* L.
 201 *Lonicera involucrata* (Rich.) Banks.
 202 *Lupinus*
 203 *Geranium incisum* Nutt.
 204 *Vicia americana* Muhl., var. *linearis* (Nutt.) Wats.
 205 *Vicia americana* Muhl.
 206 *Antennaria pulcherrima* (Hook.) Greene.
 207 *Lappula echinata* Gilibert.
 208 *Ranunculus pedatifidus* J. & Sm., var. *cardiophyllum* Britton.
 209 *Ranunculus Macounii* Britton
 210 *Cerastium arvense* L.
 211 *Hedysarum Mackenzii* Rich.
 212 *Muscineon Hookeri* (T. & G.) Nutt.
 213 *Juncus balticus* Willd., var. *montanus* Engelm.
 214 *Equisetum fluviatile* L.
 215 *Carex lanuginosa* Michx.
 216 *Koeleria cristata* (L.) Pers.
 217 *Zygadenus elegans* Pursh.
 218 *Carex Douglasii* Booth.
 219 *Ranunculus pedatifidus* J. & Sm.
 220 *Pentstemon acuminatus* Dougl.
 221 *Ranunculus aquatilis* L., var. *trichophyllus* Gray.
 222 *Lysimachia thyrisiflora* L.
 223 *Ranunculus Purshii* Rich.
 224 *Arenaria lateriflora* L.
 225 *Lappula echinata* Gilibert.
 226 *Camelina sativa* Grantz.
 227 *Carex*
 228 *Ranunculus Cymbalaria* Pursh.
 229 *Carex riparia* W. Curtis. 229.1. *Cyperopodium pauciflorum* Salisb.
 230 *Viola nephrophylla* Greene.
 231 *Heuchera hispida* Pursh.
 232 *Androsace diffusa* Small.
 233 *Anemone multifida* Poir.
 234 *Koeleria cristata* (L.) Pers.
 235 *Festuca ovina* L., var. *ingrata* Back.
 236 *Sisyrinchium septentrionale* Bicknell.
 237 *Potentilla fruticosa* L., var. *tennifolia* Lehm.
 238 *Senecio*
 239 *Antennaria petaloidea* Fernald.
 240 *Hedysarum boreale* Nutt.

- 241 *Lithospermum pilosum* Nutt.
242 *Ranunculus pedatifidus* J. & S.
242.1 *Scum triflorum* Pursh.
243 *Ranunculus sceleratus* L.
244 *Actaea spicata* L., var. *arguta* Torr.
245 *Erigeron philadelphicus* L.
246 *Archia rotundifolia* Pursh.
247 *Dryopteris spinulosa* Kuntze.
248 *Cornus canadensis* L.
249
250 *Arabis nudicaulis* L.
251 *Lonicera involucrata* (Rich.) Banke.
252 *Salix rostrata* Rich.
253 *Agoseris glauca* (Pursh) Greene, var. *dasycephala* (T. & G.)
254 *Bromus marginatus* Nees.
255 *Viola rugulosa* Greene.
256 *Chenopodium capitatum* (L.) Aech.
257 *Corydalis aurea* Willd.
258 *Lappula Redowskii* (Hornem) Greene, var. *occidentale* (Wats.) Rydb.
259 *Lithospermum angustifolium* Michx.
260 *Aster alpinus* L.
261 *Prunus virginiana* L.
262 *Hedysarum boreale* Nutt.
263 *Carex obtusata* Liljeb.
264 *Saxifraga caespitosa* L.
265 *Antennaria rosea* (Eaton) Greene.
266 *Veronica americana* Schwein.
267 *Equisetum palustre* Ehrh.
268 *Rubus arcticus* L.
269 *Lomatium triternatum* (Pursh) E. & R.
270 *Eryaenum inconspicuum* (Wats.) Mac M.
271 *Phacelia sericea* Gray.
272 *Heuchera glabella* T. & G.
273 *Erigeron compositus* Pursh.
274 *Antennaria racemosa* Hook.
275 *Myosotis sylvatica* Hoffm., var. *alpestris* Koch.
276 *Festuca Hallii* Vasey.
277 *Elymus Brownii* S. & S.
278 *Pentstemon confertus* Dougl.
279 *Astragalus decumbens* Nutt.
280 *Solidago multiradiata* Ait., var. *scopulorum* Gray.
281 *Salix pseudo-myrsinites* Anders.
282 *Sedum groenlandicum* Oeder.
283 *Pinguicula vulgaris* L.
284 *Carex scirpoidea* Michx.
285 *Tofieldia glutinosa* (Michx.) Pers.
286 *Salix pseudo-myrsinites* Anders.
287 *Betula glandulosa* Michx.
288 *Bryanthus empetriformis* Gray.
289 *Sedum rhodioides* Raf.

Plants of Alberta, Assiniboia, etc., collected
by M. A. Barber, 1903.

- 2 90 *Coralorrhiza trifida* Chatelain
2 91 *Calypso borealis* Salisb.
2 92 *Polystichum Lonchitis* (L.) Roth.
2 93 *Streptopura rosea* Michx.
2 94 *Veronica serpyllifolia* L.
2 95 *Mimulus Lewisii* Pursh.
2 96 *Tiarella unifoliata* Hook.
2 97 *Lycopodium Selago* L.
2 98 *Salix Barrattiana* Hook.
2 99 *Cypripedium passerinum* L.
3 00 *Anemone occidentalis* Wats.
3 01 *Trollius laxus* Salisb., var. *albiflorus* Gray.
3 02 *Equisetum variegatum* Schleich.
3 03 *Erythronium grandiflorum* Pursh.
3 04 *Mimulus Lewisii* Pursh.
3 05 *Arnica sylvester* Kostel.
3 06 *Erigeron salicinus* Gray.
3 07 *Viola glabella* Nutt.
3 08 *Polystichum Lonchitis* (L.) Roth.
3 09
3 10 *Sisymbrium altissimum* L.
3 11 *Malvastrum coccineum* Gray.
3 12 *Atriplex Nuttallii* Wats.
3 13 unnamed - material insufficient
3 14 *Thermopsis rhombifolia* (Nutt.) Rich.
3 15 *Crataegus columbiana* Howell.
3 16 *Rosa Woodsii* Lindl.
3 17 *Astragalus*
3 18 *Monolepis Nuttalliana* (R. & S.) Greene.
3 19 *Lappula Redovskii* (Bornem.) Greene, var. *occidentale* (Wats.) Rydb.
3 20 *Potentilla pennsylvanica* L., var. *strigosa* Lehm.
3 21 *Phlox Hoodii* Richards.
3 22 *Oxytropis Lamberti* Pursh.
3 23 *Ranunculus Gymbalaria* Pursh.
3 24 *Fragaria glauca* (Wats.) Rydb.
3 25 *Eritrichium glomeratum* DC.
3 26 *Chamaerhodos erecta* (L.) Bunze.
3 27 *Actinea Richardsonii* (Hook.) Ktze.
3 28 *Eriogonum flavum* Nutt.
3 29 *Carex pratensis* Drejer.
3 30 *Vicia americana* Muhl., var. *linearis* (Nutt.) Wats.
3 31 *Thlaspi arvense* L.
3 32 unnamed - material insufficient
3 33 *Mertensia*
3 34 *Anemone canadense* L.
3 35 *Carex lanuginosa* Michx.
3 36 *Cypripedium affinis* Mill.
Malvastrum coccineum Gray.
3 37 *Senecio*
3 38 *Thaspium aureum* Nutt.

- 339 *Geum triflorum* Pursh.
 340 *Pentstemon albidus* Nutt.
 341 *Viola pedata* L., var. *lineariloba* DC.
 342 *Alopecurus geniculatus* L.
 343 *Erigeron glabellus* Nutt.
 344 *Senecio*
 345 *Carex lanuginosa* Michx.
 346 *Antennaria parvifolia* Nutt.
 347 *Hierochloa odorata* (L.) R. & S.
 348 *Arenaria lateriflora* L.
 349 *Stellaria longifolia* Muhl.
 350 *Ellisia nyctelea* L.
 351 *Comandra pallida* DC.
 352 *Stipa viridula* Trin.
 353 *Astragalus Grayi* Parry.
 354 *Arnica fulgens* Pursh.
 355 *Oryzopsis*
 356 *Astragalus*
 357 unnamed material insufficient.
 358 *Eryimum asperum* DC.
 359 *Lithospermum angustifolium* Michx.
 360 *Thermopsis rhombifolia* (Nutt.) Rich.
 361 *Lesquerella ludoviciana* Wats.
 362 *Potentilla humifusa* Nutt.
 363 *Cerastium arvense* L.
 364 *Draba nemorosa* L.
 365 *Eleocharis acicularis* (L.) R. & S.
 366 *Comandra pallida* DC.
 367 *Stellaria longifolia* Muhl.

See p. 250 - for no. 1-50

- 51 *Rosa Woodsii* Lindl.
 52
 53 *Muhlenbergia*
 54 *Campanula rotundifolia* L.
 55 *Petalostemon violaceum* Michx.
 56 *Anemone parviflora* Michx.
 57 *Petalostemon candidum* Michx., var. *occidentale* Gray.
 58 *Carex capillaris* L., var. *elongata* Olney.
 59 *Erigeron pumilus* Nutt.
 60 *Lithospermum angustifolium* Michx.
 61 *Juniperus horizontalis* Moench.
 62
 63 *Berberis Aquifolium* Pursh.
 64 *Habenaria dilatata* (Pursh) Gray.
 65 *Carex scirpoides* Michx. 65a *Carex vaginata* Tausch.
 66 *Lycopodium complanatum* L.
 67 *Phegopteris Dryopteris* (L.) Fée.

- 68 *Lycopodium annotinum* L.
 69 *Carex capillaris* L., var. *elongata* Alney.
 70 *Clintonia uniflora* Kunth.
 71 *Smilacina racemosa* Deaf.
 72
 73
 74 *Anemone pariflora* Michx.
 75 *Carex phycocarpa* Presl.
 76 *Equisetum palustre* Ehrh.
 77 " *arvense* L.
 78 *Carex aurea* Nutt. 78.1. *Carex capillaris* L., var. *elongata* Alney.
 79 *Tofieldia palustris* Huds.
 80 *Juncus balticus* Willd., var. *montanus* Engelm.
 81 *Polygonum viviparum* L.
 82 *Triglochin maritimum* L.
 83 *Juncus castaneus* Smith
 84 *Triglochin palustre* L.
 85 *Deschampsia flexuosa* (L.) Trin.
 86 *Carex concinna* R. Br. 86.1 *Carex bicolor* All. 86.2 *Tofieldia palustris* Huds.
 87 *Arenaria verna* L., var. *hirta* Wats.
 88 *Dryas octopetala* L.
 89 *Acer glabrum* Torr.
 90 *Amelanchier florida* Lindl.
 91 *Arnica cordifolia* Hook.
 92 *Carex*
 93 *Aquilegia flavescens* Wats.
 94 *Triglochin maritima* L.
 95 *Eupripedium parviflorum* Salisb. 95.1 *Calypso borealis* Salisb.
 96 *Anemone pariflora* Michx.
 97 *Oxyadenus venenosus* Wats.
 98 *Delphinium columbianum* Greene.
 99 *Saillardia aristata* Pursh.
 100 *Pedicularis groenlandica* Retz.
 101 *Astragalus alpinus* L.
 102 *Epilobium angustifolium* L.
 103 *Vaccinium myrtillus* L., var. *microphyllum* Hook.
 104 *Cassiope tetragona* (L.) Don.
 105 *Astragalus decumbens* Nutt.
 106 *Castilleja miniata* Dougl.
 107 *Saxifraga bronchialis* L., var. *austromontana* (Wiegand) Piper.
 108 *Prunella vulgaris* L.
 109 *Poa alpina* L.
 110 *Amorhiza obtusa* (C. & R.) Fernald.
 111 *Menziesia ferruginea* Smith.
 112 *Dryas octopetala* L.
 113 *Androsace chamaejasme* Hook.
 114 *Asplenium viride* Huds.
 115 *Pyrola asarifolia* Michx., var. *incarnata* (Fisch.) Fernald.
 116 *Arabis Hoelbelii* Hornem.

Plants of Alberta, Assiniboia, etc., collected
by M. A. Barber, 1903.

287

- 117 *Viburnum pauciflorum* Raf.
 118 *Picea canadensis* (Mill.) B.S.P.
 119 *Betula glandulosa* Michx.
 120 *Cornus canadensis* L.
 121 *Viburnum pauciflorum* Raf.
 122 *Viola orbiculata* Beyer.
 123 *Ribes lacustre* (Pers.) Poir.
 124 *Valeriana columbiana* Piper.
 125 unamed material insufficient
 126 *Saxifraga Marshallii* Greene.
 127 *Carex scirpoidea* Michx.
 128 *Poa pseudopratenensis* Scribn. & Rydb.
 129 *Arabis*
 130 *Eriogonum salsuginosum* Gray.
 130a *grifolia cordifolia* Hook.
 131 *Ranunculus Sutherlandii* Gray.
 132 *Claytonia lanceolata* Pursh.
 133 *Myosotis sylvatica* Hoffm., var. *alpestris* Koch.
 134 *Linnaea borealis* L., var. *americana* (Forbes) Rehder.
 135 *Rubus pedatus* Smith.
 136
 137 *Orchis rotundifolia* Pursh.
 138 *Listera cordata* (L.) R. Br.
 139 *Theracium lanatum* Michx.
 140 *Lonicera utahensis* Wats.
 141 *Draba stylaris* J. Gay.
 142
 143

no specimen.

See p. 281 for no. 144+



Barber, M. A. 1903. "Plants of Alberta, Assiniboia, etc., 1903." *Gray Herbarium miscellaneous plant lists*

View This Item Online: <https://www.biodiversitylibrary.org/item/258912>

Permalink: <https://www.biodiversitylibrary.org/partpdf/273179>

Holding Institution

Harvard University Botany Libraries

Sponsored by

Andrew W. Mellon Foundation

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.