

S-TEX 7564

MUS. COMP. ZOOLOGY
LIBRARY

DEC 17 1979

HARVARD
UNIVERSITY

OCCASIONAL PAPERS THE MUSEUM TEXAS TECH UNIVERSITY

NUMBER 62

14 DECEMBER 1979

REVISED CHECKLIST OF NORTH AMERICAN MAMMALS NORTH OF MEXICO, 1979

J. KNOX JONES, JR., DILFORD C. CARTER, AND
HUGH H. GENOWAYS

Faunal checklists provide useful ready references for many kinds of endeavors, both in the laboratory and in the field, and are particularly helpful to students. Since publication more than four years ago of a "Revised checklist of North American mammals north of Mexico" (Jones *et al.*, 1975), demand for that list has exceeded the supply set aside for general distribution; additionally, systematic studies of mammals published since 1974 necessitate changes in the list. Primarily for these reasons, a newly revised checklist of mammalian species occurring in the Nearctic to the north of Mexico is here presented. As in this and similar earlier compilations, a single vernacular name applies to all populations of a species. There is, however, no formal system of vernacular nomenclature for mammals. Rather, such names gain acceptance through usage, and this list attempts to reflect those currently in use.

In this version of the checklist, we have tried to include all species of Recent mammals in North America (and adjacent waters) north of Mexico as recognized in the published literature up to October of 1979. Among terrestrial taxa, several scientific names differ from those used in previous lists and some species have been added or deleted; also, a few vernacular epithets have been altered, principally on the basis of suggestions made by colleagues. The one group in which a significant number of changes appear is the whales, wherein two orders are recognized (rather

than the single order Cetacea), and certain other additions and corrections have been made on the basis of Rice's (1977) list of marine mammals of the world and subsequent relevant publications as called to our attention by Rice (personal correspondence, 27 March 1979). We are indeed grateful for his assistance.

Aside from the cetaceans, new specific names have been added as a result of the following studies: Patton *et al.* (1976) have shown that northern populations of kangaroo rats previously assigned to *Dipodomys heermanni* actually represent a distinct species, *D. californicus*, and, similarly, Callahan (1977) demonstrated that *Eutamias obscurus* is distinct at the specific level from *E. merriami*; Diersing and Hoffmeister (1977) described a new species of shrew, *Sorex arizonae*, from southern Arizona, and Hennings and Hoffmann (1977) concluded that *Sorex monticolus* is the correct name for the species previously known as *S. obscurus*; Mascarello (1978) found populations of woodrats on either side of the Colorado River, all formerly referred to a single species (*Neotoma lepida*), to represent two species and elevated *N. devia* to specific rank for rats occurring to the east of the river in Arizona; Spitzer and Lazell (1978) named a new rice rat, *Oryzomys argentatus*, from the Florida Keys, and Benson and Gehlbach (1979) apparently demonstrated that *Oryzomys couesi* is a species distinct from *O. palustris* in South Texas (the former was considered a separate species for many years but had been regarded as conspecific with *palustris* for the past two decades); and, lastly, the discoveries by Hinesley (1979) that a long-recognized subspecies of *Onychomys torridus* actually represents a separate species (*O. arenicola*), and by Thaeler and Hinesley (1979) that *Thomomys clusius* is specifically distinct from *T. talpoides*. Additionally, two changes involving major groups should be mentioned: the Pinnipedia are no longer regarded as an order distinct from Carnivora (Tedford, 1976), and the walrus is again recognized as belonging to a separate family, Odobenidae (Repenning and Tedford, 1977).

As for species included in the 1975 list that do not appear here, the following references are of note: Rausch and Rausch (1975) reduced *Lemmus nigripes* to subspecific status under *L. lemmus*, a specific name they provisionally applied to North American brown lemmings; only a single species of *Microsorex* is admitted on the basis of van Zyll de Jong's (1976a) study; whereas Williams (1978) regarded *Perognathus apache* as a synonym of *P. flavescens*, and Hoffmeister and Diersing (1978) listed *Sciurus kaibabensis* as a subspecies of *S. aberti*.

Results of several recent studies suggest possible future changes in the list of recognized species. The most controversial of these is the claim by Nadler *et al.* (1977) that the widely used generic name *Eutamias* actually should be regarded only as a subgenus of *Tamias*. Ellis and Maxon (1979), however, took the opposite point of view, arguing that *Tamias* and *Eutamias* should be retained as distinctive genera inasmuch as the two lines have been separate since late Miocene times and taking into account morphological, karyotypic, and immunological data. In another case, there is an accumulation of evidence (Nadler *et al.*, 1971, Robinson and Hoffmann, 1975, and others) that *Spermophilus richardsoni* is distinct at the specific level from several subspecies now associated with that species (which, if true, would elevate *S. elegans* to specific rank). Similarly, there are increasing data that *Sorex cinereus* actually may represent a superspecies consisting of two or more recognizable taxa at the specific level (see especially van Zyll de Jong, 1976*b*). The same author (van Zyll de Jong, 1979) has suggested that the subspecies *septentrionalis* is separable as a species from *Myotis keenii*. And finally, Van Gelder (1978) has summarized evidence for regarding all North American canids as members of the single genus *Canis*.

Various species of mammals not native to North America have been introduced onto the continent over the years. We have, in this compilation, listed nine such species (identified by an asterisk) that currently occur in the wild state in numbers sufficient to justify their inclusion. Other species, such as the blackbuck (*Antelope cervicapra*), axis deer (*Cervus axis*), sika deer (*Cervus nippon*), ibex (*Capra ibex*), and oryx (*Oryx gazella*), now occur outside confinement, and some of these likely will be included by necessity in subsequent checklists.

ORDER MARSUPIALIA—Marsupials

FAMILY DIDELPHIDAE—New World Opposums

Didelphis virginiana Virginia Opposum

ORDER INSECTIVORA—Insectivores

FAMILY SORICIDAE—Shrews

Sorex cinereus Masked or Cinereous Shrew
Sorex lyelli Mt. Lyell Shrew
Sorex preblei Preble's Shrew
Sorex pribilofensis Pribilof Shrew
Sorex jacksoni St. Lawrence Island Shrew

<i>Sorex longirostris</i>	Southeastern Shrew
<i>Sorex vagrans</i>	Vagrant Shrew
<i>Sorex monticolus</i>	Dusky Shrew
<i>Sorex pacificus</i>	Pacific Shrew
<i>Sorex ornatus</i>	Ornate Shrew
<i>Sorex tenellus</i>	Inyo Shrew
<i>Sorex trigonirostris</i>	Ashland Shrew
<i>Sorex nanus</i>	Dwarf Shrew
<i>Sorex sinuosus</i>	Suisun Shrew
<i>Sorex palustris</i>	Water Shrew
<i>Sorex alakanus</i>	Glacier Bay Water Shrew
<i>Sorex bendirii</i>	Pacific Water Shrew
<i>Sorex fumeus</i>	Smoky Shrew
<i>Sorex arcticus</i>	Arctic Shrew
<i>Sorex gaspensis</i>	Gaspé Shrew
<i>Sorex dispar</i>	Long-tailed or Rock Shrew
<i>Sorex trowbridgii</i>	Trowbridge's Shrew
<i>Sorex merriami</i>	Merriam's Shrew
<i>Sorex arizonae</i>	Arizona Shrew
<i>Microsorex hoyi</i>	Pygmy Shrew
<i>Blarina brevicauda</i>	Short-tailed Shrew
<i>Blarina carolinensis</i>	Southern Short-tailed Shrew
<i>Blarina telmalestes</i>	Swamp Short-tailed Shrew
<i>Cryptotis parva</i>	Least Shrew
<i>Notiosorex crawfordi</i>	Desert Shrew

FAMILY TALPIDAE—Moles

<i>Neurotrichus gibbsii</i>	Shrew-mole
<i>Scapanus townsendii</i>	Townsend's Mole
<i>Scapanus orarius</i>	Coast Mole
<i>Scapanus latimanus</i>	Broad-footed Mole
<i>Parascalops breweri</i>	Hairy-tailed Mole
<i>Scalopus aquaticus</i>	Eastern Mole
<i>Condylura cristata</i>	Star-nosed Mole

ORDER CHIROPTERA—Bats

FAMILY MORMOOPIDAE—Mormoopid Bats

<i>Mormoops megalophylla</i>	Ghost-faced Bat
-----------------------------------	-----------------

FAMILY PHYLLOSTOMATIDAE—Phyllostomatid Bats

<i>Macrotus californicus</i>	California Leaf-nosed Bat
<i>Choeronycteris mexicana</i>	Long-tongued Bat
<i>Leptonycteris nivalis</i>	Mexican Long-nosed Bat

- Leptonycteris sanborni* Sanborn's Long-nosed Bat
Diphylla ecaudata Hairy-legged Vampire

FAMILY VESPERTILIONIDAE—Vespertilionid Bats

- Myotis lucifugus* Little Brown Myotis
Myotis yumanensis Yuma Myotis
Myotis austroriparius Southeastern Myotis
Myotis grisescens Gray Myotis
Myotis velifer Cave Myotis
Myotis keenii Keen's Myotis
Myotis evotis Long-eared Myotis
Myotis auriculus Southwestern Myotis
Myotis thysanodes Fringed Myotis
Myotis sodalis Indiana or Social Myotis
Myotis volans Long-legged Myotis
Myotis californicus California Myotis
Myotis leibii Small-footed Myotis
Lasionycteris noctivagans Silver-haired Bat
Pipistrellus hesperus Western Pipistrelle
Pipistrellus subflavus Eastern Pipistrelle
Eptesicus fuscus Big Brown Bat
Lasiurus borealis Red Bat
Lasiurus seminolus Seminole Bat
Lasiurus cinereus Hoary Bat
Lasiurus intermedius Northern Yellow Bat
Lasiurus ega Southern Yellow Bat
Nycticeius humeralis Evening Bat
Euderma maculatum Spotted Bat
Plecotus townsendii Townsend's Big-eared Bat
Plecotus rafinesquii Rafinesque's Big-eared Bat
Idionycteris phyllotis Allen's Big-eared Bat
Antrozous pallidus Pallid Bat

FAMILY MOLOSSIDAE—Molossid Bats

- Tadarida brasiliensis* Brazilian Free-tailed Bat
Tadarida femorosacca Pocketed Free-tailed Bat
Tadarida macrotis Big Free-tailed Bat
Eumops perotis Western Mastiff Bat
Eumops underwoodi Underwood's Mastiff Bat
Eumops glaucinus Wagner's Mastiff Bat

ORDER EDENTATA—Edentates

FAMILY DASYPODIDAE—Armadillos

- Dasyus novemcinctus* Nine-banded Armadillo

ORDER LAGOMORPHA—Lagomorphs

FAMILY OCHOTONIDAE—Pikas

- Ochotona collaris* Collared Pika
Ochotona princeps Pika

FAMILY LEPORIDAE—Hares and Rabbits

- Sylvilagus idahoensis* Pygmy Rabbit
Sylvilagus bachmani Brush Rabbit
Sylvilagus palustris Marsh Rabbit
Sylvilagus floridanus Eastern Cottontail
Sylvilagus transitionalis New England Cottontail
Sylvilagus nuttallii Nuttall's Cottontail
Sylvilagus audubonii Desert Cottontail
Sylvilagus aquaticus Swamp Rabbit
*Oryctolagus cuniculus** European Rabbit
Lepus americanus Snowshoe Hare
Lepus timidus Northern Hare
Lepus arcticus Arctic Hare
Lepus townsendii White-tailed Jack Rabbit
Lepus californicus Black-tailed Jack Rabbit
Lepus callotis White-sided Jack Rabbit
Lepus alleni Antelope Jack Rabbit
*Lepus capensis** Cape or European Hare

ORDER RODENTIA—Rodents

FAMILY APLODONTIDAE—Mountain Beaver

- Aplodontia rufa* Mountain Beaver

FAMILY SCIURIDAE—Squirrels

- Tamias striatus* Eastern Chipmunk
Eutamias alpinus Alpine Chipmunk
Eutamias minimus Least Chipmunk
Eutamias amoenus Yellow-pine Chipmunk
Eutamias townsendii Townsend's Chipmunk
Eutamias ochrogenys Yellow-cheeked Chipmunk
Eutamias senex Allen's Chipmunk
Eutamias siskiyou Siskiyou Chipmunk
Eutamias sonomae Sonoma Chipmunk
Eutamias merriami Merriam's Chipmunk
Eutamias obscurus California Chipmunk
Eutamias dorsalis Cliff Chipmunk
Eutamias quadrivittatus Colorado Chipmunk
Eutamias ruficaudus Red-tailed Chipmunk

<i>Eutamias cinereicollis</i>	Gray-collared Chipmunk
<i>Eutamias canipes</i>	Gray-footed Chipmunk
<i>Eutamias quadrimaculatus</i>	Long-eared Chipmunk
<i>Eutamias speciosus</i>	Lodgepole Chipmunk
<i>Eutamias panamintinus</i>	Panamint Chipmunk
<i>Eutamias umbrinus</i>	Uinta Chipmunk
<i>Eutamias palmeri</i>	Palmer's Chipmunk
<i>Marmota monax</i>	Woodchuck
<i>Marmota flaviventris</i>	Yellow-bellied Marmot
<i>Marmota broweri</i>	Alaska Marmot
<i>Marmota caligata</i>	Hoary Marmot
<i>Marmota olympus</i>	Olympic Marmot
<i>Marmota vancouverensis</i>	Vancouver Marmot
<i>Ammospermophilus</i>	
<i>harrisii</i>	Harris' Antelope Squirrel
<i>Ammospermophilus</i>	
<i>leucurus</i>	White-tailed Antelope Squirrel
<i>Ammospermophilus</i>	
<i>interpres</i>	Texas Antelope Squirrel
<i>Ammospermophilus</i>	
<i>nelsoni</i>	Nelson's Antelope Squirrel
<i>Spermophilus townsendii</i>	Townsend's Ground Squirrel
<i>Spermophilus</i>	
<i>washingtoni</i>	Washington Ground Squirrel
<i>Spermophilus brunneus</i>	Idaho Ground Squirrel
<i>Spermophilus richardsonii</i>	Richardson's Ground Squirrel
<i>Spermophilus armatus</i>	Uinta Ground Squirrel
<i>Spermophilus beldingi</i>	Belding's Ground Squirrel
<i>Spermophilus</i>	
<i>columbianus</i>	Columbian Ground Squirrel
<i>Spermophilus parryii</i>	Arctic Ground Squirrel
<i>Spermophilus</i>	
<i>tridecemlineatus</i>	Thirteen-lined Ground Squirrel
<i>Spermophilus mexicanus</i>	Mexican Ground Squirrel
<i>Spermophilus spilosoma</i>	Spotted Ground Squirrel
<i>Spermophilus franklinii</i>	Franklin's Ground Squirrel
<i>Spermophilus variegatus</i>	Rock Squirrel
<i>Spermophilus beecheyi</i>	California Ground Squirrel
<i>Spermophilus mohavensis</i>	Mohave Ground Squirrel
<i>Spermophilus tereticaudus</i>	Round-tailed Ground Squirrel
<i>Spermophilus lateralis</i>	Golden-mantled Ground Squirrel

<i>Spermophilus saturatus</i>	Cascade Golden-mantled Ground Squirrel
<i>Cynomys ludovicianus</i>	Black-tailed Prairie Dog
<i>Cynomys leucurus</i>	White-tailed Prairie Dog
<i>Cynomys parvidens</i>	Utah Prairie Dog
<i>Cynomys gunnisoni</i>	Gunnison's Prairie Dog
<i>Sciurus carolinensis</i>	Gray Squirrel
<i>Sciurus griseus</i>	Western Gray Squirrel
<i>Sciurus aberti</i>	Abert's Squirrel
<i>Sciurus niger</i>	Fox Squirrel
<i>Sciurus nayaritensis</i>	Nayarit Squirrel
<i>Sciurus arizonensis</i>	Arizona Gray Squirrel
<i>Tamiasciurus hudsonicus</i>	Red Squirrel
<i>Tamiasciurus douglasii</i>	Douglas' Squirrel
<i>Glaucomys volans</i>	Southern Flying Squirrel
<i>Glaucomys sabrinus</i>	Northern Flying Squirrel

FAMILY GEOMYIDAE—Pocket Gophers

<i>Thomomys umbrinus</i>	Southern Pocket Gopher
<i>Thomomys bottae</i>	Botta's Pocket Gopher
<i>Thomomys townsendii</i>	Townsend's Pocket Gopher
<i>Thomomys talpoides</i>	Northern Pocket Gopher
<i>Thomomys clusius</i>	Wyoming Pocket Gopher
<i>Thomomys mazama</i>	Western Pocket Gopher
<i>Thomomys idahoensis</i>	Idaho Pocket Gopher
<i>Thomomys monticola</i>	Mountain Pocket Gopher
<i>Thomomys bulbivorus</i>	Camas Pocket Gopher
<i>Geomys bursarius</i>	Plains Pocket Gopher
<i>Geomys arenarius</i>	Desert Pocket Gopher
<i>Geomys personatus</i>	Texas Pocket Gopher
<i>Geomys pinetis</i>	Southeastern Pocket Gopher
<i>Geomys colonus</i>	Colonial Pocket Gopher
<i>Geomys fontanelus</i>	Sherman's Pocket Gopher
<i>Geomys cumberlandius</i>	Cumberland Island Pocket Gopher
<i>Pappogeomys castanops</i>	Yellow-faced Pocket Gopher

FAMILY HETEROMYIDAE—Heteromyids

<i>Perognathus fasciatus</i>	Olive-backed Pocket Mouse
<i>Perognathus flavescens</i>	Plains Pocket Mouse
<i>Perognathus flavus</i>	Silky Pocket Mouse
<i>Perognathus</i> <i>longimembris</i>	Little Pocket Mouse
<i>Perognathus amplius</i>	Arizona Pocket Mouse

<i>Perognathus inornatus</i>	San Joaquin Pocket Mouse
<i>Perognathus parvus</i>	Great Basin Pocket Mouse
<i>Perognathus alticola</i>	White-eared Pocket Mouse
<i>Perognathus xanthonotus</i>	Yellow-eared Pocket Mouse
<i>Perognathus formosus</i>	Long-tailed Pocket Mouse
<i>Perognathus baileyi</i>	Bailey's Pocket Mouse
<i>Perognathus hispidus</i>	Hispid Pocket Mouse
<i>Perognathus penicillatus</i>	Desert Pocket Mouse
<i>Perognathus intermedius</i>	Rock Pocket Mouse
<i>Perognathus nelsoni</i>	Nelson's Pocket Mouse
<i>Perognathus fallax</i>	San Diego Pocket Mouse
<i>Perognathus californicus</i>	California Pocket Mouse
<i>Perognathus spinatus</i>	Spiny Pocket Mouse
<i>Microdipodops</i>	
<i>megacephalus</i>	Dark Kangaroo Mouse
<i>Microdipodops pallidus</i>	Pale Kanagaroo Mouse
<i>Dipodomys ordii</i>	Ord's Kangaroo Rat
<i>Dipodomys microps</i>	Chisel-toothed Kangaroo Rat
<i>Dipodomys elephantinus</i>	Big-eared Kangaroo Rat
<i>Dipodomys venustus</i>	Narrow-faced Kangaroo Rat
<i>Dipodomys agilis</i>	Agile Kangaroo Rat
<i>Dipodomys heermanni</i>	Heermann's Kangaroo Rat
<i>Dipodomys californicus</i>	California Kangaroo Rat
<i>Dipodomys ingens</i>	Giant Kangaroo Rat
<i>Dipodomys panamintinus</i>	Panamint Kangaroo Rat
<i>Dipodomys stephensi</i>	Stephens' Kangaroo Rat
<i>Dipodomys spectabilis</i>	Banner-tailed Kangaroo Rat
<i>Dipodomys elator</i>	Texas Kangaroo Rat
<i>Dipodomys deserti</i>	Desert Kangaroo Rat
<i>Dipodomys merriami</i>	Merriam's Kangaroo Rat
<i>Dipodomys nitratoides</i>	Fresno Kangaroo Rat
<i>Liomys irroratus</i>	Mexican Spiny Pocket Mouse

FAMILY CASTORIDAE—Beavers

<i>Castor canadensis</i>	Beaver
------------------------------------	--------

FAMILY CRICETIDAE—New World Rats and Mice

<i>Oryzomys palustris</i>	Marsh Rice Rat
<i>Oryzomys couesi</i>	Coues' Rice Rat
<i>Oryzomys argentatus</i>	Key Rice Rat
<i>Reithrodontomys</i>	
<i>montanus</i>	Plains Harvest Mouse
<i>Reithrodontomys humulis</i>	Eastern Harvest Mouse

*Reithrodontomys**megalotis* Western Harvest Mouse*Reithrodontomys**raviventris* Salt-marsh Harvest Mouse*Reithrodontomys**fulvescens* Fulvous Harvest Mouse*Peromyscus eremicus* Cactus Mouse*Peromyscus merriami* Merriam's Mouse*Peromyscus californicus* California Mouse*Peromyscus maniculatus* Deer Mouse*Peromyscus sitkensis* Sitka Mouse*Peromyscus polionotus* Oldfield Mouse*Peromyscus leucopus* White-footed Mouse*Peromyscus gossypinus* Cotton Mouse*Peromyscus crinitus* Canyon Mouse*Peromyscus boylii* Brush Mouse*Peromyscus attwateri* Texas Mouse*Peromyscus pectoralis* White-ankled Mouse*Peromyscus truei* Piñon Mouse*Peromyscus difficilis* Rock Mouse*Peromyscus comanche* Palo Duro Mouse*Peromyscus floridanus* Florida Mouse*Ochrotomys nuttalli* Golden Mouse*Baiomys taylori* Northern Pygmy Mouse*Onchomys leucogaster* Northern Grasshopper Mouse*Onychomys torridus* Southern Grasshopper Mouse*Onychomys arenicola* Mearns' Grasshopper Mouse*Sigmodon hispidus* Hispid Cotton Rat*Sigmodon arizonae* Arizona Cotton Rat*Sigmodon fulviventris* Tawny-bellied Cotton Rat*Sigmodon ochrognathus* Yellow-nosed Cotton Rat*Neotoma floridana* Eastern Woodrat*Neotoma micropus* Southern Plains Woodrat*Neotoma albigula* White-throated Woodrat*Neotoma lepida* Desert Woodrat*Neotoma devia* Arizona Woodrat*Neotoma stephensi* Stephens' Woodrat*Neotoma mexicana* Mexican Woodrat*Neotoma fuscipes* Dusky-footed Woodrat*Neotoma cinerea* Bushy-tailed Woodrat*Clethrionomys rutilus* Northern Red-backed Vole*Clethrionomys gapperi* Southern Red-backed Vole

Clethrionomys

- occidentalis* Western Red-backed Vole
Phenacomys intermedius Heather Vole
Phenacomys albipes White-footed Vole
Phenacomys silvicola Dusky Tree Vole
Phenacomys longicaudus Red Tree Vole
Microtus pennsylvanicus Meadow Vole
Microtus montanus Montane Vole
Microtus californicus California Vole
Microtus townsendii Townsend's Vole
Microtus oeconomus Tundra Vole
Microtus longicaudus Long-tailed Vole
Microtus coronarius Coronation Island Vole
Microtus mexicanus Mexican Vole
Microtus chrotorrhinus Rock Vole
Microtus xanthognathus Yellow-cheeked Vole
Microtus oregoni Creeping Vole
Microtus gregalis Singing Vole
Microtus abbreviatus Insular Vole
Microtus ochrogaster Prairie Vole
Microtus pinetorum Wooldand Vole
Arvicola richardsoni Water Vole
Lagurus curtatus Sagebrush Vole
Neofiber alleni Round-tailed Muskrat
Ondatra zibethicus Muskrat
Lemmus sibiricus Brown Lemming
Synaptomys cooperi Southern Bog Lemming
Synaptomys borealis Northern Bog Lemming
Dicrostonyx torquatus Collared Lemming
Dicrostonyx hudsonius Labrador Collared Lemming

FAMILY MURIDAE—Old World Rats and Mice

- Rattus rattus** Black Rat
*Rattus norvegicus** Norway Rat
*Mus musculus** House Mouse

FAMILY ZAPODIDAE—Jumping Mice

- Zapus hudsonius* Meadow Jumping Mouse
Zapus princeps Western Jumping Mouse
Zapus trinotatus Pacific Jumping Mouse
Napaeozapus insignis Woodland Jumping Mouse

FAMILY ERETHIZONTIDAE—New World Porcupines

- Erethizon dorsatum* Porcupine

FAMILY CAPROMYIDAE—Capromyids

*Myocastor coypus** Nutria

ORDER ODONTOCETI—Toothed Whales

FAMILY ZIPHIIDAE—Beaked Whales

Berardius bairdii North Pacific Bottle-nosed
Whale*Mesoplodon bidens* North Atlantic Beaked Whale*Mesoplodon densirostris* Tropical Beaked Whale*Mesoplodon europaeus* Gervais' Beaked Whale*Mesoplodon mirus* True's Beaked Whale*Mesoplodon stejnegeri* North Pacific Beaked Whale*Mesoplodon carlhubbsi* Moore's Beaked Whale*Mesoplodon ginkgodens* Japanese Beaked Whale*Ziphius cavirostris* Goose-beaked Whale*Hyperoodon ampullatus* North Atlantic Bottle-nosed
Whale

FAMILY PHYSETERIDAE—Sperm Whale

Physeter macrocephalus Sperm Whale

FAMILY KOGIIDAE—Pygmy Sperm Whales

Kogia breviceps Pygmy Sperm Whale*Kogia simus* Dwarf Sperm Whale

FAMILY MONODONTIDAE—Monodontids

Delphinapterus leucas White Whale or Beluga*Monodon monoceros* Narwhal

FAMILY DELPHINIDAE—Delphinids

Stenella attenuata Pantropical Spotted Dolphin*Stenella plagiodon* Atlantic Spotted Dolphin*Stenella longirostris* Long-snouted Spinner Dolphin*Stenella clymene* Short-snouted Spinner Dolphin*Stenella coeruleoalba* Striped Dolphin*Steno bredanensis* Rough-toothed Dolphin*Delphinus delphis* Common or Saddle-backed
Dolphin*Tursiops truncatus* Bottle-nosed Dolphin*Lissodelphis borealis* Northern Right-whale Dolphin*Lagenorhynchus**albirostris* White-beaked Dolphin*Lagenorhynchus acutus* Atlantic White-sided Dolphin*Lagenorhynchus**obliquidens* Pacific White-sided Dolphin

<i>Orcinus orca</i>	Killer Whale
<i>Grampus griseus</i>	Grampus or Risso's Dolphin
<i>Pseudorca crassidens</i>	False Killer Whale
<i>Globicephala melaena</i>	Common Pilot Whale
<i>Globicephala</i> <i>macrorhynchus</i>	Short-finned Pilot Whale
<i>Feresa attenuata</i>	Pygmy Killer Whale
<i>Phocoena phocoena</i>	Harbor Porpoise
<i>Phocoenoides dalli</i>	Dall's Porpoise

ORDER MYSTICETI—Baleen Whales

FAMILY ESCHRICHTIIDAE—Gray Whale

<i>Eschrichtius robustus</i>	Gray Whale
------------------------------------	------------

FAMILY BALAENOPTERIDAE—Balaenopterid Whales or Rorquals

<i>Balaenoptera physalus</i>	Fin Whale
<i>Balaenoptera borealis</i>	Sei Whale
<i>Balaenoptera acutorostrata</i> ...	Little Piked or Minke Whale
<i>Balaenoptera musculus</i>	Blue or Sulphur-bottomed Whale
<i>Balaenoptera edeni</i>	Bryde's Whale
<i>Megaptera novaeangliae</i>	Hump-backed Whale

FAMILY BALAENIDAE—Right Whales

<i>Balaena glacialis</i>	Black Right Whale
<i>Balaena mysticetus</i>	Bowhead Whale

ORDER CARNIVORA—Carnivores

FAMILY CANIDAE—Canids

<i>Canis latrans</i>	Coyote
<i>Canis rufus</i>	Red Wolf
<i>Canis lupus</i>	Gray Wolf
<i>Alopex lagopus</i>	Arctic Fox
<i>Vulpes vulpes</i>	Red Fox
<i>Vulpes macrotis</i>	Kit Fox
<i>Vulpes velox</i>	Swift Fox
<i>Urocyon cinereoargenteus</i> ...	Gray Fox
<i>Urocyon littoralis</i>	Insular Gray Fox

FAMILY URSIDAE—Bears

<i>Ursus americanus</i>	Black Bear
<i>Ursus arctos</i>	Grizzly Bear and relatives
<i>Ursus maritimus</i>	Polar Bear

FAMILY OTARIIDAE—Eared Seals

- Callorhinus ursinus* Northern Fur Seal
Arctocephalus townsendi Guadalupe Fur Seal
Eumetopias jubatus Northern Sea Lion
Zalophus californianus California Sea Lion

FAMILY ODOBENIDAE—Walrus

- Odobenus rosmarus* Walrus

FAMILY PROCYONIDAE—Procyonids

- Bassariscus astutus* Ringtail
Procyon lotor Raccoon
Nasua nasua Coati

FAMILY MUSTELIDAE—Mustelids

- Martes americana* Marten
Martes pennanti Fisher
Mustela erminea Ermine
Mustela nivalis Least Weasel
Mustela frenata Long-tailed Weasel
Mustela nigripes Black-footed Ferret
Mustela vison Mink
Gulo gulo Wolverine
Taxidea taxus Badger
Spilogale putorius Eastern Spotted Skunk
Spilogale gracilis Western Spotted Skunk
Mephitis mephitis Striped Skunk
Mephitis macroura Hooded Skunk
Conepatus mesoleucus Hog-nosed Skunk
Conepatus leuconotus Eastern Hog-nosed Skunk
Lutra canadensis River Otter
Enhydra lutris Sea Otter

FAMILY PHOCIDAE—Hair Seals

- Phoca vitulina* Harbor Seal
Phoca largha Spotted Seal
Phoca fasciata Ribbon Seal
Phoca hispida Ringed Seal
Phoca groenlandica Harp Seal
Erignathus barbatus Bearded Seal
Halichoerus grypus Gray Seal
Monachus tropicalis West Indian Monk Seal
Cystophora cristata Hooded Seal
Mirounga angustirostris Northern Elephant Seal

FAMILY FELIDAE—Cats

<i>Felis onca</i>	Jaguar
<i>Felis concolor</i>	Mountain Lion
<i>Felis pardalis</i>	Ocelot
<i>Felis wiedii</i>	Margay
<i>Felis yagouaroundi</i>	Jaguarundi
<i>Felis lynx</i>	Lynx
<i>Felis rufus</i>	Bobcat

ORDER SIRENIA—Sea Cows

FAMILY TRICHECHIDAE—Manatees

<i>Trichechus manatus</i>	Manatee
---------------------------------	---------

ORDER ARTIODACTYLA—Even-toed Ungulates

FAMILY SUIDAE—Pigs

<i>Sus scrofa</i> *	Wild Boar
---------------------------	-----------

FAMILY TAYASSUIDAE—Peccaries

<i>Dicotyles tajacu</i>	Collared Peccary
-------------------------------	------------------

FAMILY CERVIDAE—Cervids

<i>Cervus elaphus</i>	Wapiti or Elk
<i>Cervus dama</i> *	Fallow Deer
<i>Odocoileus hemionus</i>	Mule Deer
<i>Odocoileus virginianus</i>	White-tailed Deer
<i>Alces alces</i>	Moose
<i>Rangifer tarandus</i>	Caribou

FAMILY ANTILOCAPRIDAE—Pronghorn

<i>Antilocapra americana</i>	Pronghorn
------------------------------------	-----------

FAMILY BOVIDAE—Bovids

<i>Bison bison</i>	Bison
<i>Oreamnos americanus</i>	Mountain Goat
<i>Ovibos moschatus</i>	Muskox
<i>Ovis canadensis</i>	Mountain Sheep
<i>Ovis dalli</i>	Dall's Sheep
<i>Ammotragus lervia</i> *	Barbary Sheep

LITERATURE CITED

- BENSON, D. L., AND F. R. GEHLBACH. 1979. Ecological and taxonomic notes on the rice rat (*Oryzomys couesi*) in Texas. J. Mamm., 60:225-228.
- CALLAHAN, J. R. 1977. Diagnosis of *Eutamias obscurus* (Rodentia: Sciuridae). J. Mamm., 58:188-201.

- DIERSING, V. E., AND D. F. HOFFMEISTER. 1977. Revision of the shrews *Sorex merriami* and a description of a new species of the subgenus *Sorex*. J. Mamm., 58:321-333.
- ELLIS, L. S., AND L. R. MAXON. 1979. Evolution of the chipmunk genera *Eutamias* and *Tamias*. J. Mamm., 60:331-334.
- HENNINGS, D., AND R. S. HOFFMANN. 1977. A review of the taxonomy of the *Sorex vagrans* species complex from western North America. Occas. Papers Mus. Nat. Hist., Univ. Kansas, 68:1-35.
- HINESLEY, L. L. 1979. Systematics and distribution of two chromosome forms in the southern grasshopper mouse, genus *Onychomys*. J. Mamm., 60:117-128.
- HOFFMEISTER, D. F., AND V. E. DIERSING. 1978. Review of the tassel-eared squirrels of the subgenus *Otosciurus*. J. Mamm., 59:402-413.
- JONES, J. K., JR., D. C. CARTER, AND H. H. GENOWAYS. 1975. Revised checklist of North American mammals north of Mexico. Occas. Papers Mus., Texas Tech Univ., 28:1-14.
- MASCARELLO, J. T. 1978. Chromosomal, biochemical, mensural, penile, and cranial variation in desert woodrats (*Neotoma lepida*). J. Mamm., 59:477-495.
- NADLER, C. F., R. S. HOFFMANN, AND K. R. GREER. 1971. Chromosomal divergence during evolution of ground squirrel populations (Rodentia: *Spermophilus*). Syst. Zool., 20:298-305.
- NADLER, C. F., R. S. HOFFMANN, J. H. HONACKI, AND D. POZIN. 1977. Chromosomal evolution in chipmunks, with special emphasis on A and B karyotypes of the subgenus *Neotamias*. Amer. Midland Nat., 98:343-353.
- PATTON, J. L., H. MACARTHUR, AND S. Y. YANG. 1976. Systematic relationships of the four-toed populations of *Dipodomys heermanni*. J. Mamm., 57:159-163.
- RAUSCH, R. L., AND V. R. RAUSCH. 1975. Taxonomy and zoogeography of *Lemmus* spp. (Rodentia: Arvicolinae), with notes on laboratory-reared lemmings. Z. Säugetier., 40:8-34.
- REPENNING, C. A., AND R. H. TEDFORD. 1977. Otarioid seals of the Neogene. Prof. Paper, U.S. Geol. Surv., 992:1-93.
- RICE, D. W. 1977. A list of marine mammals of the world. NOAA Tech. Rept., Nat. Marine Fish. Serv., Spec. Sci. Rept., 711:iii+1-15.
- ROBINSON, J. W., AND R. S. HOFFMANN. 1975. Geographical and interspecific cranial variation in big-eared ground squirrels (*Spermophilus*): a multivariate study. Syst. Zool., 24:79-88.
- SPITZER, N. C., AND J. D. LAZELL, JR. 1978. A new rice rat (genus *Oryzomys*) from Florida's lower keys. J. Mamm., 59:787-792.
- TEDFORD, R. H. 1976. Relationship of pinnipeds to other carnivores (Mammalia). Syst. Zool., 25:363-374.
- THAELER, C. S., AND L. L. HINESLEY. 1979. *Thomomys clusius*, a rediscovered species of pocket gopher. J. Mamm., 60:480-488.
- VAN GELDER, R. G. 1978. A review of canid classification. Amer. Mus. Novit., 2646:1-10.
- VAN ZYLL DE JONG, C. G. 1976a. Are there two species of pygmy shrews (*Microsorex*)? Canadian Field-Nat., 90:485-487.
- . 1976b. A comparison between woodland and tundra forms of the common shrew (*Sorex cinereus*). Canadian J. Zool., 54:963-973.

- . 1979. Distribution and systematic relationships of long-eared *Myotis* in western Canada. *Canadian J. Zool.*, 57:987-994.
- WILLIAMS, D. F. 1978. Systematic and ecogeographic variation of the Apache pocket mouse (Rodentia: Heteromyidae). *Bull. Carnegie Mus. Nat. Hist.*, 10:1-57.

Addresses of authors: J. K. JONES, JR., *The Museum and Department of Biological Sciences, Texas Tech University, Lubbock, Texas 79409*; D. C. CARTER, *The Museum, Texas Tech University*; H. H. GENOWAYS, *Section of Mammals, Carnegie Museum of Natural History, 4400 Forbes Avenue, Pittsburgh, Pennsylvania 15213*. Received 29 October, accepted 31 October 1979.



Carter, Dilford C. and Genoways, Hugh H. 1979. "Revised checklist of North American mammals north of Mexico, 1979." *Occasional papers* 62, 1-17.

View This Item Online: <https://www.biodiversitylibrary.org/item/247381>

Permalink: <https://www.biodiversitylibrary.org/partpdf/282165>

Holding Institution

Harvard University, Museum of Comparative Zoology, Ernst Mayr Library

Sponsored by

IMLS LG-70-15-0138-15

Copyright & Reuse

Copyright Status: In copyright. Digitized with the permission of the rights holder.

Rights Holder: Museum of Texas Tech University

License: <http://creativecommons.org/licenses/by-nc-sa/4.0/>

Rights: <http://biodiversitylibrary.org/permissions>

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.