

Hylocomium Squarrosum

Dr George G Kennedy

Dear Sir

I have written to several authorities on Bryology trying to ascertain the geographical distribution of the enclosed moss. I believe it has not been found in New England before this fall when I found it in abundance here in Amesbury. I have tried hard to find it in fruit, but have not been able to as yet. Dr. Grout says it is found in the east only in Pa. can you inform as to its eastern limit. I see by Les. & James that it is found in Oregon but no other western state is mentioned

I have specimens of it
from the Orkney Islands.

Hoping you will pardon my
addressing you in the matter I
remain yours Truly

J. Warren Huntington
Amesbury
Mass.

N. B. I suppose the other
specimen I send you is
Buxbaumia aphylla.

J. W. H.



Huntington, John Warren. 1899. "Huntington, J. Warren undated [Jan 1899]."
George Golding Kennedy correspondence

View This Item Online: <https://www.biodiversitylibrary.org/item/172901>

Permalink: <https://www.biodiversitylibrary.org/partpdf/284901>

Holding Institution

Harvard University Botany Libraries

Sponsored by

IMLS

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.