ANTHIAS SACER.

CHARACTER GENERICUS.

Caput totum squamosum ; operculo anteriore serrato.

Bloch ichtb. 9. p. 86.

CHARACTER SPECIFICUS, &c.

ANTHIAS radio secundo pinnæ dorsalis longissimo.

Bloch. ichtb. 9. p. 86. t. 315.

Labrus ANTHIAS.

Lin. Syst. Nat. Gmel. p. 1283.

ANTHIAS Rondeletii.

Jonst. de piscib. p. 53. t. 16. f. 1.

Will. ichtb. p. 325. t. x. 5. f. 3.

In mari Mediterraneo præcipue conspicitur formosus hic piscis, pedali, ut plurimum, longitudine. Coloris est læte rosei.

THE
RED ANTHIAS.

GENERIC CHARACTER.

Head completely scaled: anterior gill-cover perforated.

SPECIFIC CHARACTER, &c.

Rose-coloured ANTHIAS, with the second ray of the dorsal fin extremely long.

The rose-coloured ANTHIAS.

The crimson ANTHIAS.

Le BARBIER.

Bonaterre, Encycl. Ichth. p. 105.

Rondel. Hist. Poiss. 1. p. 161.

This beautiful fish is principally found in the Mediterranean sea. It grows to the length of about a foot, and is of an elegant bright rose-color.

Shaw, George. 1799. "The Red Anthias, *Anthias sacer* [Pl. 371]." *The Naturalist's Miscellany* 10(CXIV), <https://doi.org/10.5962/p.304553>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276641>

DOI: <https://doi.org/10.5962/p.304553>

Permalink: <https://www.biodiversitylibrary.org/partpdf/304553>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.