MOTACILLA SUPERBA.

CHARACTER GENERICUS.

Rostrum subulatum, rectum : mandibulis subæqualibus.

Nares obovatæ.

Lingua lacero-emarginata.

Lin. Syst. Nat. p. 328.

CHARACTER SPECIFICUS.

MOTACILLA nigra, remigibus fuscis, abdomine albo, fronte genisque cæruleis.

Hæc avicula, inter alias sui generis forsan pulcherrima, Novæ Hollandiæ, præcipue Terræ de Van Dieman dictæ incola est; illinc paucis abhinc annis primum in Angliam illata. Colores paulum variat; circa frontem scilicet plus minus est cærulea, ventrem plus minus albida. Caput est aterrimum; quod tegunt plumæ mollissimæ. Totum etiam corpus vestiunt plumæ præter solitum teneræ et elegantes.

T H E
SUPERB WARBLER.

GENERIC CHARACTER,

Bill subulated (or awl-shaped); strait; the mandibles nearly equal.

Nostrils nearly oval.

Tongue jagged, or lacerated towards the tip.

SPECIFIC CHARACTER.

BLACK WARBLER, with the long feathers of the wings brown; the belly white; the forehead and cheeks blue.

The beautiful species of *Motacilla* here figured, is a native of that part of New Holland called Van Dieman's Land; and is one of the new species of birds, which have been discovered during the voyages to those parts. It varies a little in colour, some specimens having more of the blue on the head than others; the belly also in some specimens is of a more dusky tinge than in others. The head is of the deepest velvet-black, and the feathers on the whole bird have an unusual share of softness and elegance.

S.N

London, Published Novr 1st 1799 by F.P. Nocton

26th N^o 13 Cannon Street.

Shaw, George. 1789. "The Superb Warbler, *Motacilla superba* [Pl. 10]." *The Naturalist's Miscellany* 1(IV), <https://doi.org/10.5962/p.310658>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281460>

DOI: <https://doi.org/10.5962/p.310658>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310658>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.