LOXIA JUGULARIS.

CHARACTER GENERICUS.

Rostrum conico-gibbum, frontis basi rotundatum
versus caput: Mandibula inferior margine
lateralis inflexa.

Nares in basi rostri.

Lingua integra.

Lin. Syst. Nat. p. 299.

CHARACTER SPECIFICUS.

LOXIA testaceo-ferruginea, nigro undulata, fas-
cia gulæ sanguinea.

Africam incolit hæc avicula. Coloris est Castanei;
seu griseo-ferruginei, maculis lunatis nigris eleganter
undulati: Decoratur gula fascia lata transversa vivide
coccinea.

THE
RED-THROATED GROSSBEAK.

GENERIC CHARACTER.

Bill strong, thick, and convex.

Nostrils small.

Tongue truncated.

SPECIFIC CHARACTER, &c.

PALE-FERRUGINOUS LOXIA, undulated
with black, with a blood-red fascia on the
throat.

FASCIATED GROSSBEAK.

Lath. Synops. 2. p. 156

THE CUT-THROAT SPARROW.

Lev. Mus.

This bird is a native of Africa. Its colour is a palish chefnut, or grey ferruginous, elegantly undulated with semi-lunar marks of black. The throat is ornamented with a broad transverse band of the deepest vivid red.

London, Published Feb. 21st 1791, by F. P. Nodder & Co.

N.º 15. Braver Street.

Shaw, George. 1790. "The Red-Throated Grossbeak, *Loxia jugularis* [Pl. 56]." *The Naturalist's Miscellany* 2(XV), <https://doi.org/10.5962/p.310708>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276232>

DOI: <https://doi.org/10.5962/p.310708>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310708>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.