PICUS MAJOR.

CHARACTER GENERICUS.

Rostrum polyedrum, rectum: apice cuneato.

Nares penne fetaceis recumbentibus obtectæ.

Lingua teres, lumbriciformis, longissima, mucronata, apice retrorsum aculeata fetis.

Pedes scanforii.

Lin. Syst. Nat. p. 173.

CHARACTER SPECIFICUS, &c.

PICUS albo nigroque varius, crisso occipiteque rubro.

Lin. Syst. Nat. p. 176.

PICUS varius major.

Will. orn. 94. t. 21.

PICUS discolor.

Frisch. av. t. 36.

Inter aves Britannicas quæ pulcherrimæ habentur Pico majori conceditur sedes, rariori longe Pico viridi et vulgari, et in Angliæ partibus Septentrionalibus præcipue conspecto. Deest feminae color

T

vivide

vivide coccineus quo occiput maris ornatur: utrif-
que vero in imo abdomine idem levis est sed pul-
cherrimus rubor. Depingitur in tabula deminuta
avis magnitudo.

inter aves Britannicas quae pulcherrime habentur
Pico majori concessimus locum, etiam si non Pico
viridi et vulgaris, et in Angliae partibus frequentis-
simus, talibus praecipue confectus. Deest tamen talis

R.A.

London, Published

Joh. & J. by F. & C. Nodder & Co. N. 15, Broad Street.

THE GREATER SPOTTED WOOD- PECKER.

GENERIC CHARACTER.

Bill angular, strait, cuneated at the tip.

Nostrils covered with reflected bristly feathers.

Tongue cylindric, worm-shaped, very long, sharp-pointed, and (generally) aculeated at the tip with reflex bristles.

Feet formed for climbing, viz. two toes forward and two backward.

SPECIFIC CHARACTER, &c.

BLACK AND WHITE WOODPECKER with the hind-head and lower part of the abdomen crimson.

THE GREATER SPOTTED WOOD-
PECKER.

Will. orn. p. 137. pl. 21.

GREAT SPOTTED WOODPECKER.

Pennant Brit. Zool. No. 85.

L'EPEICHE, ou le Pic varié.

Buf. ois. 7. p. 57.

Pl. enl. 196. 595.

The *Picus major*, or greater spotted Woodpecker, is one of the most elegant of the British birds. It

is far less common than the *Picus viridis* or green woodpecker, and is principally seen in the northern counties. The rich red on the back part of the head of the male is wanting in the female, but both sexes have the same elegant light crimson on the lower part of the abdomen. It is represented on the plate much smaller than the natural size.

Shaw, George. 1794. "The Greater Spotted Woodpecker, *Picus major* [Pl. 180]." *The Naturalist's Miscellany* 5(LIX), <https://doi.org/10.5962/p.310759>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276340>

DOI: <https://doi.org/10.5962/p.310759>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310759>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.