ORIOLOUS XANTHORNUS.

CHARACTER GENERICUS.

Rostrum conicum, convexum, acutissimum, rectum: mandibula superiore paulo longiore, obsolete emarginata.

Lingua bifida, acuta.

Pedes ambulatorii.

Lin. Syst. Nat. p. 160.

CHARACTER SPECIFICUS, &c.

ORIOLOUS LUTEUS, gula, remigibus rectricibusque nigris.

Lin. Syst. Nat. Gmel. p. 391.

XANTHORNUS MEXICANUS.

Briss. av. 2. p. 118. t. 11. f. 2.

AVIS AYOQUANTOTOTL.

Hern. mex. 54.

Seb. Mus. 2. p. 102, t. 96. f. 4.

Oriolus Xanthornus in insula Jamaica præcipue invenitur: tabula avis magnitudinem naturalem exprimit.

THE
LESSER BANANA-BIRD.

GENERIC CHARACTER.

Bill conic, convex, very sharp-pointed, strait:
the upper mandible rather longer than the
lower, and slightly emarginated.

Tongue bifid, sharp-pointed.

Feet formed for walking.

SPECIFIC CHARACTER, &c.

GOLD-YELLOW ORIOLE, with black throat,
quills, and tail.

The LESSER BANANA-BIRD.

Lath. Syn. 1. p. 438.

LE CAROUGE.

Briss. orn. 2. p. 118. pl. 11. f. 2.

Buf. ois. 3. p. 247.

Pl. enl. 535. f. 1.

The *Oriolus Xanthornus* or lesser Banana-Bird is chiefly found in the Island of Jamaica: it is represented on the plate in its natural size.

London Published May 14th 1796 by F. P. Nodder & Co. N^o 15 Brewer Street.

Shaw, George. 1796. "The Lesser Banana-Bird, Oriolus xanthornus [Pl. 243]." *The Naturalist's Miscellany* 7(LXXXI), <https://doi.org/10.5962/p.310786>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276356>

DOI: <https://doi.org/10.5962/p.310786>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310786>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.