PSITTACUS PALLIDUS.

CHARACTER GENERICUS.

Rostrum aduncum: mandibula inferiore mobili;
cera instructa.

Nares in rostri basi.

Lingua carnosæ, obtusa, integra.

Pedes scanforii.

Lin. Syst. Nat. p. 139.

CHARACTER SPECIFICUS, &c.

PSITTACUS FLAVUS, alis albidis rosaceo leviter tinctis, virescenteque, pro luce, variatis.

In Australasia innascitur nova hæc species, cujus vera magnitudo in tabula depingitur.

THE
PALE PARRAKEET.

GENERIC CHARACTER.

Bill hooked: upper mandible moveable.

Nostrils round, placed in the base of the bill.

Tongue fleshy, broad, blunt at the end.

Legs short. Toes formed for climbing, viz.
two toes forward, and two backward.

SPECIFIC CHARACTER.

YELLOW PARRAKEET with whitish wings,
slightly tintured with rose-color, and with
a cast of greenish according to the direction
of the light.

This bird, which is a native of Australasia, is
entirely new, and is represented in its natural size.

R.V.

London Published Oct 1846
by F. R. Nodden & Co. N. 15, Broad Street.

Shaw, George. 1796. "The Pale Parakeet, *Psittacus pallidus* [Pl. 258]." *The Naturalist's Miscellany* 8(LXXXVII), <https://doi.org/10.5962/p.310801>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276320>

DOI: <https://doi.org/10.5962/p.310801>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310801>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.