PAPILIO DIOMEDES?

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ sedentis erectæ sursumque conniventes, (volatu diurno).

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO caudatus niger, alarum disco inæqualiter cæruleo-radiato, macula nigra rotundata; posterioribus lunulis marginalibus cæruleis.

An Var. P. Ulyssis?

Papilio DIOMEDES.

Cram. inf. t. 122. A.

Pap. DIOMEDES ???

Lin. Syst. Nat. p. 749.

Lin. Syst. Nat. Gmel. p. 2236.

Indiam incolit pulcherrimus hic Papilio, magnitudine naturali in tabula depictus.

DIOMEDES?

GENERIC CHARACTER.

Antennæ thickening towards the upper part and generally terminating in a knob.

Wings (when sitting) erect and meeting upwards.
(Flight diurnal.)

SPECIFIC CHARACTER.

Caudated black BUTTERFLY, with the disc of the wings unequally radiated with blue, with a round spot of black: the lower wings marked by a row of blue crescents round the margin.

This most beautiful Insect is a native of India, and is represented on the plate in its natural size.

Shaw, George. 1797. "Diomedes, Papilio diomedes [Pl. 296]." *The Naturalist's Miscellany* 8(XCV), <https://doi.org/10.5962/p.310839>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276320>

DOI: <https://doi.org/10.5962/p.310839>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310839>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.