OPHICEPHALUS PUNCTATUS.

CHARACTER GENERICUS.

Caput squamis variis.

Bloch. ichth. 10. p. 113.

CHARACTER SPECIFICUS.

OPHICEPHALUS corpore nigro-punctato.

Bloch. ichth. 10. p. 115. t. 358.

In fluviis lacubusque Indicis præcipue invenitur Ophicephalus punctatus, longitudine, ut plurimum, pedali vel fesquipedali. Ophicephali genus instituit celeberrimus Blochius.

THE HISTORY OF THE

REIGN OF

CHARLES THE FIRST

BY

JOHN BURNET

OF

THE UNIVERSITY OF OXFORD

IN TWO VOLUMES

THE FIRST PART

CONTAINING

THE REIGN OF

JAMES THE FIRST

THE
PUNCTATED OPHICEPHALUS.

GENERIC CHARACTER.

Head coated with diffimilar scales.

SPECIFIC CHARACTER, &c.

Pale-brown OPHICEPHALUS, speckled with
black points.

Spotted OPHICEPHALUS, or punctulated snake-
head.

Der punctirte Schlangenkopf.

Bloch. ichtb. 10. pl. 358.

The punctated Ophicephalus is principally found in the rivers and lakes of India, and is commonly about a foot or a foot and a half in length. The genus Ophicephalus was first instituted by the celebrated Dr. Bloch.

Shaw, George. 1799. "The Punctated Ophicephalus, Ophicephalus punctatus [Pl. 399]." *The Naturalist's Miscellany* 11(CXXI), <https://doi.org/10.5962/p.310846>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276496>

DOI: <https://doi.org/10.5962/p.310846>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310846>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.