LORICARIA PLECOSTOMUS.

CHARACTER GENERICUS.

Corpus lorica tum.

Os subtus.

Bloch. ichth. 11. p. 55.

CHARACTER SPECIFICUS, &c.

LORICARIA flava, fusco maculata, cauda striis plurimis transversis fuscis, dorso dipterygio.

LORICARIA PLECOSTOMUS. L. pinnis dorfi duabus.

Lin. Syst. Nat. p. 508.

ACCIPENSER Indicus. A. ore cirris duobus.

Lin. mus. Ad. Frid. p. 55. t. 28. f. 4.

LORICARIA PLECOSTOMUS.

Bloch. 11. p. 57. t. 374.

Genus *Loricaria* paucas continet species, quarum illa in tabula depicta rivos incolit Americanos, in Brasilia præcipue reperta, longitudine, ut plurimum, pedali.

London Published Dec: 1799 by E. P. Nodder, Newman Street.

THE
YELLOW LORICARIA.

GENERIC CHARACTER.

Body mailed.

Mouth situated underneath.

SPECIFIC CHARACTER, &c.

YELLOW LORICARIA, spotted with brown,
with two dorsal fins, and tail marked with
several brown transverse stripes.

The genus *Loricaria* contains but very few species, of which that represented on the present plate is a native of the American rivers, and is principally found in Brasil. Its general length is about a foot.

Shaw, George. 1799. "The Yellow Loricaria, *Loricaria plecostomus* [Pl. 410]." *The Naturalist's Miscellany* 11(CXXIV), <https://doi.org/10.5962/p.310857>.

View This Item Online: <https://www.biodiversitylibrary.org/item/276496>

DOI: <https://doi.org/10.5962/p.310857>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310857>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.