PAPILIO AMPHIMEDON.

VAR.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis concoloribus fuscis : anterioribus albo radiatis ; posterioribus macula quinque-fida rubra lunulisque albis.

Fabr. spec. ins. 2. p. 8.

EQ. TR.

Var ?

Alis superioribus fuscis ochraceo radiatis, inferioribus flavis nigro maculatis.

Seb. mus. 4. p. 21. t. 16. f. 7. 8.

Inter maximos papiliones exoticos numeratur Papilio Amphimedon. In insula Amboina generatur, & magnitudine vera in tabula exprimitur.

AMPHIMEDON.

VAR.

GENERIC CHARACTER.

Antennæ commonly thickening towards the end into a clavated tip.

Wings (when at rest) meeting upwards. (Flight diurnal.)

SPECIFIC CHARACTER, &c.

Brown Butterfly, with the upper wings radiated with white; the lower with a five-cleft red spot and white marginal crescents.

Var?

Upper wings radiated with ochre-color; lower yellow with black variegations.

This insect is one of the largest of the exotic Butterflies, and is a native of Amboina. The plate represents it in its natural size.

London: Published by J. & J. W. 1800. by J. & J. W. 1800. by J. & J. W. 1800.

Shaw, George. 1801. "Amphimedon, Papilio amphimedon [Pl. 448]." *The Naturalist's Miscellany* 12(CXXXVIII), <https://doi.org/10.5962/p.310895>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278722>

DOI: <https://doi.org/10.5962/p.310895>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310895>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.