MUREX TRIBULUS.

VAR.

CHARACTER GENERICUS.

Animal Limax.

Testa univalvis, spiralis, exasperata suturis membranaceis.

Apertura desinens in canalem integrum, rectum seu subascendentem.

Lin. Syst. Nat. p. 1213.

CHARACTER SPECIFICUS, &c.

MUREX TRIBULUS. M. testa ovata spinis setaceis trifariis, cauda elongata subulata recta similiter spinosa.

Lin. Syst. Nat. 1214.

VAR. spinis longissimis.

Quas genus *Murex* amplectitur numerosissimæ sunt species. His, ut plurimum, insignis est scabritie superficies, nunc in longas spinas excurrentes, nunc in processus quosdam crispatos seu quasi foliatis. Testam de qua jam agitur rarissimam alit mare Indicum et Atlanticum. Variant specimina quoad colorem, nec non rostri et spinarum longitudinem.

P.N.

London. Published Dec 21st 1809, by F.P. Nodder, Newnan Street.

THE
THORNY MUREX.

VAR.

GENERIC CHARACTER.

Animal allied to a Slug.

Shell univalve, spiral, roughened with membranaceous sutures.

Aperture ending in a strait or subascending channel.

SPECIFIC CHARACTER, &c.

Whitish MUREX, with a triple row of setaceous spines, and long beak with similar spines.

VAR. With extremely long spines.

The Thorny Woodcock.

The genus Murex, of which the species are extremely numerous, is distinguished, in general, by a peculiar roughness of surface, which either runs out into long spines, or into processes more or less crisped or foliated. The very rare shell exhibited on the present plate is principally found in the Indian and American seas, and varies as to color and length of the beak and spines.

Shaw, George. 1801. "The Thorny Murex, Murex tribulus [Pl. 460]." *The Naturalist's Miscellany* 12(CXLII), <https://doi.org/10.5962/p.310906>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278722>

DOI: <https://doi.org/10.5962/p.310906>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310906>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.