BUCCINUM TUBEROSUM.

CHARACTER GENERICUS.

Animal Limax.

Testa univalvis, spiralis, gibbosa.

Apertura ovata, desinens in canaliculum (s. retusam lacunam) dextrum, cauda retusum.

Labium interius explanatum.

Lin. Syst. Nat. p. 1196.

CHARACTER SPECIFICUS, &c.

BUCCINUM testa cingulis duobus tuberculosus,
cauda recurva.

Lin. Syst. Nat. p. 1198.

Gualt. test. t. 41. f. A.

Seb. mus. 3. t. 73. f. 5—15.

Knorr. Vergn. 3. t. 10. f. 1. 2.

In Oceano Americano præcipue innascitur Buccinum tuberosum, magnitudine et coloribus varians, et interdum fere in pedalem crescens longitudinem.

BUCCINUM TUBEROSUM

CHARACTER GENERIS

General shape.

Testa white, smooth, glossy.

Aperture of the shell in cardinalium (2 or

three) (small) dorsal teeth prominent.

Aperture in the cardinalium.

Size of the shell.

CHARACTER SPECIES

BUCCINUM TUBEROSUM (L.)

Testa white.

Aperture of the shell in cardinalium (2 or

three) (small) dorsal teeth prominent.

Aperture in the cardinalium.

Size of the shell.

BUCCINUM TUBEROSUM (L.)

Testa white, smooth, glossy.

Aperture of the shell in cardinalium (2 or

TUBEROUS BUCCINUM.

GENERIC CHARACTER.

Animal allied to a Slug.

Shell univalve, spiral, gibbous.

Aperture ovate, ending in a channel pointing towards the right.

Interior Lip expanded.

SPECIFIC CHARACTER, &c.

Pale BUCCINUM with rufous and dusky variations, two rows of tubercles, and recurved tip.

Knobbed BUCCINUM,

The shell here represented is a native of the American seas, and varies greatly both in size and colors, sometimes measuring almost twelve inches in length.

Shaw, George. 1801. "Tuberous Buccinum, Buccinum tuberosum [Pl. 467]."
The Naturalist's Miscellany 12(CXLIV), <https://doi.org/10.5962/p.310913>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278722>

DOI: <https://doi.org/10.5962/p.310913>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310913>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.