PERCA GUTTATA.

CHARACTER GENERICUS.

Squamæ duræ, asperæ.

Opercula spinosa.

Bloch. ichth. 2. p. 56.

Thoracici.

CHARACTER SPECIFICUS, &c.

PERCA rubra guttis rubris.

Bloch. ichth. 9. p. 78. t. 312.

PERCA pinnis dorsalibus unitis, cauda integra,
corpore punctis sanguineis adperso.

Lin. Syst. Nat. p. 485.

Gugupuguacu.

Catesb. 2. p. 14. t. 14.

Perca guttata, quam satis abundanter alunt maria Americana, in cibis est laudatioribus; perca communi Europea seu fluviatili fere duplo major. Color communis pulcherrime rubet, maculis plurimis obscurioribus conspersus.

London Published May 1860 by E. P. Sclater, Newman Street.

THE
SANGUINE PERCH.

GENERIC CHARACTER.

Gill-Covers spiny.

Scales hard and rough.

SPECIFIC CHARACTER, &c.

Red PERCH, with numerous deep-red spots.

The Hind.

Catesb. Car. 2. p. 14. pl. 14.

La Sanguinolente.

Bonaterre Encycl. Ichth. p. 130.

The Hind, or red spotted Perch.

The *Perca guttata*, a very common inhabitant of the West Indian seas, and, in general, much esteemed as an article of food, grows sometimes to near double the size of the common European or river Perch. Its general colour is a most beautiful red, with numerous round spots of a deeper tinge.

Shaw, George. 1800. "The Sanguine Perch, *Perca guttata* [Pl. 478]." *The Naturalist's Miscellany* 12(CXXXIV), <https://doi.org/10.5962/p.310925>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278722>

DOI: <https://doi.org/10.5962/p.310925>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310925>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.