ANTHIAS FORMOSUS.

CHARACTER GENERICUS.

Caput totum squamosum; operculo anteriore serrato.

Bloch. ichth. 9. p. 86.

CHARACTER SPECIFICUS, &c.

ANTHIAS flavus, lineis longitudinalibus cæruleis.

Perca formosa.

Lin. Syst. Nat. Gmel. p. 1322.

Perca marina capite striato.

Catesb. Car. 2. t. 6.

In maribus Americanis præcipue conspicitur *Anthias formosus*, longitudine, ut plurimum, pedali.

London: Published July 1st 1801, by G. B. Nodder, & Newman Street.

THE
BLUE-STRIPED ANTHIAS.

GENERIC CHARACTER.

Head completely scaled: anterior gill-cover serrated.

SPECIFIC CHARACTER, &c.

Yellow ANTHIAS with longitudinal blue lines.

The Grunt.

Catesb. Carol. 2. p. 6.

L'Ecuriel.

Bonaterre Encycl. Ichth. p. 135.

Der Rothmund.

Bloch. ichth. pl. 323.

This beautiful fish is principally found in the American seas, and is generally about twelve inches in length.

Shaw, George. 1800. "The Blue-Striped Anthias, *Anthias formosus* [Pl. 487]." *The Naturalist's Miscellany* 12(CXXXVI), <https://doi.org/10.5962/p.310933>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278722>

DOI: <https://doi.org/10.5962/p.310933>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310933>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.