PAPILIO ÆNEAS
ET
PAPILIO PERANTHUS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes, (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

P. ÆNEAS. P. alis nigris; primoribus supra macula viridi, posterioribus macula palmata sanguinea.

Lin. Syst. Nat. Gmel. p. 2233.

P. alis dentatis atris: primoribus supra macula viridi, posticis macula palmata sanguinea.

Lin. Syst. Nat. p. 747.

Eq. Tr.

P. PERANTHUS. P. alis dentato-caudatis nigris, supra basi viridibus, subtus apice palidis, posterioribus lunulis septem fulvis.

Lin. Syst. Nat. Gmel. p. 2232.

Eq. Tr.

PAP.

PAP. PERANTHUS.

Fabr. mant. ins. 2. p. 4 ?

Ostenditur in tabula papilionum duorum perelegantium et exoticorum vera magnitudo, quorum qui altius depingitur Indiam, qui inferius, Cochinchinam incolit.

ÆNEAS & PERANTHUS.

GENERIC CHARACTER.

Antennæ commonly thickening towards the end into a clavated tip.

Wings (when at rest) meeting upwards. (Flight diurnal.)

SPECIFIC CHARACTER, &c.

ÆNEAS. Black Butterfly with denticulated wings, the upper pair marked above by a green spot, the lower by a blood-red pal-mated spot.

PERANTHUS. Black Butterfly with denticu-lated tailed wings green at the base.

Green-shouldered Cochinchina Butterfly.

Of the two beautiful exotic Butterflies exhibited on the present plate the superior is a native of India, and the inferior of Cochinchina: both are represent-ed in their natural size.

Shaw, George. 1802. "Æneas & Peranthus, Papilio æneas et papilio peranthus [Pl. 512]." *The Naturalist's Miscellany* 13(CLII), <https://doi.org/10.5962/p.310958>

.

View This Item Online: <https://www.biodiversitylibrary.org/item/281546>

DOI: <https://doi.org/10.5962/p.310958>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310958>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.