LANIUS BICOLOR.

CHARACTER GENERICUS.

Rostrum rectiusculum, dente utrinque versus
apicem, basi nudum,

Lingua lacera.

Lin. Syst. Nat. p. 134.

CHARACTER SPECIFICUS, &c.

LANIUS cæruleus, subtus albus, cauda sub-
æquali.

LANIUS cauda subæquali, supra cæruleus sub-
tus albus, capistro nigro.

Lath. ind. orn. p. 75.

Loxia Madagascarina.

Lin. Syst. Nat. 1. p. 306.

Species perpulchra hic depicta insulas Africanas
præcipue autem Madagascariam incolit: femina a
mare coloribus multo minus vividis distinguitur.

THE
BLUE SHRIKE.

GENERIC CHARACTER.

Bill straitish, with a tooth or process on each side near the tip.

Tongue jagged.

SPECIFIC CHARACTER, &c.

BLUE SHRIKE, white beneath, with rounded tail.

BLUE SHRIKE.

Lath. Syn. 1. p. 178.

La Pie-griesche blue de Madagascar.

Pl. Enl. 32. f. 2.

The beautiful species here represented is a native of the African islands, and is principally found in Madagascar: the female is distinguished from the male by its far less brilliant colour.

Shaw, George. 1801. "The Blue Shrike, *Lanius bicolor* [Pl. 521]." *The Naturalist's Miscellany* 13(CXLVII), <https://doi.org/10.5962/p.310967>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281546>

DOI: <https://doi.org/10.5962/p.310967>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310967>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.