CHÆTODON SETIFER.

CHARACTER GENERICUS.

Dentes setacei.

Corpus pictum.

Bloch. ichth. 6. p. 35.

CHARACTER SPECIFICUS, &c.

CHÆTODON flavescens, rubro striatus, ocello
setaque ad pinnam dorsi.

CHÆTODON setifer. C. seta ocelloque ad pin-
nam dorsi.

Bloch. 12. p. 99. t. 446. f. 1.

Maria incolit Indica Chætodon setifer, cujus
veram magnitudinem cernere est in tabula.

THE
RED-STRIPED CHÆTODON.

GENERIC CHARACTER.

Teeth setaceous.

Body varied or banded.

SPECIFIC CHARACTER, &c.

Yellowish CHÆTODON, with numerous red stripes on the body, and an eye-shaped spot and bristle on the dorsal fin.

The RED-STRIPED CHÆTODON.

、 The red-striped Chætodon is an inhabitant of the Indian seas, and is represented on the annexed plate in its natural size.

Shaw, George. 1802. "The Red-Striped Chætodon, Chætodon setifer [Pl. 551]." *The Naturalist's Miscellany* 14(CLVII), <https://doi.org/10.5962/p.310996>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278723>

DOI: <https://doi.org/10.5962/p.310996>

Permalink: <https://www.biodiversitylibrary.org/partpdf/310996>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.