PAPILIO ANTIMACHUS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes, (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis subconcoloribus nigricantibus fulvo-maculatis, superioribus elongatis.

PAPILIO ANTIMACHUS.

Drury. 3. t. 1.

Eq. Tr.

Magnitudine vera in tabula exprimitur Papilio Antimachus, in Sierra Leona præcipue conspectus, & in elegantissimo opere Domini Drury primum fortasse depictus.

ANTIMACHUS.

GENERIC CHARACTER.

Antennæ commonly thickening towards the end into a clavated tip.

Wings (when at rest) meeting upwards. (Flight diurnal.)

SPECIFIC CHARACTER, &c.

Butterfly with blackish wings marked by fulvous spots, both surfaces nearly similar, and the upper wings elongated.

Long-winged Leona Butterfly.

The *Papilio Antimachus* is chiefly observed in Sierra Leona, and is represented on the plate in its natural size. It seems to have been first figured in the elegant work of Mr. Drury.

Shaw, George. 1803. "Antimachus, Papilio antimachus [Pl. 572]." *The Naturalist's Miscellany* 14(CLXIV), <https://doi.org/10.5962/p.311016>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278723>

DOI: <https://doi.org/10.5962/p.311016>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311016>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.