

PAPILIO AURELIUS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ, sursumque conniventes, (volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis fuscis apice atris albo maculatis ; posterioribus ocellis duobus.

Lin. Syst. Nat. Gmel. p. 2243.

Eq. Achiv.

PAPILIO AURELIUS.

Fabr. sp. ins. 2. p. 21.

PAPILIO AURELIUS.

Cram. t. 168. f. A. B.

Indiam incolit rarissimus hic Papilio, et magnitudine vera in tabula depingitur.



AURELIUS.



GENERIC CHARACTER.

Antennæ thickening towards the upper part,
and generally terminating in a knob.

Wings (when sitting) erect, and meeting upwards. (Flight diurnal.)

SPECIFIC CHARACTER, &c.

Brown Butterfly, with the tips of the wings black, spotted with white, and the lower wings marked beneath by two eye-shaped spots.

Eq. Achiv.

This very rare Butterfly is a native of India, and is represented on the plate in its natural size.



Shaw, George. 1803. "Aurelius, Papilio aurelius [Pl. 587]." *The Naturalist's Miscellany* 14(CLXVIII), <https://doi.org/10.5962/p.311030>.

View This Item Online: <https://www.biodiversitylibrary.org/item/278723>

DOI: <https://doi.org/10.5962/p.311030>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311030>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.