PHALÆNA STRIX.

CHARACTER GENERICUS.

Antennæ setacæ, a basi ad apicem sensim attenuatæ.

Alæ (sedentis) sæpius deflexæ. (Volatu nocturno.)

Lin. Syst. Nat. p. 808.

CHARACTER SPECIFICUS, &c.

PHALÆNA ALBIDA, alis concoloribus fusco nigroque reticulatis nebulosisque.

PHALÆNA STRIX? P. alis concoloribus albo nigroque reticulatis nebulosisque? *Lin. Syst. Nat.* GMEL. p. 2529. *Cram. pap.* vol. 2. t. 145. f. A.

Insulas Indicus, præcipue Javam et Amboynam incolit *Phalæna Strix*, magnitudine vera in tabula depicta.

STRIX.

GENERIC CHARACTER.

Antennæ setaceous, decreasing in size from base to point.

Wings (when at rest) generally deflected.

Flight nocturnal.

SPECIFIC CHARACTER, &c.

WHITISH MOTH, with the wings clouded and reticulated by black and brown variations.

INDIAN COSSUS or Owl-Moth.

The *Phalæna Strix* is a native of the Indian islands, and particularly of Java and Amboina. The plate represents it in its natural size.

Shaw, George. 1804. "Strix, Phalæna strix [Pl. 618]." *The Naturalist's Miscellany* 15(CLXXVII), <https://doi.org/10.5962/p.311059>.

View This Item Online: <https://www.biodiversitylibrary.org/item/280634>

DOI: <https://doi.org/10.5962/p.311059>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311059>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.