ONISCUS ENTOMON.

CHARACTER GENERICUS.

Antennæ setaceæ.

Palpi inæquales, posteriores longiores.

Corpus ovale.

Pedes quatuordecim.

CHARACTER SPECIFICUS, &c.

ONISCUS antennis quaternis, cauda oblonga
acuta.

Fabr. spec. ins. 1. p. 375.

ONISCUS ENTOMON. O. abdomine subtus
nudo, cauda subulata.

Lin. Syst. Nat. p. 1060.

Marina hæc species, Oniscorum Britannicorum
maxima, adhæret plerumque piscibus majoribus.
Color viventi livido-fuscus, exsiccatae obscuro-al-
bidus.

THE
SHARP-TAILED ONISCUS.

GENERIC CHARACTER.

Antennæ setaceous.

Feelers unequal, the hinder longest.

Body oval.

Legs fourteen.

SPECIFIC CHARACTER, &c.

Pale brown ONISCUS, with four antennæ, and oblong, sharpened tail.

SQUILLE ENTOMON.

Degeer. 7. p. 514.

This insect, the largest of the British Onisci, is a marine species, and is commonly found attached to the bodies of the larger fishes: its colour, when living, is pale brown, which fades in the dried animal into dull white.

Shaw, George. 1804. "The Sharp-Tailed Oniscus, *Oniscus entomon* [Pl. 628]."
The Naturalist's Miscellany 15(CLXXIX), <https://doi.org/10.5962/p.311068>.

View This Item Online: <https://www.biodiversitylibrary.org/item/280634>

DOI: <https://doi.org/10.5962/p.311068>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311068>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.