OSTREA JACOBÆA.

CHARACTER GENERICUS.

Animal Tethys.

Testa bivalvis, inæquivalvis, subaurita.

Cardo edentulus fossula cava ovata striisque lateralibus transversis.

CHARACTER SPECIFICUS, &c.

OSTREA JACOBÆA. O. testa inæquivalvi radiis quatuordecim angulatis longitudinaliter striatis.

Gualt. test. t. 99. f. B.

Lesser testacoth. f. 139.

In oris Europæis sæpius reperitur *Ostrea Jacobæa*, coloribus non raro varians, *Ostrea maxima*, ut plurimum, paulo minor.

THE
JACOBÆAN SCALLOP.

GENERIC CHARACTER.

Animal allied to a Tethys.

Shell bivalve: valves unequal, subauriculated.

Hinge toothless, with an ovate fossule and transverse lateral streaks.

SPECIFIC CHARACTER, &c.

SCALLOP with fourteen angular, longitudinally-striped rays.

Lesser SCALLOP.

Penn. Brit. Zool. pl. 60. f. 62.

The Jacobæan Scallop is sufficiently common about the European coasts, often varying in colour, and generally rather smaller than the common Scallop.

639
~~640~~

R. P. N. - Delt. Sculpt.

Shaw, George. 1804. "Jacobæan Scallop, *Ostrea Jacobæa* [Pl. 639]." *The Naturalist's Miscellany* 16(CLXXXI), <https://doi.org/10.5962/p.311080>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281942>

DOI: <https://doi.org/10.5962/p.311080>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311080>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.