PHALÆNA TARQUINIA.

CHARACTER GENERICUS.

Antennæ setaceæ, a basi ad apicem sensim attenuatæ.

Alæ (sedentis) sæpius deflexæ (volatu nocturno.)

Lin. Syst. Nat. p. 808.

CHARACTER SPECIFICUS, &c.

PHALÆNA alis superioribus nigris, linea media furcata alba, inferioribus fulvis.

PHALÆNA TARQUINIA.

Cram. t. 4. f. A.

Americam australem incolit *Phalæna Tarquinia* ejus veram magnitudinem ostendit tabula.

646

R. P. V. 1880

TARQUINIA.

GENERIC CHARACTER.

Antennæ setaceous, gradually lessening from base to tip.

Wings (when sitting) generally deflected.
(Flight nocturnal.)

SPECIFIC CHARACTER, &c.

MOTH with the upper wings black, marked by a forked middle line; the lower wings fulvous.

TARQUINIA.

Cram. pap. 1. *pl.* 4. *f.* A.

This elegant species is a native of South-America, and is represented on the plate in its natural size.

Shaw, George. 1804. "Tarquinia, Phalæna tarquinia [Pl. 646]." *The Naturalist's Miscellany* 16(CLXXXIII), <https://doi.org/10.5962/p.311087>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281942>

DOI: <https://doi.org/10.5962/p.311087>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311087>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.