PAPILIO AMPHRYSIUS.

CHARACTER GENERICUS.

Antennæ apicem versus crassiores, sæpius clavato-capitatae.

Alæ (sedentis) erectæ sursumque conniventes ;
(volatu diurno.)

Lin. Syst. Nat. p. 744.

CHARACTER SPECIFICUS, &c.

PAPILIO alis denticulatis nigris, versus apices flavo-substriatis, inferioribus flavis nigro-marginatis.

PAPILIO alis concoloribus nigris, anterioribus maculis, posterioribus disco flavis.

Lin. Syst. Nat. Gmel. p. 2230.

Eq. Tr.

Merian Ins. Surin. t. 72 ?

PAPILIO AMPHRYSIUS.

Cram. t. 219. f. A.

Affinis P. Helenæ.

Insulas Javam atque Amboinam præcipue incolit formosa hæc papilionis species, magnitudine vera in tabula depicta.

R.P. Nodder. Del. in Sculp.

AMPHRYSIUS.

GENERIC CHARACTER.

Antennæ generally thickening towards the extremities, and terminating in a clavated tip.

Wings (when sitting) erect, and meeting upwards.

(Flight diurnal.)

SPECIFIC CHARACTER, &c.

BUTTERFLY with denticulated wings; the upper pair black, with obscure yellow streaks towards the tips; the lower yellow, bordered with black.

Jablonsk. pap. 1. t. 1. f. 3.

This beautiful Butterfly is principally found in the islands of Java and Amboina, and is represented in its natural size on the annexed plate.

Shaw, George. 1804. "Amphrysus, Papilio amphrysus [Pl. 650]." *The Naturalist's Miscellany* 16(CLXXXIV), <https://doi.org/10.5962/p.311091>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281942>

DOI: <https://doi.org/10.5962/p.311091>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311091>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.