SPARUS MELANOPTERUS.

CHARACTER GENERICUS.

Dentes validi: *Primores* duplici, triplici, vel quadruplici ordine dispositi.

Molares (plerisque) validi, convexi, læves, in series dispositi, et quasi pavimentum in ore efformantes.

Labia crassa: *Opercula* mutica, squamosa.

CHARACTER SPECIFICUS, &c.

SPARUS purpurascens, abdomine flavo-virente, orbitis viridi-radiatis, pinnis nigris.

LABRUS MELAPTERUS. L. Pinnis nigris, aculeis dorsalibus octo.

Bloch. t. 285.

Maria incolit Indica Sparus melanopterus, longitudine, ut plurimum, pedali.

WILSON'S MELANOTERUS

THE MELANOTERUS OF WILSON

THE
BLACK-FINNED SPARUS.

GENERIC CHARACTER.

Teeth strong; *Front-Teeth* disposed in a single, double, treble, or quadruple row.

Grinders (in most species) convex, smooth, and disposed in ranges, forming a kind of pavement in the mouth.

Lips thick: *Gill-Covers* unarmed, smooth, scaly.

SPECIFIC CHARACTER, &c.

Purplish SPARUS, with yellowish-green abdomen, orbits of the eyes radiated by green streaks, and black fins.

Black-Finned SPARUS.

Gen. Zool. 4. p. 451.

The black-finned Sparus is seen chiefly in the Indian seas, and usually measures about twelve inches in length.

Shaw, George. 1804. "The Black-Finned Sparus, Sparus melanopterus [Pl. 652]." *The Naturalist's Miscellany* 16(CLXXXIV), <https://doi.org/10.5962/p.311093>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281942>

DOI: <https://doi.org/10.5962/p.311093>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311093>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.