SCOMBER PLUMIERI.

CHARACTER GENERICUS.

Corpus oblongum, læve, linea laterali interdum carinatum.

Pinnulæ sæpius supra infraque versus caudam.

CHARACTER SPECIFICUS, &c.

SCOMBER viridi-cæruleus, subtus argenteus, squamis magnis, pinnis pectoralibus lanceolatis, linea laterali rotundato-loricata.

SCOMBER PLUMIERI. S. squamis magnis, pinnis flavis.

Bloch. t. 344.

Maria incolit Americana Scomber Plumieri, longitudine, ut plurimum pedali.

654

R. P. N. Bol. p. 47

THE
PLUMIERIAN MACKREL.

GENERIC CHARACTER.

Body, oblong, smooth, sometimes carinated by the lateral line.

Finlets (in most species) above and below, towards the tail.

SPECIFIC CHARACTER, &c.

Blue-green MACKREL, silvery beneath, with large scales, lanceolate pectoral fins, and roundly-mailed lateral line.

The Plumierian Mackrel is an inhabitant of the American seas, and usually measures about twelve inches in length.

Shaw, George. 1805. "The Plumierian Mackrel, *Scomber plumieri* [Pl. 654]." *The Naturalist's Miscellany* 16(CLXXXVI), <https://doi.org/10.5962/p.311095>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281942>

DOI: <https://doi.org/10.5962/p.311095>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311095>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.