APLYSIA PERONIANA.

CHARACTER GENERICUS.

Corpus repens, obvelatum membranis reflexis,
clypeo dorsali pulmones obtegente.

Foramen laterale dextrum.

Anus supera extremitatem dorsi.

Tentacula quatuor, anterieus sita.

CHARACTER SPECIFICUS, &c.

APLYSIA subflavescens subcylindrica, antice
subattenuata, postice truncata.

Dolabella.

Cuvier, Ann. Mus. Hist. Nat. No. 30.

Maria Indica incolit Aplysia Peroniana, interdum
major quam in tabula depingitur.

R. Nodder Del. et Sculpit

THE
PERONIAN APLYSIA,

GENERIC CHARACTER,

Body repent, covered by reflected membranes
and a dorsal shield.

Foramen on the right side.

Vent situated at the extremity of the back.

Tentacula four, situated in front.

SPECIFIC CHARACTER, &c.

Yellowish subcylindric APLYSIA, subattenu-
ated in front, and truncated behind.

La Dolabelle.

Cuvier, Ann. Mus. Hist. Nat. No. 30.

This species is an inhabitant of the Indian seas, and
is sometimes seen of larger size than represented on
the plate.

Shaw, George. 1806. "The Peronian Aplysia, Aplysia peroniana [Pl. 706]." *The Naturalist's Miscellany* 17(CCI), <https://doi.org/10.5962/p.311143>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281954>

DOI: <https://doi.org/10.5962/p.311143>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311143>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.