CRENATULA AVICULARIS.

CHARACTER GENERICUS.

Animal Tethys?

Testa bivalvis, irregularis, complanata, clausa.

Cardo linearis, serie fossularum excavatus et crenatus.

CHARACTER SPECIFICUS, &c.

CRENATULA subrhombea, compresso-membranacea, obsolete squamosa, flavescens, lineis undulatis radiatim picta, valvis inæqualibus.

CRENATULA AVICULARIS.

Lamarck, Ann. Mus. Hist. Nat. No. 13.

Circa littora insularum Americanarum præcipue conspicitur Crenatula avicularis, cujus veram magnitudinem cernere est in tabula.

707

W. Pol. et Sculp.

THE
AVICULAR CRENATULA.

GENERIC CHARACTER.

Animal allied to a Tethys?

Shell bivalve, irregular, flattened, shut.

Hinge linear, excavated and crenated by a series of fossules.

SPECIFIC CHARACTER, &c.

Subrhomboid, flattened, membranaceous, yellowish CRENATULA, with unequal valves marked by obscure scales, and radiated with undulating dusky lines.

La CRENATULE AVICULAIRE.

Lamarck, Ann. Mus. Hist. Nat. No. 13.

The shell here figured is represented in its natural size, and is chiefly found about the coasts of the American islands.

Shaw, George. 1806. "The Avicular Crenatula, Crenatula avicularis [Pl. 707]." *The Naturalist's Miscellany* 17(CCI), <https://doi.org/10.5962/p.311144>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281954>

DOI: <https://doi.org/10.5962/p.311144>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311144>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.