RAMPHASTOS VIRIDIS.

CHARACTER GENERICUS.

Rostrum maximum, inane, convexum, extrorsum serratum : mandibula utraque apice incurva.

Nares pone rostri basin.

Lingua pennacea.

Pedes scansorii.

CHARACTER SPECIFICUS, &c.

RAMPHASTOS VIRIDIS. R. viridis, abdomine flavo, uropygio rubro.

Lin. Syst. Nat. p. 150.

Tucana cayennensis VIRIDIS.

Briss. av. 4. p. 423.

In America Australi, præcipue in Cayana generatur *Ramphastos viridis*, magnitudine merulam vulgarem paulo superans. *Feminæ* caput collumque castanea, *mari nigra*.

 

THE
GREEN TOUCAN.

GENERIC CHARACTER.

Bill extremely large, hollow, convex, serrated outwards : the upper mandible incurved at the tip.

Nostrils seated behind the base of the bill.

Tongue feather-shaped.

Feet scansorial.

SPECIFIC CHARACTER, &c.

GREEN TOUCAN, with yellow abdomen and red rump.

GREEN TOUCAN.

Lath. Syn. 1. p. 331.

TOUCAN verd de Cayenne.

Pl. Enl. 727, 728.

The Green Toucan is a native of South-America, and is principally seen in Cayenne. Its size is somewhat larger than that of a common blackbird: the head and neck, which in the male are black, are of a chesnut-colour in the female.

Shaw, George. 1805. "The Green Toucan, *Ramphastos viridis* [Pl. 717]." *The Naturalist's Miscellany* 17(CXCIV), <https://doi.org/10.5962/p.311154>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281954>

DOI: <https://doi.org/10.5962/p.311154>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311154>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.