SPHINX LINEATA.

CHARACTER GENERICUS.

Antennæ medio crassiores, seu utraque extremitate attennatæ, subprismaticæ.

Alæ deflexæ, (volatu graviore vespertino seu matutino.

Lyn. Syst. Nat. p. 796.

CHARACTER SPECIFICUS, &c.

SPHINX LINEATA. S. alis virescentibus, fascia striisque albis, posticis nigris, fascia rubra.

Fabr. ip. ins. 2. p. 147.

SPHINX Koechlini.

Fuessli Arch. ins. 1.

SPHINX Daucus.

Cram. t. 25. f. D.

Partes Europæ calidiores incolit Sphinx lineata, cujus veram magnitudinem cernere est in tabula.

Anthracus pulchellus

LINEATED SPHINX.

GENERIC CHARACTER.

Antennæ subprismatic, thickest in the middle, and attenuated at each extremity.

Wings deflected. Flight generally in the morning and evening.

SPECIFIC CHARACTER, &c.

Greenish SPHINX, with white band and stripes; the lower wings black, with a red band.

Le SPHINX Koechlini.

Fuessli Arch. ins. 1. p. 10.

This elegant insect is a native of the warmer parts of Europe, and is represented on the plate in its natural size.

Shaw, George. 1805. "Lineated Sphinx, Sphinx Lineata [Pl. 724]." *The Naturalist's Miscellany* 17(CXCV), <https://doi.org/10.5962/p.311161>.

View This Item Online: <https://www.biodiversitylibrary.org/item/281954>

DOI: <https://doi.org/10.5962/p.311161>

Permalink: <https://www.biodiversitylibrary.org/partpdf/311161>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.