



*Coluber Porphyriacus.*



## SPECIFIC CHARACTER.

Violet-black Snake, with the abdomen and sides crimson; the scuta margined with black.

*Abdominal Scuta* 188. *Anal.* 7. *Subcaudal Scales* 45.

---

THIS beautiful Snake, which appears to be unprovided with tubular teeth or fangs, and consequently not of a poisonous nature, is about three, and sometimes four feet in length. Its colour on the upper parts is a glossy violet-black; the sides of an elegant deep crimson, which on the abdomen declines into a paler tinge, or more approaching to whitish; while the scuta or broad semi-circular scales which compose this part, are each deeply bordered with black. The alternate scales or divided scuta beneath the tail are of a lead-colour, and the largest series of the crimson side-scales are tipped with black; which gives them an appearance peculiarly elegant. This Snake may be considered as a species hitherto undescribed.



Shaw, George. 1794. "The Crimson-sided Snake, *Coluber porphyriacus* [Pl. 10]." *Zoology of New Holland* 1, 28–28. <https://doi.org/10.5962/p.312545>.

**View This Item Online:** <https://www.biodiversitylibrary.org/item/126030>

**DOI:** <https://doi.org/10.5962/p.312545>

**Permalink:** <https://www.biodiversitylibrary.org/partpdf/312545>

**Holding Institution**

Museums Victoria

**Sponsored by**

Atlas of Living Australia

**Copyright & Reuse**

Copyright Status: Not in copyright

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.