

## PUFFINUS ASSIMILIS, Gould.

## Allied Petrel.

ALL the specimens of this species that I have seen were procured on Norfolk Island, where it is said to breed; consequently the seas washing the eastern shores of Australia may be considered its native habitat; it is evidently the representative of the *Puffinus obscurus* of Europe, which it so much resembles, and to which it is so nearly allied, that *assimilis* appeared to me to be the most appropriate specific appellation I could apply to it. On my homeward voyage I saw numerous examples flying off the north-eastern end of New Zealand, and this I regret to say is all the information I have to communicate respecting it.

Crown of the head, all the upper surface, wings and tail sooty black; sides of the face, throat and all the under surface white; bill dark horn-colour; tarsi and toes greenish yellow; webs yellowish orange.

The figure is of the natural size.



Gould, John. 1848. "Puffinus assimilis, Gould., Allied Petrel, [Pl. 59]." *The birds of Australia* 7, –. <u>https://doi.org/10.5962/p.313465</u>.

View This Item Online: <a href="https://www.biodiversitylibrary.org/item/189241">https://doi.org/10.5962/p.313465</a> Permalink: <a href="https://www.biodiversitylibrary.org/partpdf/313465">https://www.biodiversitylibrary.org/partpdf/313465</a>

**Holding Institution** Smithsonian Libraries and Archives

**Sponsored by** Biodiversity Heritage Library

**Copyright & Reuse** Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at https://www.biodiversitylibrary.org.