fully determined to make him drop his prey. The pursuit continued thus until the birds were quite out of my sight!"

This species, like many of its delicate tribe, appears to suffer so much from occasional cold, that, although at all other times a shy and wary bird, when chilly weather surprises it, it becomes at once careless of its safety. On such occasions I have approached them near enough to touch them with my gun. By the middle of September they all retire farther south.

HOODED FLYCATCHER, *Muscicapa cucullata*, Wils. Amer. Orn., vol. iii. p. 101.

SYLVIA MITRATA, Bonap. Syn., p. 79.

HOODED WARBLER, *Sylvia mitrata*, Aud. Orn. Biog., vol. ii. p. 66. Adult Male and Female; vol. v. p. 465.

SELBY'S FLYCATCHER, *Muscicapa Selbyi*, Aud. Orn. Biog., vol. i. p. 46. Young.

Third quill longest, second longer than fourth, which slightly exceeds the first; tail slightly emarginate and rounded. Male with the forehead, sides of the head, breast, sides, abdomen, lower wing and tail coverts rich pure yellow; hind head and neck all round black; upper parts yellowish-olive; wings and tail dusky brown, margined with yellowish-olive, an oblique patch of white on the inner webs of the three outer tail-coverts. Female with the forehead, the sides of the head, the throat, and all the lower parts yellow, the hind part of the head dusky, the upper part as in the male. Young similar to the female, but with the tints a little duller.

Male, $5\frac{1}{2}$, 8.

From Texas to Virginia. In the interior, as far as Memphis on the Mississippi. Rather common. Migratory.

THE CANADA FLYCATCHER.

+MYIODIOTES CANADENSIS, Linn.

PLATE LXXII.—MALE AND FEMALE.

What a beautiful object, in the delightful season of spring, is our Great Laurel, covered with its tufts of richly, yet delicately, coloured flowers! In imagination I am at this moment rambling along the banks of some murmuring streamlet, overshadowed by the thick foliage of this gorgeous ornament of our mountainous districts. Methinks I see the timid trout eyeing my movements from beneath his rocky covert, while the warblers and other syl-

Canada Flycatcher?
Great Laurel Rhododendron maximum?

1. Male 2. Female.

van choristers, equally fond of their wild retreats, are skipping in all the freedom of nature around me. Delightful moments have been to me those when, seated in such a place, with senses all intent, I gazed on the rosy tints of the flowers that seemed to acquire additional colouring from the golden rays of the sun, as he rode proudly over the towering mountains, drawing aside as it were the sable curtain that till now hung over the landscape, and drying up, with the gentleness of a parent towards his cherished offspring, the dewy tears that glittered on each drooping plant. Would that I could describe to you the thoughts that on such a morning have filled my whole soul; but alas, I have not words wherewith to express the feelings of gratitude, love, and wonder that thrilled and glowed in my bosom! I must therefore content myself with requesting you to look at the blossoms of the laurel as depicted in the plate, together with two of the birds, which, in pairs, side by side, are fond of residing among its glossy and verdant foliage.

A comparison of the plate in which I have represented this interesting species, with the next, (Plate 73,) exhibiting the bird named by me Bonaparte's Flycatcher, will suffice to convince you, good reader, that these birds are truly distinct. My excellent friend Mr. WILLIAM SWAINSON, is quite correct, when, after describing the present species, he says, "we can perceive no character, either in the figure or the description of WILSON, which does not accord with our bird," but is certainly mistaken in supposing me to have informed him that the Canada Flycatcher and that named after the Prince of Musignano are one and the same.

The *Myiodiocetes Bonapartii* was met with in Louisiana, where, during a residence of many years, I never saw the present species. Nay, the Canada Flycatcher, although a migratory, may be said to be truly a northern bird, never having been observed south of Pennsylvania, east of the range of the Alleghany mountains, or below Pittsburgh, on their broad western slope.

I first became acquainted with the habits of the Canada Flycatcher in the Great Pine Forest, while in company with that excellent woodsman JEDIAH IRISH, and I have since ascertained that it gives a decided preference to mountainous places, thickly covered with almost impenetrable undergrowths of tangled shrubbery. I found it breeding in the Pine Forest, and have followed it through Maine, New Brunswick, Nova Scotia, Newfoundland, and the country of Labrador, in every portion of which, suited to its retired habits, it brings forth its broods in peaceful security.

It no doubt comes from the southern parts of America, or from the West Indies, but the mode of its migration is still unknown to me. In Pennsylvania, about the middle of May, a few are seen in the maritime districts, where they seem merely to be resting after the fatigues of a long and tedious journey, before they retreat to their favourite haunts in the mountainous

tracts. There they are heard while concealed among the opening blossoms, giving vent to their mirth in song, perhaps thanking the Author of their being for their safe return to their cherished abode. Their notes are not unmusical, although simple and not attractive. Wherever a streamlet of rushing water, deeply shaded by the great mountain laurel (*Rhododendron maximum*) was met with, there was the Canada Flycatcher to be found. You might see it skipping among the branches, peeping beneath each leaf, examining every chink of the bark, moving along with rapidity and elegance, singing, making love to its mate, and caressing her with all the fervour of a true sylvan lover.

The nest of this bird which I found, was filled to the brim with four young ones ready to take wing; and as it was on the 11th of August, I concluded that the parents had reared another brood that season. When I put my hand on them, they all left the nest and scrambled off, emitting a plaintive *tsche*, which immediately brought the old ones. Notwithstanding all the anxious cares of the latter in assisting them to hide, I procured all of them; but after examining each minutely I set them at liberty. They were of a dull greyish tint above, of a delicate citron colour beneath, and without any spots on the breast or sides. The nest was placed in the fork of a small branch of laurel, not above four feet from the ground, and resembled that of the Black-capped Warbler. The outer parts were formed of several sorts of mosses, supporting a delicate bed of slender grasses, carefully disposed in a circular form, and lined with hair. In another nest found near Eastport, in the State of Maine, on the 22nd of May, five eggs had been laid, and the female was sitting on them. They were of a transparent whiteness, with a few dots of a bright red colour towards the large end. This nest also was placed in the fork of a small bush, and immediately over a rivulet.

The flight of the Canada Flycatcher is rather swifter than that of sylviae generally is; and as it passes low amid bushes, the bird cannot be followed by the eye to any considerable distance. Now and then it gives chase on the wing, when the clicking of its bill is distinctly heard. By the 1st of October not one remained in the Great Pine Forest, nor did I see any in Labrador after the 1st of August. A few were seen in Newfoundland in the course of that month, and as I returned through Nova Scotia, these birds, like my own party, were all moving southward.

MOTACILLA CANADENSIS, Linn. Syst. Nat., vol. i. p. 27.

CANADA FLYCATCHER, *Muscicapa Canadensis*, Wils. Amer. Orn., vol. iii. p. 100.

SYLVIA PARDALINA, Bonap. Syn., p. 79.

CANADA FLYCATCHER, *Muscicapa Canadensis*, Aud. Orn. Biog., vol. ii. p. 17.

Third quill longest, scarcely exceeding the second, fourth slightly shorter,

first intermediate between the fourth and fifth; tail rounded. Male with the upper parts ash-grey; the feathers of the wings and tail brown, edged with grey; the head spotted with black; loreal space, a band beneath the eye, proceeding down the side of the neck, and a belt of triangular spots across the lower part of the fore neck, black; the lower parts, and a bar from the nostril over the eye, pure yellow; lower wing and tail-coverts white. Female similar to the male, but with the black spots on the neck smaller and fainter. Young similar to the female, with the tints paler, and the neck unspotted.

Male, $5\frac{1}{4}$, 9.

From Kentucky northward. Not found in the Atlantic districts. Migratory.

THE GREAT LAUREL.

RHODODENDRON MAXIMUM, *Willd.* Sp. Pl., vol. ii. p. 600. *Pursch*, Flor. Amer., vol. i. p. 297.—DECANDRIA MONOGYNIA, *Linn.*—RHODODENDRA, *Juss.*

This beautiful species frequently attains a height of fifteen or even twenty feet. It is characterized by its oblong, acute leaves, its terminal umbels or clusters of pink campanulate flowers, the divisions of the calyces of which are oval and obtuse. It exhibits several varieties depending on the shape of the leaves, the colour of the flowers, and the comparative length of the stamens and style. The wood, which is tough and stubborn, is well adapted for turner's work. The species is found on all the moist declivities of our mountainous districts, from Carolina to Massachusetts.

BONAPARTE'S FLYCATCHING-WARBLER.

† MYIODIOCTES BONAPARTII, *Aud.*

PLATE LXXIII.—MALE.

Whilst I have the pleasure of honouring this beautiful new species with the name of so distinguished a naturalist as CHARLES LUCIEN BONAPARTE, Prince of Musignano, I regret that I am unable to give any account of its habits, or even of its manner of flight, and must therefore confine my remarks upon it within very brief space. The following extract from my journal contains all that I have to say respecting it.

"Monday, August 13, 1821. Louisiana.—On arriving at the Cypress

Canada Flycatcher?
Great Laurel Rhododendron maximum?

1. Male 2. Female.

Audubon, John James. 1841. "The Canadian Flycatcher, *Myiodyctes canadensis*, Linn. [Pl. 72]." *The birds of America : from drawings made in the United States and their territories* 2, 14–17. <https://doi.org/10.5962/p.319185>.

View This Item Online: <https://www.biodiversitylibrary.org/item/124834>

DOI: <https://doi.org/10.5962/p.319185>

Permalink: <https://www.biodiversitylibrary.org/partpdf/319185>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.