ROCKY-MOUNTAIN PLOVER.

+ CHARADRIUS MONTANUS, *Towns.*

PLATE CCCXVIII.—FEMALE.

For the following brief account of this bird, I am indebted to my learned and obliging friend THOMAS NUTTALL.

“This remarkable species, so much allied to the *Charadrius Wilsoni*, was scarcely seen by us for more than one or two days, and then on the central table-land of the Rocky Mountains, in the plains near the last of the streams of the Platte, pursued in our western and northern route. It being the month of July when we saw it, there is little doubt but that it was breeding in this subalpine region. The only individual shot, was seen skulking and running through the wormwood bushes which so generally clothe those arid and dry wastes. After running some time, it would remain perfectly still, as if conscious of the difficulty of distinguishing it from the colour of the grey soil on which it stood. All that we saw were similar to the present individual, and none, however flushed, took to the wing. We do not recollect hearing from it the slightest complaint or note of any kind, being intent probably on concealing its young or eggs by a perfect silence.”

The skin from which I made my drawing was that of a female; and it is my opinion, that the male, when found, will have as distinct markings as those exhibited by *Charadrius melodus* or *Charadrius semipalmatus*.

CHARADRIUS MONTANUS, TOWNS., Journ. Acad. Nat. Sc. Philadelphia, vol. vii. p. 192.

ROCKY-MOUNTAIN PLOVER, *Charadrius montanus*, Aud. Orn. Biog., vol. iv. p. 362.

Female, $8\frac{1}{4}$, wing $6\frac{1}{8}$.

Rocky Mountains.

Adult Female.

Bill shorter than the head, straight, somewhat cylindrical. Upper mandible with the dorsal line straight to beyond the middle, then bulging a little and curving to the rather acute tip, which projects beyond that of the lower mandible, the sides flat and sloping at the base, convex towards the end. Nasal groove extended to the middle of the bill; nostrils basal, linear, open and pervious. Lower mandible with the angle rather short, the sides at the

base sloping outwards; the dorsal line ascending and slightly convex, the edges sharp, the tip rather acute.

Head of moderate size, oblong, the forehead rounded. Legs rather long and slender; tibia bare half an inch above the joint; tarsus slender, compressed, covered with angular scales, of which the anterior are much larger; toes short, slender, with numerous scutella above, marginate, the outer connected with the middle by a short membrane. Claws small, compressed, slightly arched, rather acute.

Plumage soft, the feathers rather distinct on the upper parts, blended on the lower. Wings long and pointed; primary quills tapering, the first longest by a quarter of an inch, the rest rapidly graduated; inner secondaries tapering and elongated, one of them nearly as long as the outer primary when the wing is closed. Tail of moderate length, even, of twelve feathers.

Bill black. Feet light dull brownish-yellow. Forehead, a band over the eye, fore part of neck, and all the rest of the lower surface, white; top of the head and nape dark yellowish-brown, sides and hind part of the neck dull ochre-yellow, which is the prevailing colour on the upper parts, the feathers being broadly margined with it, while their central portion is greyish-brown. Wing-coverts lighter; primary coverts and quills dusky, their shafts and margins white, that colour becoming more extended on the inner and on some of the secondaries, so as to form a conspicuous patch on the wing; inner secondaries like the back. Tail yellowish-brown, tipped with yellowish-white, the two outer broadly margined with the same.

Length to end of tail about $8\frac{1}{4}$ inches, to end of wings the same, to end of claws $9\frac{1}{4}$; wing from flexure $6\frac{1}{8}$; tail $2\frac{1}{2}$; tarsus $1\frac{4}{8}$; middle toe $\frac{3}{4}$, claw $\frac{1}{4}$.

WILSON'S PLOVER.

† CHARADRIUS WILSONIUS, *Ord.*

PLATE CCCXIX.—MALE AND FEMALE.

Reader, imagine yourself standing motionless on some of the sandy shores between South Carolina and the extremity of Florida, waiting with impatience for the return of day;—or, if you dislike the idea, imagine me there. The air is warm and pleasant, the smooth sea reflects the feeble glimmerings

Rocky Mountain Plover.
Female.

Ind. & Printed & Col. d by J. T. Bowen, Phil.

Drawn from Nature by J. J. Audubon. F.R.S.E.L.S.

Audubon, John James. 1842. "Rocky-Mountain Plover, *Charadrius montanus*, Towns. [Pl. 318]." *The birds of America : from drawings made in the United States and their territories* 5, 213–214. <https://doi.org/10.5962/p.319431>.

View This Item Online: <https://www.biodiversitylibrary.org/item/124982>

DOI: <https://doi.org/10.5962/p.319431>

Permalink: <https://www.biodiversitylibrary.org/partpdf/319431>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.