ridge $\frac{3}{8}$, along the gap $\frac{1}{2}$; tarsus $\frac{3}{4}$; middle toe $\frac{5}{8}$, its claw $\frac{1\frac{1}{8}}{8}$; hind toe $\frac{3}{8}$, its claw $\frac{3}{8}$.

No difference appears at this season in the sexes.

FAMILY XV.*—FRINGILLINÆ. FINCHES.

GENUS II.†—EMBERIZA, *Linn.* BUNTING.

LE CONTE'S SHARP-TAILED BUNTING.

EMBERIZA LE CONTEII, *Aud.*

PLATE CCCCLXXXVIII.—MALE.

Although we procured several specimens of this pretty little Sharp-tailed Finch, I have at present only one by me, a fine male, however, shot by Mr. J. G. BELL, of New York, on the 24th of May.

At first sight one might easily mistake it for the Henslow Bunting, but on comparing these two species, not only are distinct characters easily observed, but the localities wherein the present species is found are different, as well as its curious notes and general habits of keeping only among the long green slender grasses that here and there happen to grow in patches of less or greater extent along the margins of creeks found in the different parts of the prairies through which we passed, whilst in the pursuit of the buffalo or bison.

So closely does it keep in the coverts which it resorts to, that it is difficult to force it to rise on the wing, when only, it can be procured. Its song is sharp, shrill and of a querulous nature. We never could find its nest or young, and cannot give any further accounts of its habits.

I have named this interesting species after my young friend Doctor LE CONTE, son of Major LE CONTE, so well known among naturalists, and who is, like his father, much attached to the study of natural history.

LE CONTE'S SHARP-TAILED BUNTING, *Emberiza Le Conteii*, Aud.

* See vol. iii. p. 49.

† Ibid. p. 58.

$4\frac{5}{8}$.

Upper Missouri prairies. Common.

Male.

Bill much more slender than in *Emberiza Henslowii* (Aud.); first quill the longest, the rest diminishing rapidly. Tail emarginate and rounded, with the feathers acute. Upper parts light yellowish-red, streaked with brownish-black, the margins of the feathers and scapulars pale yellowish-white. Tail feathers dusky, margined with light yellowish. Lower parts, with the cheeks and a broad band over the eyes, fine buff. Medial line yellowish-white. The buff extending to the femorals and along the sides, streaked with brownish-black; throat, neck, and upper parts of the breast without any streaks, and plain buff.

Total length $4\frac{5}{8}$ inches; wing from flexure $2\frac{1}{8}$; first quill longest; tail $1\frac{7}{8}$; bill along the ridge $\frac{3}{8}$, along the edge nearly $\frac{1}{2}$; both mandibles dark blue, lighter along the edges. Eyes brown. Legs, feet and claws, dull flesh colour. Tarsus $\frac{4}{8}$; middle toe $\frac{1}{2}$, its claw $\frac{1}{8}$; hind toe $\frac{3}{8}$, its claw rather more than $\frac{1}{4}$.

FAMILY XVII.*—STURNINÆ. STARLINGS.

GENUS I.†—STURNELLA, *Vieill.* MEADOW-STARLING.

MISSOURI MEADOW-LARK.

†STURNELLA NEGLECTA, *Aud.*

PLATE CCCCLXXXIX.—MALE.

Although the existence of this species was known to the celebrated explorers of the west, LEWIS and CLARK, during their memorable journey across the Rocky Mountains and to the Pacific; no one has since taken the least notice of it.

These travellers mention it at page 236 of the first volume, edited by PAUL ALLEN, Esq., and revised by ARCHIBALD M'VICAR. They say, on the 21st June, 1805, "There is also a species of Lark, much resembling the

* See vol. iv. p. 69.

† Ibid.

A.T.

Le Conte's Sharp-tailed Bunting

Drawn from Nature by J.J. Audubon, F.R.S.E.L.S.

Male

Lith. Printed & Col. by J.T. Bowen, Philad.

Audubon, John James. 1844. "Le Conte's Sharp-Tailed Bunting, *Emberiza le conteii*, Aud. [Pl. 488]." *The birds of America : from drawings made in the United States and their territories* 7, 338–339. <https://doi.org/10.5962/p.319605>.

View This Item Online: <https://www.biodiversitylibrary.org/item/124981>

DOI: <https://doi.org/10.5962/p.319605>

Permalink: <https://www.biodiversitylibrary.org/partpdf/319605>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: NOT_IN_COPYRIGHT

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.