INDEX

Synonymns are in *italics*.

- Abies amabilis, 72
 - brachyphylla*, 71
 - cephalonica, 71
 - cilicica, 71
 - concolor, 71
 - homolepis, 71
 - var. umbellata, 71
 - nobilis, 72
 - Veitchii, 72
- Acer ginnala, 58
 - saccharinum, 1
 - tataricum, 52
- Aesculus Briotii, 24
 - californica, 23
 - carnea, 24
 - discolor, 23, 39
 - var. flavescens, 23
 - var. mollis, 23
 - georgiana, 24, 39
 - glabra, 13
 - var. Buckleyi, 13
 - var. leucodermis, 13
 - Harbisonii, 39
 - octandra, 23
 - parviflora, 39
- Amelanchier canadensis, 8
 - laevis, 8
 - oblongifolia, 8, 64
- Amelanchiers, 8
- American Azaleas, 28
- American Magnolias, 24
- American Smoke-tree, 64
- American Viburnums, 33
- Andromeda floribunda, 4
- Apple, Weeping, Elisa Rathke, 48
- Arboretum in early summer, 25
- Ash, Weeping, 47
- Asiatic Crabapples, 11
- Asimina triloba, 28
- Austrian Pine, 72
- Autumn colors in the Arboretum, 64
- Azaleas, American, 28
 - Ghent, 28
- Beech, Weeping, 46
- Beeches, 46
- Benzoin aestivale, 4
- Berberis diaphana, 68
 - japonica, 15
 - (Mahonia) Aquifolium, 15
 - repens, 15
 - verruculosa, 23
- Betula alba laciniata gracilis*
 - pendula*, 47
- alba*, var. *pendula laciniata*, 47
- elegans laciniata*, 47
- pendula*, 47
 - var. dalecarlica, 47
 - var. gracilis, 47
 - var. Youngii, 47
- Birches, Weeping, 47
- Black Haw, 64
- Bladder Sennas, 50
- Blueberry, Highbush, 64
- Blue Spruce, 69
- Blue Spruce, Colorado, 69
- Burning Bush, 65
- Bush Honeysuckles, 20
- Callicarpa japonica, 72
- Calluna vulgaris, 50
 - var. alba, 50
 - var. alba minor, 51
 - var. alba rigida, 51
 - var. alba Serlei, 51
 - var. alba tenella, 51
 - var. Alportii, 51
 - var. hypnoides, 51
 - var. rubra, 51
 - var. tomentosa, 51
- Canadian Plum, 9
- Caragana Maximowicziana, 30
- Carpinus Betulus var. *pendula*
 - Dervaesii*, 48
 - var. *pendula*, 48
- Carya cathayensis, 52
- Ceanothus, 51
- Ceanothus americanus, 51
 - Fendleri, 51
 - Gloire de Versailles, 51
 - ovatus, 51
- Cercidiphyllum japonicum, 3

- Cercis canadensis*, 17
 chinensis, 17
 racemosa, 17
 reniformis, 17
 siliquastrum, 18
 Cherry, Cornelian, 2
 Cherry, Sargent, 7
 Cherries, Japanese, 5
 Weeping, 47
 Chinese Cotoneaster, 21, 56
 Chinese Pearl-bush, 18
 Chinese Poplars, 14
 Chinese Viburnums, 55
Chionanthus virginica, 9
Clematis dioscoreifolia, 57
 paniculata, 57
 Colorado Blue Spruce, 69
Colutea arborescens, 50
 cilicica, 50
 orientalis, 50
Coluteas, 50
 Cornelian Cherry, 2
Cornus florida, var. *pendula*, 48
 mas, 2
 paucinervis, 50
 racemosa, 39
 sanguinea, 72
Corylopsis, 3
 spicata, 3
 Veitchiana, 4
 Willmottiae, 4
Cotinus, 35
 americanus, 35, 64
 coggygria, 35
Cotoneaster adpressa, 23
 divaricata, 22, 56
 foveolata, 22
 horizontalis, 22
 var. *perpusilla*, 22
 hupehensis, 22
 multiflora var. *calocarpa*, 22
 nitans, 22
 racemiflora var. *soongorica*, 22, 56
 Cotoneasters, 21
 Chinese, 21, 56
 Crabapples, Asiatic, 11
 Crabs, Siberian, 12
 Cranberry-tree, 26
Crataegus, dwarf species, 60
 aprica, 60
 Crataegus arkansana, 16, 58
 Arnoldiana, 16, 54, 58
 Boyntonii, 67
 Buckleyi, 67
 intricata, 32
 mollis, 16, 58
 monogyna var. *pendula variegata*, 48
 var. *pendula*, 48
 nitida, 59
 pinnatifida, 54
 pruinosa, 59
 Smithii, 32
 submollis, 16
 succulenta, 59
 triflora, 32
 uniflora, 32
 Currant, Missouri, 8
 Yellow-flowered American, 8
 Cut-leaved Weeping Birch, 47
Cytisus nigricans, 51
Daphne alpina, 24
 altaica, 24
 caucasica, 24
 Cneorum, 15
 genkwa, 15
 Mezereum, 15
Daphnes, 15, 24
Diervilla florida, var. *venusta*, 24
Dirca palustris, 4
 Dwarf Hawthorns, 32
 Early Lilacs, 15
 Early summer Lilacs, 27
 Elm, Prickly, 43
 Elms, Weeping, 47
Eucommia ulmoides, 44
Euptelea Franchetii, 3
 polyandra, 3
Evonymus alatus, 58
 Bungeanus, 60
 europaeus, 65
 var. *ovatus*, 66
 yedoensis, 65
Exochorda Giraldii Wilsonii, 18
Exochorda grandiflora, 18
 Korolkowii, 18
 macrantha, 18
 racemosa, 18

- Fagus sylvatica* var. *bornyensis*, 46
 var. *miltonensis*, 46
 var. *pagnyensis*, 46
 var. *pendula*, 46
 var. *remillyensis*, 46
 var. *tortuosa*, 46
 Fir, White, 71
 Firs, 71
Forsythia europaea, 2
 intermedia, 7
 var. *pallida*, 7
 var. *primulina*, 7
 spectabilis, 7
 suspensa, 2, 7
 viridissima, 7
Forsythias, 2
 hybrid, 7
Fothergilla major, 20
Fothergillas, 20
 Fragrant Sumach, 64
Fraxinus excelsior var. *pendula*, 47
Fraxinus lentiscifolia, 47
 parvifolia, 47
Fraxinus rotundifolia
 var. *pendula*, 47
 Fringe-tree, 9
 Ghent Azaleas, 28
 Ginkgo biloba, 51
 Golden-barked Willow, 46
Gordonia alatomaha, 53
 Guelder Rose, 26
Hamamelis mollis, 2
 vernalis, 2
 Hardy Rubber-tree, 44
 Haw, Black, 64
 Hawthorns, Dwarf, 32
 Heather, 50
Hemiptelea Davidii, 43
 Higan-zakura, 6
 Highbush Blueberry, 64
 Holly, Perry's Weeping, 48
Hydrangea, June-flowering, 40
 Bretschneideri, 40
 petiolaris, 14, 40
 Rosthornii, 40
 xanthoneura, 40
 var. *setchuenensis*, 40
 var. *Wilsonii*, 40
Ilex Aquifolium var. *argentea*
 marginata pendula, 48
 var. *pendula*, 48
 Irish Juniper, 62
 Japanese Cherries, 5
 Japanese Mountain Ash, 67
 Japanese Yew, 67
 Judas-tree, 17
 Juneberry, 64
 June-flowering Hydrangeas, 40
 Juniper, Irish, 62
 Swedish, 62
Juniperus alpina, 62
 canadensis, 62
 chinensis, var. *Sargentii*, 63
 communis, 62
 var. *depressa*, 62
 var. *depressa aurea*, 62
 var. *montana*, 62
 var. *nipponica*, 62
 conferta, 63
 horizontalis, 62
 var. *Douglasii*, 62
 litoralis, 63
 nana, 62
 " *canadensis*, 62
 procumbens, 63
 prostrata, 62
 repens, 62
 Sabina, 64
 var. *cupressifolia*, 64
 Sabina, var. *procumbens*, 62
 var. *tamariscifolia*, 64
 sibirica, 62
 squamata, 63
 virginiana, 61
 horizontalis, 61
 virginiana repens, 61
 Junipers, prostrate, 61
 Kaido, 16
Kalmia latifolia, 29
 var. *alba*, 29
 var. *fuscata*, 29
 var. *myrtifolia*, 29
 var. *obtusata*, 30
 var. *polypetala*, 30
 var. *rubra*, 29
 Keaki, 43

- Keiffer pear, 10
 Kilmarnock Willow, 46
 Kolkwitzia amabilis, 31
 Lacquer-tree, 58
 Laurels, 29
 Leatherwood, 4
 Leaves, unfolding, 9
 Leconte Pear, 10
 Lilac, Persian, 27
 Lilacs, early, 15
 early summer, 27
 Tree, 37
 Lindens, 41
 Liquidambar Styraciflua, 60
 Liriodendron Tulipifera, 64
 London Plane, 66
 Lonicera amoena, 20
 Arnoldiana, 20
 bella, 20
 chrysantha, 20
 Henryi, 44
 Korolkowii, 20
 Morrowii, 20
 notha, 20
 pileata, 32, 35
 saccata, 35, 40
 tatarica, 20
 Magnolia acuminata, 24
 Magnolia conspicua, 2
 cordata, 24
 denudata, 2
 Fraseri, 24
 glauca, 24, 34, 60
 kobus, var. borealis, 2
 macrophylla, 24, 44
 stellata, 2
 Thompsoniana, 24
 tripetala, 24
 Magnolias, 2
 American, 24
 Malus, Arnoldiana, 12
 baccata, 11
 var. Jackii, 55
 floribunda, 12
 formosana, 11
 Halliana, 16
 Parkmanii, 16
 prunifolia, 11
 var.rinki, 11
 Malus ringo, 11
 Sargentii, 18
 Sieboldii, 18
 var. arborescens, 18
 var. calocarpa, 16, 55
 toringo, 16
 Tschonoskii, 64
 Missouri Currant, 8
 Mock Orange, 36
 Morus acidosa, 19
 alba var. tatarica, 48
 Mountain Ash, Japanese, 67
 Mulberry, Teas' Weeping, 48
 Nannyberry, 26
 Neillia sinensis, 31
 New Jersey Tea, 51
 Nyssa sylvatica, 64
 Ohio buckeyes, 13
 Oregon Grape, 15
 Osmaronia cerasiformis, 9
 Pawpaw, 28
 Pear-trees, wild, 10
 Pearl Bush, 18
 Perry's Weeping Holly, 48
 Persian Lilac, 27
 Philadelphus, 36
 a double-flowered, 39
 coronarius, 36
 hirsutus, 31
 inodorus, 39
 insignis, 36
 Lemoinei, 36
 maximus, 36
 microphyllus, 36
 purpurascens, 36, 39
 Schrenkii var. Jackii, 31
 "Souvenir de Billard," 36
 splendens, 36
 Photinia villosa, 30
 var. laevis, 31
 Picea Abies, 71
 Picea ajanensis, 71
 Alcockiana, 71
 bicolor, 71
 canadensis, 70
 Engelmanni, 70
 excelsa, 71

- Picea Glehnii*, 70
 jezoensis, 70
 microsperma, 71
 omorika, 70
 orientalis, 70
 pungens, 70
 rubra, 70
 Pine, Austrian, 72
 Scotch, 72
 Sugar, 72
 Swiss, 72
 White, 72
 Pines, 72
 Pinetum, the 69
Pinus cembra, 72
 densiflora, 72
 flexilis, 72
 koraiensis, 72
 Lambertiana, 72
 monticola, 72
 nigra, 72
 parviflora, 72
 peuce, 72
 sylvestris, 72
 Thunbergii, 72
 Plane, London, 66
Platanus acerifolia, 66
 orientalis, 66
 Poplars, Chinese, 14
Populus adenopoda, 14
 lasiocarpa, 14
 Maximowiczii, 14
 rotundifolia var. *Duclouxiana*, 14
 Sieboldii, 14
 Simonii, 14
 suaveolens, 14
 szechuanica, 14
 tomentosa, 14
 tremula var. *Davidiana*, 16
 Wilsonii, 14
 yunnanensis, 14
Potentilla fruticosa *Veitchii*, 40
 tridentata, 40
 Prairie Rose, 50
 Prickly Elm, 43
Prinsepia sinensis, 9
 Prostrate Junipers, 61
 Prostrate Red Cedar, 61
Prunus Chamaecerasus var.
 reflexa, 48
 fruticosa var. *reflexa*, 48
 Lannesiana, 5
 nigra, 9
 Sargentii, 6
 serotina var. *pendula*, 48
 serrulata var. *sachalinensis*, 6, 7
 subhirtella, 6
 var. *ascendens*, 7
 var. *pendula*, 6
 yedoensis, 6
Pyrus Bretschneideri, 10, 11
 communis, 10
 elaeagrifolia, 10
 malifolia, 11
 ovoidea, 11, 12
 ringo, 11
 serrulata, 10
 toringo, 16
Quercus alba, 64
 Redbud, 17
 Red Cedar, prostrate, 61
 Red-fruited *Viburnums*, 34
Rhododendron arborescens, 49
 calendulaceum, 28
 canescens, 19, 28
 coreanum, 14
 Kaempferi, 13
 luteum, 28
 maximum, 49
 Mortierii, 28
 nudiflorum, 28
 ponticum, 1
 poukhanense, 14
 praecox "Little Gem," 1
 Schlippenbachii, 19
 Vaseyi, 19
 viscosum, 28, 49
Rhododendrons, 1
Rhus canadensis, 64
 javanica, 57
 Osbeckii, 57
 semialata, 57
 verniciflua, 58
Ribes aureum, 8
 odoratum, 8

- Ribes tenue, 8
 Robinia hispida, 27
 Kelseyi, 27
 Rosa Jackii, 49
 rugosa, 63
 setigera, 50
 Rose Acacia, 27
 Prairie, 50
 Rubber-tree, Hardy, 44

 Salix alba vitellina pendula, 46
 babylonica, 46
 var. ramulis aureis, 46
 blanda, 46
 caprea var. pendulina, 46
 elegantissima, 46
 pendulina, 46
 Salamonii, 46
 Salvia officinalis, 38
 Sambucus canadensis, 42
 var. acutiloba, 43
 var. aurea, 43
 var. chlorocarpa, 43
 Sargent Cherry, 7
 Sassafras, 56
 tzumu, 56
 Scotch Pine, 72
 Sheepberry, 26
 Siberian Crabs, 12
 Smoke-tree, 35
 American, 64
 Snowball, 26
 Sophora Japonica var. pendula, 48
 viciifolia, 31
 Sorbus commixta, 67
 Sour Gum, 64
 Spice Bush, 4
 Spruce, Blue, 69
 White, 69
 Styrax japonicus, 35
 obassia, 35
 Sugar Pine, 72
 Sumach, Fragrant, 64
 Summer and autumn fruits, 53
 Summer-flowering shrubs, 49
 Swedish Juniper, 62
 Sweet Bay, 60
 Sweet Gum, 64
 Swiss Pine, 72

 Syringa, 36
 affinis, 15
 var. Giraldii, 15
 chinensis, 27
 var. alba, 27
 Henryi, 27
 hyacinthiflora, 15
 japonica, 37
 Josikaea, 27
 Julianae, 30
 Meyeri, 15
 oblata, 15
 persica, 27
 var. alba, 27
 var. laciniata, 27
 pekinensis, 38
 pubescens, 30
 rothomagensis, 27
 villosa, 27
 yunnanensis, 30

 Taxus cuspidata, 67
 var. brevifolia, 67
 var. capitata, 67
 var. compacta, 67
 var. nana, 67
 Teas' Weeping Mulberry, 48
 Thurlow's Willow, 46
 Thymus Serpyllum, 38
 Tilia americana, 41
 argentea, 42
 cordata, 42
 europaea, 42
 heterophylla, 41
 hybrida, 42
 spectabilis, 42
 intermedia, 42
 japonica, 42
 mongolica, 42
 petiolaris, 42
 platyphyllos, 42
 vestita, 42
 vulgaris, 42
 Tree Lilacs, 37
 Tripterygium Regelii, 44
 Tulip-tree, 64
 Tupelo, 64

 Ulmus americana, 47
 fulva pendula, 47

- Ulmus glabra*, 47
 var. camperdownensis, 47
 var. horizontalis, 47
 var. pendula, 47
 Unfolding leaves, 9
Vaccinium corymbosum, 64
 Varnish-tree, 58
Viburnum americanum, 26
 bracteatum, 34
 Canbyi, 34
 cassinoides, 33, 54
 dentatum, 33
 dilatatum, 34
 hupehense, 55
 Lentago, 26
 molle, 34
 Opulus, 26
 var. nanum, 26
 var. sterile, 26
 var. xanthocarpum, 26
 prunifolium, 25
 pubescens, 26
 Sargentii, 26
 red-fruited, 34
 rufidulum, 26
 theiferum, 34, 55
 venosum, 33
 Wrightii, 34
Viburnums, 25
 Chinese, 55
 summer-flowering American, 33
 Weeping Ash, 47
 Weeping Beech, 46
 Weeping Birches, 47
 Weeping Cherries, 47
 Weeping Elms, 47
 Weeping trees, 45
 Weeping Willow, 45
 White Fir, 71
 White Pine, 72
 White Spruce, 69
 Wild Pear-trees, 10
 Willow, Golden-barked, 46
 Kilmarnock, 46
 Thurlow's, 46
 Weeping, 45
 Willows, 45
 Winter, effects of in the
 Arboretum, 1
 Witch Hazels, 2
 Yama-sakura, 6
 Yellow-flowered American
 Currants, 8
 Yew, Japanese, 67
 Yodogawa, 14
Zelkova crenata, 43
 keaki, 43
 serrata, 43

1916. "Index [new ser:v.2]." *Bulletin of popular information - Arnold Arboretum, Harvard University* 2(18), 73–79. <https://doi.org/10.5962/p.320631>.

View This Item Online: <https://www.biodiversitylibrary.org/item/216951>

DOI: <https://doi.org/10.5962/p.320631>

Permalink: <https://www.biodiversitylibrary.org/partpdf/320631>

Holding Institution

Harvard University Botany Libraries

Sponsored by

BHL-SIL-FEDLINK

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.