in frozen soil which makes it impossible to keep alive many of them in this country; and this is the reason why it is desirable here to water thoroughly Rhododendrons just before the ground freezes in the autumn. Rhododendrons imported from Europe suffer here from the stock on which they have been grafted. The almost universal custom among European nurserymen is to use *Rhododendron ponticum* as the stock for these plants because it is easily and quickly raised and readily grafted. *R. ponticum* is not at all hardy here, and there is little doubt that our want of success with Rhododendrons imported from Europe is due, in part at least, to the stock on which they have been grafted and that the gradual or sudden death here of large plants which have been uninjured by cold or drought for twenty or thirty years is due to this cause.

The familiar Rhododendrons of New England gardens are so-called Catawbiense Hybrids and were raised in Europe many years ago by crossing *R. catawbiense*, a native of the highest summits of the Appalachian Mountains, with Himalayan species, notably the scarlet-flowered *R. arboreum*. It might be expected that plants obtained from these crosses would be hardy in proportion to the predominance of the American plant but, judging by the color of the flowers, this is not always true. Varieties like Atrosanguineum, Charles Dickens and H. W. Sargent, which have flowers as bright red as those of *R. arboreum*, are among the hardiest of all garden Rhododendrons; but varieties with white or pale flowers are more tender than those with rose pink or purple flowers which most closely show the influence of the Catawbiense parent; and unfortunately the varieties with light-colored flowers marked at the base with large brown or chocolate-colored blotches, like Sapho, are not at all hardy here.

The hardiness of these hybrid Rhododendrons can only be determined by trial, although in selecting varieties for trial it is safe to assume that plants with broad leaves resembling those of *R. catawbiense*, like Everestianum, Mrs. C. S. Sargent, Roseum elegans, Henrietta Sargent, Catawbiense album, and all the varieties with light or dark purple flowers are likely to prove hardier than the plants with narrow leaves like Mrs. John Chitton. There are, of course, exceptions to such a rule. For example, Pink Pearl has broad leaves and is very tender; and Gomer Waterer, although it has leaves as broad as those of any of these hybrids, usually suffers in winter and almost invariably loses its flower-buds.

Persons who want to plant Catawbiense Hybrid Rhododendrons should take advantage of the knowledge which has been laboriously and expensively obtained about these plants at Wellesley on Mr. Hunnewell's estate, where Rhododendrons have been tested on a large scale for sixty years, and here at the Arboretum where many of the hardiest kinds raised in England, Germany, and the United States will now soon be in flower.

There are other evergreen Rhododendrons which are not as often cultivated here in Massachusetts as they might be. *R. catawbiense* itself is perfectly hardy and none of its hybrids have handsomer foliage. It grows slowly, however, and never to a very large size, and the flowers are of a disagreeable purple rose color.

Rhododendron maximum, which grows naturally as far north as southern New Hampshire, is a large plant sometimes treelike in habit,

with handsome, long, narrow leaves and small clusters of beautiful pink and white flowers. It is the last of the *Rhododendrons* to bloom here, and the flower-buds do not open until the new branchlets have nearly finished their growth, so that the flower-clusters are a good deal hidden by them.

The varieties and hybrids of the dwarf *Rhododendron caucasicum* bloom before the *Catawbiense* Hybrids, and the flowers have already faded. The latest of this race to flower, and perhaps the best of them all here, is a low, broad, compact plant with pure white flowers called *Boule de Neige*. This is a perfectly hardy, free-flowering plant which might to advantage be more generally planted in Massachusetts.

***Rhododendron carolinianum*.** Another year increases our admiration for this native of the slopes of the southern Appalachian Mountains which is the handsomest of the small *Rhododendrons* in the Arboretum collection. It is perfectly hardy, the habit is excellent, and the leaves are very dark green above and rusty below. It flourishes in the full sun or in deep shade, and never fails to produce abundant crops of its clusters of pale rose-pink flowers. This is one of the best of the broad-leaved evergreens recently introduced into our gardens.

Rhododendron Smirnowii is a plant with which Americans interested in the cultivation of *Rhododendrons* would do well to become acquainted, for it is not only a beautiful plant but may prove exceedingly valuable in the production of a new race of hybrid *Rhododendrons* better suited for this climate than any which we now have. It is a native of the Caucasus and a large shrub with pale gray-green leaves coated below with a thick mat of pale felt, and large pink or rose-pink flowers in medium-sized clusters. The leaves are not as handsome as those of *R. catawbiense* and its hybrids, and when the plants are fully exposed to the sun the leaves sometimes curl up in very hot weather. The felt on their lower surface, however, protects them from the attacks of the lace-leaf fly from which other *Rhododendrons* suffer so seriously here. By crossing this *Rhododendron* with *R. catawbiense* or with some of the hardiest of its hybrids it may be possible to obtain plants superior to any now in our gardens. A Japanese species,

***Rhododendron brachycarpum*,** may also prove valuable for crossing with *R. Smirnowii* or *R. catawbiense*. This is a species of the high mountains of Japan, with large, dark green leaves and large clusters of very pale yellow flowers; it is an exceedingly rare plant in western gardens and does not appear to have been much cultivated by the Japanese. It was one of the plants brought from Japan in 1862 by Mr. Gordon Dexter of Boston and it grew to a large size and flowered for many years in Francis Parkman's garden in Jamaica Plain. This specimen was later transferred to the Arboretum and is no longer alive. There are now seedling plants here, and there is no reason why this handsome species should not become common in American gardens.

Chinese Cotoneasters. All the deciduous-leaved species of Chinese *Cotoneasters* have come through the winter without injury, and many of them are now covered with flowers. As a flowering plant *C. hupehensis* is perhaps the most beautiful, and of all the shrubs introduced by Wilson from China it is the handsomest or one of the handsomest when in flower. It is a broad, tall shrub with very slender arching branches which are now so covered with flowers that at a distance it

1917. "Rhododendron maximum." *Bulletin of popular information - Arnold Arboretum, Harvard University* 3(9), 34–35. <https://doi.org/10.5962/p.320697>.

View This Item Online: <https://www.biodiversitylibrary.org/item/216959>

DOI: <https://doi.org/10.5962/p.320697>

Permalink: <https://www.biodiversitylibrary.org/partpdf/320697>

Holding Institution

Harvard University Botany Libraries

Sponsored by

BHL-SIL-FEDLINK

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.