INDEX

Synonyms are in *italics*

- Abelia grandiflora, 60
- Acanthopanax ricinifolium, 55
- Acer capillipes, 52
 - ginnala, 58
 - Henryi, 52
 - mandshuricum, 52, 58
 - Negundo, 52
 - pennsylvanicum, 52
 - platanoides, 15
 - var. columnare, 16
 - var. cucullatum, 16
 - var. dissectum, 16
 - var. globosum, 16
 - var. Schwedleri, 16
 - var. Stollii, 16
 - rubrum, 1
 - saccharinum, 1
 - saccharum, var. monumentale, 16
 - truncatum, 52
- Aesculus Briotii, 32
 - californica, 32
 - carnea, 32
 - discolor, 32
 - var. mollis, 32
 - georgiana, 32
 - glabra, 24
 - var. Buckleyi, 24
- Aitkin Plum, 14
- Alnus glutinosa, 4
 - hirsuta, 4
- Amelanchier, 19
 - canadensis, 12
 - laevis, 12
 - oblongifolia, 12
- American Crab-apples, 19
- American Thorns, 26
- American Viburnums, 60
- Andromeda floribunda, 68
 - glaucophylla, 68
 - japonica, 68
 - polifolia, 68
- Andromedas, 68
- Apple, Paradise, 17
- Apricot, Black, 14
 - Japanese, 14
 - Mikado, 14
- Apricot Plum, 13
 - Purple, 14
- Apricots, 13
- Aralia chinensis, 55
 - var. glabrescens, 55
 - var. mandshurica, 55
- Aralia Family, 55
- Aralia spinosa, 55
- Asiatic Maples, 52
- Bay, Swamp, 59
- Bechtel Crab, 19
- Benzoin aestivale, 3
- Barberries, evergreen, 65
- Bear Berry, 68
- Berberis Gagnepainii, 65
 - Julianæ, 65
 - Sargentiana, 65
 - verruculosa, 65
- Black Apricot, 14
- Bladder Nuts, 51
- Blue Willow, 50
- Blueberries, 68
- Box Huckleberry, 68
- Broad-leaved Evergreens, 65
- Broom, Scotch, 48
- Buckeye, Ohio, 24
- Buckeyes, 24
- Burnet Rose, 40
- Canada Plum, 14
- Catalpa bignonioides, 54
 - var. nana, 54
- Bungei, 54
- Bungei, 54
- Duclouxii, 55
- Fargesii, 55
- hybrida, 54
- Kaempferi, 54
- longissima, 54
- ovata, 54
- speciosa, 54
- Teas' Hybrid, 55
- Teasii, 55
- Teasiana, 55
- Catalpas, 54

- Chamaecyparis thyoides*, 1
Chamaedaphne calyculata, 68
 var. *minor*, 68
 Cherokee Rose, 31
 Cherries, Eastern Asiatic, 9
 Double-flowered, 25
 Cherry, Cornelian, 3
 Sargent, 12
 Cherry Plum, 14
 Chinese Cotoneasters, 35
 Chinese Rhododendrons, 67
 Chinese Weeping Willow, 8
 Close Bark Willow, 49
 Cornelian Cherry, 3
Cornus alternifolia, 39
 circinata, 44
 controversa, 39
 florida, 19, 43
 kousa, 43
 mas, 3
 Nuttallii, 43
 rugosa, 44
Corylopsis, 5
 Gotoana, 6
 Veitchiana, 6
 Willmottae, 6
Cotoneaster divaricata, 36
 hupehensis, 35
 multiflora, var. *calocarpa*, 27
 nitens, 36
 Cotoneasters, Chinese, 35
 Cowberry, 68
 Crab-apples, 17
 American, 19
 Crab, Bechtel, 19
 Hyslop, 17
 Siberian, 17
 Transcendent, 17
 Crack Willow, 50
 Cranberries, 68
Crataegus aprica, 62
 arkansana, 63
 Arnoldiana, 26, 63
 Bissellii, 63
 Boyntonii, 63
 Buckleyi, 63
 coccinioides, 26, 62
 cordata, 64
 cuprea, 63
 Dawsoniana, 63
Crataegus Douglasii, 63
 Ellwangeriana, 26
 fecunda, 63
 foetida, 63
 fruticosa, 63
 intricata, 63
 modesta, 63
 nemoralis, 63
 nigra, 26
 nitida, 62
 oxyacantha, 63
 Peckii, 63
 pedicellata, 26
 pruinosa, 62
 prunifolia, 63
 punctata, 63
 rivularis, 63
 Smithii, 63
 succulenta, 63
Crataegus on Peter's Hill, 63
 Cricket Bat Willows, 50
 Cucumber-tree, 28, 59
 Cumberland Plum, 14
Cytisus scoparius, var. *Andreanus*
 compactus, 48

Daphne Mezereum, 3
Deutzia alba plena, 38
Deutzia candelabra, 39
 discolor, 39
 var. *major*, 39
 discolor, var. *purpurascens*, 38
Deutzia globosa, 38
 gracilis, 37
 grandiflora, 38
 hybrids, 37
 hypoglauca, 38
 kalmiaeflora, 39
 Lemoinei, 37
 var. *compacta*, 37
 Boule de Neige, 37
 Avalanche, 37
 Candelabre, 37
 longifolia, 38
 magnifica, 38
 myriantha, 38
 var. *Boule Rose*, 38
Deutzia myriantha
 var. *Fleur de Pommier*, 38
 parviflora, 37

- Deutzia purpurascens*, 38
reflexa, 38
rosea, 38
 var. campanulata, 38
 var. eximia, 38
 var. floribunda, 38
scabra, 38
 var. candidissima, 38
 var. crenata, 38
 var. plena, 38
 var. Pride of Rochester, 38
 var. Watereri, 38
Sieboldiana, 39
Vilmorinae, 38
Wellsii, 38
Deutzias, 37
Diervilla florida, *var. venusta*, 31
Diervilla hybrids, 31
 Avant Garde, 31
 Conquérant, 31
 Espérance, 31
 Floreal, 31
 Fleur de Mai, 31
 Gracieux, 31
 Seduction, 31
 Vestale, 31
 praecox, 31
Diervillas, Early-flowering, 31
Dimorphanthus mandshuricus, 55
Dirca palustris, 3
 Double-flowered Cherries, 25

 Eagle-claw Maple, 16
 Early-flowering Hawthorn, 26
 Early-flowering native shrubs, 3
 Early Lilacs, 15
 Early Magnolias, 2
 Early Rhododendrons, 2
 Eastern Asiatic Cherries, 9
 Effects of the winter in the
 Arboretum, 1
Enkianthus campanulatus, 64
 japonicus, 64
 perulatus, 64
Erica carnea, 4
 European Privet, 60
 Evergreen Barberries, 65
 Evergreens, broad-leaved, 65
Evonymus alatus, 58

Evonymus radicans, 68

Forsythia europaea, 7
 intermedia, 7
 var. pallida, 7
 var. primulina, 7
 var. spectabilis, 7
 suspensa, 7
 var. Fortunei, 7
 viridissima, 7
Forsythias, 7

Gaultherias, 68
Gaylussacia brachycera, 68
 Golden Beauty Plum, 14
 Golden Chain, 39
 Grape, Oregon, 66

Hamamelis mollis, 2
 vernalis, 1
 Hawthorn, an early-flowering, 26
 Hawthorns, some American, 61
 Hercules' Club, 55
 Hollies, 67
 Horsechestnuts, 24
 Huckleberry, Box, 68
 Hyslop Crab, 17

Ilex crenata, 67
 var. microphylla, 68
 glabra, 67
 opaca, 67
 pedunculosa, 67, 68
Indigofera amblyantha, 44
 Potaninii, 44
 Itasca Plum, 14

 Japanese Apricot, 14
 Japanese Plums, 13

Kalmia angustifolia, 66
 carolina, 66
 latifolia, 56, 66
Kalmias, 66
 Kanawha Plum, 14
Koelreuteria paniculata, 56

Laburnum Adami, 40
 alpinum, 40

- Laburnum anagyroides, 39
 var. bullatum, 39
 var. involutum, 39
 var. quercifolium, 39
 var. semperflorum, 39
 caramanicum, 40
 Parksii, 40
 Scotch, 40
 vulgare, 39
 Watereri, 40
 Laburnums, 39
 Late Lilacs, 41
 Late Rhododendrons, 47
 Late-flowering Viburnums, 48
 Laurel, Mountain, 66
 Sheep, 7
 Leather Leaf, 68
 Leatherwood, 3
 Ledums, 68
 Leiophyllums, 68
 Leucothoes, 68
 Ligustrum vulgare, 60
 var. foliolosa, 60
 Lilac, an autumn-flowering, 64
 Lilac, Persian, 21, 22
 Lilacs, 21
 Lilacs, Early, 15
 Late, 41
 Tree, 43
 Lindens, 53
 Asiatic, 53

 Maackia amurensis, 56
 var. Buergeri, 56
 hupehensis, 56
 Maddenia hypoleuca, 7
 Magnolia acuminata, 28, 59
 cordata, 28, 59
 Fraseri, 27, 59
 glauc, 59
 kobus, 3
 var. borealis, 3
 macrophylla, 28, 59
 Mountain, 59
 stellata, 2
 tripetala, 59
 Magnolias, early, 2
 Mahonia Aquifolium, 66
 japonica, 66
 pinnata, 66

 Mahonia repens, 66
 Mahonias, 66
 Malus Arnoldiana, 19
 baccata, 17, 18
 var. Jackii, 18
 var. mandshurica, 18
 floribunda, 19
 fusca, 19
 Halliana, var. Parkmanii, 20
 ioensis, 19
 prunifolia, 18
 var. rinki, 18
 pumila, 17, 18
 Sargentii, 20
 Sieboldii, 20
 var. callicarpa, 20
 sylvestris, 17, 18
 theifera, 27
 toringo, 20
 Maple, Eagle-claw, 16
 Norway, 15
 Scarlet, 1
 Sugar, 16
 White, 1
 Maples, Asiatic, 52
 Mikado Apricot, 14
 Mock Orange, 45
 Mountain Ashes,
 eastern American, 58
 Mountain Laurel, 66
 Mountain Magnolia, 59

 Native shrubs, early-flowering, 3
 Neillia affinis, 40
 longiracemosa, 40
 sinensis, 40
 Norway Maple, 15

 Ohio Buckeye, 24
 Open Bark Willow, 50
 Oregon Grape, 66
 Oxford Plum, 14
 Oxydendrum arboreum, 56

 Pachystimas, 68
 Paradise Apple, 17
 Periploca graeca, 47
 Periploca sepium, 47
 Persian Lilac, 21, 22
 Phellodendron amurense, 57

Philadelphus, 45
 Conquête, 47
 Nuée Blanche, 47
 Perle Blanche, 47
 Rosea, 47
 coronarius, 45
 Falconerii, 46
 inodorus, 46
 insignis, 45
 latifolia, 46
 Lemoinei, 46
 Magdalenae, 46
 microphyllus, 46
 pekinensis, 46
 pubescens, 46
 var. tomentosus, 47
 purpurascens, 46
 Schneckii var. Jackii, 45
 splendens, 47
Pieris floribunda, 68
 Plum, Apricot, 13
 Canada, 14
 Sand, 14
 Wild Goose, 14
 Plums, 13
 Japanese, 13
 Plums and Apricots, 13
Prinsepia sinensis, 5
 uniflora, 5
 Privet, European, 60
Prunus alleghaniensis, 14
 americana, 14
 armeniaca, 6, 14
 concinna, 10
 dasycarpa, 14
 Davidiana, 2
 dehiscens, 6
 Grayana, 28
 hortulana, 14, 59
 kurdica, 13
 Maackii, 28
 mandshurica, 6
 mongolica, 7
 Munsoniana, 14
 nigra, 14
 Padus, var. commutata, 28
 pendula, 11
 salicina, 13
 Sargentii, 11

Prunus serrulata, 9
 var. sachalinensis, 11, 25
 albo-rosea, 25
 f. albo-rosea, 12
 f. Fugenzo, 12, 25
 f. James H. Vietch, 12
 Simonii, 13
 subhirtella, 10
 var. ascendens, 11
 var. autumnalis, 11
 var. pendula, 11
 tomentosa, 10, 15
 var. endotricha, 10
 triflora, 13
 triloba, 7, 15
 var. plena, 15
 Watsonii, 14
 yedoensis, 9, 11
 Purple Apricot, 14
Pyrus Bretschneideri, 20
 Calleryana, 20
 ovoidea, 20

Rhododendron arboreum, 34
 arbutifolium, 47
 brachycarpum, 35, 67
 carolinianum, 35, 67
 catawbiense, 34, 67
 hybrids of, 67
 Atrosanguineum, 34
 Catawbiense album, 34
 Charles Dickens, 34
 Everestianum, 34
 Gomer Waterer, 34
 Henrietta Sargent, 34
 H. W. Sargent, 34
 Mrs. C. S. Sargent, 34
 Mrs. John Clutton, 34
 Pink Pearl, 34
 Roseum elegans, 34
 Sappho, 34
 caucasicum, 35
 ciliatum, 6
 dahuricum, 2
 var. sempervirens, 2
 daphnoides, 47
 discolor, 67
 ferrugineum, 67
 Hammondii, 47
 hirsutum, 67

Rhododendron japonicum, 26
 Kaempferi, 24, 26
 maximum, 34, 56, 67
 Metternichii, 67
 micranthum, 67
 minus, 67
 mucronulatum, 2
 myrtifolium, 47
 oleaefolium, 47
 ponticum, 34
 poukhanense, 20
 praecox, "Little Gem," 6
 Smirnowii, 35, 67
 Wilsonii, 47
Rhododendrons, 33, 67
 Chinese, 67
 early, 2
 late, 47
Rosa Ecae, 32
 Hugonis, 31
 laevigata, 31
 multiflora, 44
 carnea, 44
 var. cathayensis, 44
 platyphylla, 44
 omeiensis, 31
 spinosissima, 40
 var. altaica, 40
 var. fulgens, 40
 var. grandiflora, 40
 var. hispida, 40
 var. Jupiter, 40
 var. Lady Baillie, 40
 var. lutea, 40
 Rose, Burnet, 40
 Seven Sisters, 44
 Roses, Scotch, 40

Salix alba, 8, 50
 var. argentea, 50
 alba calva, 49
 var. coerulea, 49, 50
 amygdaloides, 50
 babylonica, 8
 aurea, 8
 ramulis aureis, 8
 blanda, 8
 coerulea, 49
 decipiens, 50
 fragilis, 8, 50

Salix nigra, 50
 regalis, 50
 rubens, 50
 Russelliana, 50
 Salamonii, 8
 sepulchralis, 8
 viminialis, 8
 viridis, 50
 vitellina, 8
 pendula, 8
 Sand Plum, 14
 Sargent Cherry, 12
 Scarlet Maple, 1
 Scotch Broom, 48
 Scotch Laburnum, 40
 Scotch Roses, 40
 Seven Sisters Rose, 44
 Shad Bushes, 12
 Sheep Laurel, 67
 Siberian Crab, 17
 Sophora japonica, 56
 var. pendula, 56
 var. pyramidalis, 56
 var. rosea, 56
 Sorbus americana, 58
 var. decora, 58
 Sorrel-tree, 56
 Spice Bush, 3
 Spring Cherry, 10
 Staphylea Bolanderi, 51
 colchica, 51
 var. Hessei, 51
 Coulombieri, 51
 Emodi, 51
 holocarpa, 51
 pinnata, 51
 trifolia, 51
 Staphyleas, 51
 Stuartia pseudocamellia, 64
 Symplocos cratægoides, 36
 paniculata, 36
 Syringa, 45
 affinis, 15
 var. Giraldii, 15
 amurensis, 43
 Bretschneideri, 41
 chinensis, 22
 Emodi, 41
 var. villosa, 41

- Syringa Henryi, 42
 var. eximia, 42
 hyacinthoifra, 22
 japonica, 43
 Josikaea, 41
 Josikaea pallida, 42
 Josikaea rosea, 42
 Julianæ, 42
 Koehneana, 32
 Lemoinei, 23
 Lutèce, 42
 Meyeri, 15, 42
 microphylla, 64
 oblata, 22
 pekinensis, 43
 persica, 21
 var. laciniata, 22
 pinnatifolia, 24, 42
 pubescens, 28
 reflexa, 42
 rothomagensis, 22
 Sweginzowii, 43
 tomentella, 42
 villosa, 41
 vulgaris, 21
 azurea plena, 22
 flore pleno Liberti, 22
 Wilsonii, 42
 Wolfii, 42
 yunnanensis, 43
 Sugar Maple, 16
 Summer-flowering trees, 53
 Swamp Bay, 59

 Teas' Hybrid Catalpa, 55
 Thorns, American, 26
 Thurber's Weeping Willow, 8
 Tilia japonica, 53
 spectabilis, 53
 var. Moltkei, 54
 vulgaris, 53
 Transcendent Crab, 17
 Tree Lilacs, 43

 Umbrella-tree, 59

 Vaccinium macrocarpa, 68
 Vaccinium Oxycoccus, 68
 Vitis-Idaea, 68

 Viburnum Canbyi, 48
 cassinoides, 48
 dentatum, 48
 dilatatum, 48
 Lentago, 60
 prunifolium, 60
 rhytidophyllum, 66
 venosum, 48
 Viburnums, American, 60
 Late-flowering, 48
 Vinca minor, 68

 Wayland Plum, 14
 Weeping Willow, Chinese, 8
 Weeping Willows, 8
 Weigelas, Early-flowering, 31
 White Maple, 1
 White Willow, 50
 Wild Goose Plum, 14
 Willow, Blue, 50
 Close Bark, 49
 Crack, 50
 Open Bark, 50
 White, 50
 Willows, Cricket Bat, 50
 Weeping, 8
 Winter-flowering Witch Hazels, 1
 Wisconsin Weeping Willow, 8
 Wisteria floribunda, 30
 var. alba, 31
 var. macrobotrys, 30
 var. rosea, 31
 var. variegata, 31
 var. violacea plena, 31
 frutescens, 29
 var. alba, 29
 japonica, 29
 macrostachya, 29
 var. albo-lilacina, 30
 magnifica, 30
 multijuga, 31
 sinensis, 29, 30
 venusta, 29, 30
 var. plena, 30
 Wisterias, 29
 Witch Hazels, winter-flowering, 1

 Xanthoceras sorbifolia, 36

1917. "Index [new ser:v.3]." *Bulletin of popular information - Arnold Arboretum, Harvard University* 3(17), 69–75. <https://doi.org/10.5962/p.320783>.

View This Item Online: <https://www.biodiversitylibrary.org/item/216959>

DOI: <https://doi.org/10.5962/p.320783>

Permalink: <https://www.biodiversitylibrary.org/partpdf/320783>

Holding Institution

Harvard University Botany Libraries

Sponsored by

BHL-SIL-FEDLINK

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.