580.773
H32
COMPLIMENTARY

NEW SERIES VOL. V

NO. 9

ARNOLD ARBORETUM

HARVARD UNIVERSITY

BULLETIN

OF

POPULAR INFORMATION

JAMAICA PLAIN, MASS.

JUNE 19, 1919

Cornus kousa. This is the eastern Asiatic representative of the Flowering Dogwood of the eastern states (*Cornus florida*) and of the Flowering Dogwood of the northwest (*Cornus Nuttallii*). *Cornus kousa* was one of the Japanese plants which reached the United States in the early years of Japanese plant introduction into this country and although it has never become common in American gardens it is occasionally seen in the neighborhood of Boston and New York. The white bracts which surround the head of flowers and are the conspicuous feature of the inflorescence of all the Cornels of this group are narrowed and placed further apart on *Cornus kousa* than on our eastern Flowering Dogwood, and are long-pointed, and not as in the American plant rounded or emarginate at the apex. On the American plant the end of the bract is often discolored, while in the Asiatic plant the bracts are pure white to the tips. The flower-buds of *Cornus florida* are often killed here at the north in severe winters, but the extreme cold of the winter of 1917-18 did not injure those of *C. kousa*. The Japanese plants bloom several weeks later than *Cornus florida* and when the leaves are nearly fully grown. In Japan *Cornus kousa* sometimes becomes a small tree with a single trunk, but in this country so far as we have observed it grows always as a shrub with several erect stems. *Cornus kousa* was found in central China by Wilson and plants raised from his Chinese seeds are established in the Arboretum. They are handsomer than the Japanese form, with longer and broader floral bracts set closer together and often overlapping below the middle. On the largest plant in the Arboretum the head of bracts is four inches and a half across, but in China Wilson measured them

five inches across. On the Japanese plants the heads of bracts are rarely three inches and a half in diameter. The Chinese plant flowered in the Arboretum for the first time two years ago, and the flower-buds have never been injured by cold. It is flowering more freely this year than it has before and is now an object of much beauty. Like the Japanese plant the Chinese *Cornus kousa* has grown here as a shrub, but there seems no reason why it cannot be trained into a tree, as in China it is a small tree with a trunk sometimes a foot in diameter. If it fails to produce seed here the Chinese plant can probably be grafted successfully on *Cornus florida*. Although the Asiatic flowering Dogwoods do not make such a display of flowers as our American trees, their flower-buds are hardier judging by the effects of the winter of 1917-18, and if the future confirms this they will flower further north than *Cornus florida*. The fact that they bloom when the leaves are nearly fully grown and when the flowering time of most trees is over makes these Asiatic Cornels valuable, and it now seems probable that in the Chinese form of *Cornus kousa* the northern states have an important ornamental tree. The Japanese and Chinese plants are now in bloom, the former on Hickory Path near Centre Street and the latter with the other Chinese plants on Bussey Hill.

Aesculus turbinata, the Japanese Horsechestnut, first came to the Arboretum from France in 1881; this plant was lost, and in 1893 it was raised from seeds collected in Japan by Professor Sargent. These plants were also lost, but another supply was raised in 1900 from seeds produced by the fine specimen in the nursery of Ellwanger & Barry in Rochester, New York, and one of these plants has flowered this year. In Japan this Horsechestnut is a magnificent tree, often growing to a height of eighty or ninety feet and forming a tall trunk occasionally seven feet in diameter. Like the European Horsechestnut the leaves are composed of seven leaflets, but these are thinner and more lustrous, and the leaf-stalks are longer. The Japanese tree in summer therefore appears less dark and massive than the common Horsechestnut. The flower-clusters are narrower and the flowers, which are white with scarlet markings at the base of the petals, are handsomer. *Aesculus turbinata*, which grows to its largest size in central and northern Japan, is perfectly hardy in New England. Time only can show if it is able to live as long and grow to as large a size here as in its native country. If it succeeds here as the Horsechestnut of the mountains of Greece has succeeded during the last hundred years it will prove to be one of the handsomest exotic trees which has been planted in eastern North America. *Aesculus turbinata* is one of the five largest deciduous leaved trees of eastern Asia. The others are *Cercidiphyllum japonicum*, *Populus Maximowiczii*, *Acanthopanax ricinifolium*, and *Zelkova serrata*. These five trees are now established in the Arboretum.

Early Flowering Hydrangeas. The first Hydrangea to flower in the Arboretum is the so-called climbing Hydrangea, *H. petiolaris*, which has been covered with flowers during the past ten days. A few days later the plants in a group of shrubby Chinese species opened their flowers which are arranged in broad flat-topped clusters surrounded by a ring of large, pure white ray flowers. The best known of these plants, *Hydrangea Bretschneideri*, a native of the mountains

1919. "Cornus kousa." *Bulletin of popular information - Arnold Arboretum, Harvard University* 5(9), 33–34. <https://doi.org/10.5962/p.320947>.

View This Item Online: <https://www.biodiversitylibrary.org/item/239291>

DOI: <https://doi.org/10.5962/p.320947>

Permalink: <https://www.biodiversitylibrary.org/partpdf/320947>

Holding Institution

Smithsonian Libraries

Sponsored by

Biodiversity Heritage Library

Copyright & Reuse

Copyright Status: Not in copyright. The BHL knows of no copyright restrictions on this item.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.