INDEX

Synonyms are in *italics*

- Abies brachyphylla*, 2
cephalonica var. Apollinis, 2
concolor, 2, 65, 66, 67
grandis, 65
holophylla, 66
homolepis, 2, 65, 66
var. umbellata, 3, 65
Lowiana, 2
magnifica, 2
Parsonsii, 2
Acer Davidii, 2
ginnala, 60
griseum, 1
mandshuricum, 2, 60
platanoides, 64
var. globosum, 1
Aesculus, 19
arguta, 19
Briottii, 29
carnea, 29
discolor, var. flavescens, 36
var. mollis, 36
georgiana, 28, 36
glabra, var. Buckleyi, 19
Harbisonii, 31, 36
Hippocastanum, 29
hybrids of, 29, 30
octandra, 30
parviflora, 36
versicolor, 30
Aestivales Thorns, 21
Ailanthus, 57, 58, 59, 63, 64
altissima, 57, 58
var. erythrocarpa, 58
Giraldii, 59
glandulosa, 57
Vilmoriniana, 59
Almond, 6
Amelanchier asiatica, 19
Bartramiana, 19
canadensis, 10, 19, 51
grandiflora, 19, 51
laevis, 10, 19, 51
obovalis, 10
vulgaris, 19
Amelanchiers, 9, 10
American Elm, 64
Grape Vines, 53, 54, 55
Hawthorns, 21, 22, 23, 24, 47
Horsechestnuts, 19
Plum-trees, Some, 61, 62, 63
Andromeda floribunda, 12
japonica, 12
Anomalae Thorns, 23
Appalachian Azalea, 40
Apricots, 7
Arnold Arboretum Hybrids, 31, 32
Ashes, Mountain, 28, 59, 60
Asiatic Cherry-trees, 5
Crabapples, 15, 16
Lindens, 43, 44
Pear-trees, 13, 14
Autumn colors, 60
Azalea, Appalachian, 40
indica alba, 25
japonica, 52
ledifolia, 25
mollis, 26
Schlippenbachii, 11, 12, 52
Azaleas, 9, 37
American, 19
early, 11
early-flowered American, 27
hybrid, 26, 27
Japanese, 25
Balkan Spruce, 2
Barberries, 35
Beach Plum, 63
Beech-trees, 16
Benzoin aestivale, 9
Berberis notabilis, 31
ottawensis, 31
Thunbergii, 31
Vernae, 35, 36, 51, 52
vulgaris, 31, 35
Betula Jackii, 31
Bignonia Family, 49
Big-tree Plum, 62
Birches, 60

- Bitternut, 8
 Bitter Sweets, 44
 Black Pine of Japan, 2, 65
 Black Pines, 65
 Box Elder, 2, 60
 Chinese, 1, 2
 Brachyacanthae Thorns, 21, 22
 Bracteatae Thorns, 23
 Broad-leaved Evergreens, 2, 12
 Buckeye Collection, The, 19
 Buckeye, Ohio, 19
 Buckeyes, 19, 28, 36
 Burning Bush, Japanese, 60
 Burning Bushes, 52
 Bush Honeysuckles, 37

 Canada Plum, 7
 Carolina Hemlock, 66
 Carya myristicaeformis, 8
 Catalpa bignonioides, 49, 50
 var. nana, 50
 Bungei, 50
 Bungei, 50
 Duclouxii, 50
 Fargesii, 50
 hybrida, 50
 ovata, 50
 speciosa, 49, 50
 Teasii, 50
 Teas' Hybrid, 50
 Catalpas, 49, 50
 Cedar, Red, 66, 67, 68
 Cedars of Lebanon, 2
 Celastrus, 44
 Cercidiphyllum, 16
 Chamaecyparis Lawsoniana, 65
 Chamaedaphne calyculata, 12
 var. minor, 12
 Cherry, Cornelian, 3
 Sargent, 6
 Spring, 6
 Weeping, 7
 Cherry-tree, evergreen, 37
 Cherry-trees, Asiatic, 5
 Weeping Japanese, 7
 Chickasaw Plum, 62
 Chicken Grape, 54
 Chinese Box Elder, 1
 Cotoneasters, 51
 Chinese Hemlock, 65
 Juniper, 68
 Rose, 28
 Roses, 56
 Sumach, 60
 Syringa, 39
 Cinnamon Rose, 56
 Coccineae Thorns, 22
 Cockspur Thorns, 22
 Colorado White Fir, 66
 Conifers, 65, 66, 67
 Cork-tree, Siberian, 60
 Cornelian Cherry, 3
 Cornels, 30, 37
 Cornus alternifolia, 30
 arnoldiana, 31
 controversa, 30
 florida, 9, 30, 40
 kousa, 30, 40
 Chinese, 40
 macrophylla, 30
 mas, 3
 Corylopsis, 3
 Gotoana, 3, 51
 pauciflora, 4
 spicata, 4
 Veitchiana, 4
 Willmottae, 4
 Corylus Avellana, 8
 chinensis, 8
 Cotoneaster hupehensis, 51
 multiflora calocarpa, 51
 nitens, 51
 racemiflora soongorica, 51
 Crab, Parkman, 16
 Crabapple, A new, 20
 Crabapples, Asiatic, 15, 16
 Crataegus aestivalis, 21
 apiifolia, 23
 aprica, 23
 arkansana, 24
 arnoldiana, 24
 brachyacantha, 21
 coccinioides, 22
 cordata, 23, 47
 nitida, 22
 peregrina, 24
 phaenopyrum, 47
 punctata, 22

- Crataegus rotundifolia*, 22
 saligna, 22
 spathulata, 23
 submollis, 24
 viridis, 22
 North American, 21, 22, 23, 24
 Crimean Linden, 43
 Crimson Rambler Rose, 56
 Crus-galli Thorns, 22
Cryptomeria japonica, 65

Dilatatae Thorns, 22
Dirca palustris, 9
 Dogwood, Flowering, 9
 Douglas Spruce, 66, 67
Douglasiana Thorns, 23

 Early Azaleas, 11
 Early Lilacs, 18
 Early-flowering Rhododendrons, 4
 Early-flowering Viburnums, some 10
 Effects of the Severe Winter, 1
 Elder, Box, 60
 Elm, American, 64
 Hedge-row, 64
 Elms, Old World, 64
 European Linden, 42
 Mountain Ash, 59, 60
 Evergreen Cherry-tree, 37
 Evergreens, broad-leaved, 2, 12
Evonymus alatus, 60
 planipes, 51, 52
 radicans, 48
 var. *vegetus*, 48

 Father Hugo's Rose, 56
 Fir, Japanese, 2
 Red, 2
 White, 66
 Firs, new Chinese, 65
 Korean, 66
 Flavae Thorns, 23
 Flowering Dogwood, 9
 Flowering Dogwoods, 40
Forsythia intermedia, 51
 primulina, 31
 spectabilis, 51
 suspensa Fortunei, 51
 viridis, 51

 Fox Grape, 54
 Fox Grape, Southern, 55
 Fragrant Sumach, 9
 Frost Grape, 54, 55

Ginkgo biloba, 66
 Golden Larch, 66, 67
 Grape, Chicken, 54
 Fox, 54
 Frost, 54, 55
 Muscadine, 55
 Summer, 55
 Sweet Winter, 54
 Grape Vines, 53, 54, 55, 56
 American, 53, 54, 55
 Chinese, 55
 Japanese, 55
 Grapes, Scuppernong, 55

Hamamelis incarnata, 3
 mollis, 3, 51
 Hawthorns, American,
 21, 22, 23, 24, 47
 Old World, 24
 Hemlock, Carolina, 2, 66
 Chinese, 65
 Hickory, Nutmeg, 8
 Shagbark, 8
 Hickory-trees, 63
 Hobble Bush, 10
 Horsechestnut, European, 29
 red-flowered, 29
 Horsechestnuts, 19, 28
 American, 19
 Old World, 19
 Hybrid Philadelphus, 39
 Shad Bush, A, 19
 Hybrids, Arnold Arboretum, 31

Intricatae Thorns, 23

 Japanese Azaleas, 25
 Burning Bush, 60
 Cherry-trees, Weeping, 7
 Fir, 2
 Plums, 8
 Japanese Sand Pears, 14
 Spring Cherry, 6, 7
 Juniper, Chinese, 68

- Junipers, 67, 68
Juniperus chinensis, 68
 var. *Pfitzeriana*, 68
conferta, 68
horizontalis, 68
Pinchotii, 1
virginiana, 67
 var. *Chamberlaynii*, 68
 var. *elegantissima*, 68
 var. *glauca*, 68
 var. *globosa*, 67
 var. *Kosteriana*, 67
 var. *pendula*, 68
 var. *pyramidalis*, 68
 var. *Schottii*, 68

 Kaempfer's Azalea, 26
 Kaido Crabapple, 16
Kalmia latifolia, 9
Kalmias, 2
Kolkwitzia amabilis, 36

 Larch, Golden, 66, 67
 Late Flowering Lilacs, 33
 Late-flowering *Viburnums*, 39
 Laurel, 9
 Leather Leaf, 12
 Leatherwood, 9
 Leaves, Unfolding, 16
Libocedrus decurrens, 65
 Lilacs, 17, 18, 37
 Early, 18
 Late-flowering, 33
 Tree, 35
 Linden, Crimean, 43
 Lindens, 41, 42, 43, 44
 American, 41, 42
 Asiatic, 43, 44
 European, 41, 42
 Lombardy Poplar, 45
Lonicera amoena arnoldiana, 31
 prostrata, 44

Macracanthae Thorns, 23
Magnolia cordata, 30
 Fraseri, 30
 kobus, 3
 stellata, 3
Magnolia tripetala, 30
Malus arnoldiana, 15, 31, 32

Malus atrosanguinea, 20
 baccata, 31
 var. *mandshurica*, 16
Dawsoniana, 31
floribunda, 15, 20, 31
Halliana var. *Parkmanii*, 16
micromalus, 16
Niedwetzkyana, 20, 32
pumila, 20
rubriflora, 31
rubrifolia, 32
sylvestris, 15
theifera, 20
 Maple, Norway, 64
 Sugar, 64
 Maples, 16
 Sugar, 60
 May Haws, 21
 Mexican White Pine, 2, 65
Microcarpae Thorns, 23
 Mock Orange, 37
 Molles Thorns, 24
 Moosewood, 10
 Mountain Ash, 60
 Chinese, 27
 European, 27, 59, 60
 Mountain Ashes, 28, 59, 60
 Muscadine Grape, 55

Neillia sinensis, 36, 51, 52
 Norway Maple, 64
 Dwarf form of, 1
 Nutmeg Hickory, 8
 Nut-trees, 63

 Oak, Water, 64
 Oaks, 60
 Ohio Buckeye, 19
 Old World Elms, 64

 Parkman Crab, 16
 Peach-tree, Wild, 7
 Pears, Keiffer, 14
 Lecomte, 14
 Pear Trees, 13, 14
 Asiatic, 13, 14
 Pecan, 8
Periploca graeca, 44
 sepium, 44

- Phellodendron amurense, 60
 Philadelphus, 37, 38, 39
 Hybrid, 39
 coronarius, 37, 38, 39
 var. deutziaeflorus, 38
 var. salicifolius, 38
 cymosus, 39
 Conquête, 39
 Mer de Glace, 39
 Norma, 39
 Nuée Blanche, 39
 Perle Blanche, 39
 Rosace, 39
 Voie Lactée, 39
 Gordonianus, 38
 hybrids of, 38
 grandiflorus, 38, 39
 inodorus, 38
 insignis, 39
 latifolius, 38
 Lemoinei, 39
 Magdalenae, 39
 microphyllus, 38, 39
 Monsieur Billard, 39
 pekinensis, 39
 polyanthus, 39
 Gerbe de Neige, 39
 Pavillon Blanc, 39
 pubescens, 38
 hybrids of, 38
 purpurascens, 38, 39, 51
 speciosus, 39
 splendens, 38, 39, 40
 virginalis, 39
 Argentine, 39
 Bouquet Blanc, 39
 Glacier, 39
 Virginal, 39
 Picea Breweriana, 65
 omorika, 2, 66
 Sargentiana, 65
 Pignut, 8
 Pine, White, 66
 Pines, Black, 65
 new Chinese, 66
 Pinus Armandi, 66
 ayacahuite, 2, 65
 echinata, 2
 Pinus excelsa, 66
 monticola, 66, 67
 parviflora, 66, 67
 pentaphylla, 67
 Strobus, 66, 67
 Thunbergii, 2, 65
 Plum, Beach, 63
 Big-tree, 62
 Canada, 7
 Chickasaw, 62
 Wild, 63
 Wild Goose, 62
 Plums, 7
 Japanese, 8
 Plum-trees, early-flowering, 5
 Some American, 61, 62, 63
 Pomette Bleue, 21
 Poplar, Lombardy, 45
 Prinsepia sinensis, 4, 51
 Pruinosae Thorns, 22
 Prunus americana, 63
 angustifolia, 62
 var. varians, 62
 arnoldiana, 6, 31
 caroliniana, 37
 Cerasus, 6
 concinna, 5
 Davidiana, 7
 domestica, 62
 hortulana, 62, 63
 incisa, 5
 var. Yanakei, 5
 maritima, 63
 mexicana, 62
 Munsoniana, 62
 nigra, 7
 Reverchonii, 62
 salicina, 7
 serrulata, 6
 var. sachalinensis, 6
 subhirtella, 6, 7
 var. ascendens, 7
 var. pendula, 7
 tomentosa, 5, 6
 var. endotricha, 6
 triflora, 8
 triloba, 6
 var. plena, 6

- Prunus venulosa*, 62
Pseudolarix amabilis, 66, 67
Pseudotsuga taxifolia, 66
Pterocarya, 45
 fraxinifolia, 31, 45
 Rehderiana, 31, 46
 rhoifolia, 46
 stenoptera, 31, 46
Pulcherrimae Thorns, 23
Punctatae Thorns, 22
Pyrus betulaefolia, 14
 Bretschneideri, 14
 Calleryana, 14
 congesta, 31
 ovoidea, 13
 serotina, 14
 ussuriensis, 13
 var. *ovoidea*, 13
Quercus, 16
 nigra, 64
Red Cedar, 66, 67, 68
 Fir, 2
Rhododendron Albrechtii, 25
 arbutifolium, 32
 calendulaceum, 27, 40
 canescens, 27
 carolinianum, 32
 catawbiense, 32
 hybrids of, 32
 Bismarck, 32
 catawbiense album, 32
 caucasicum, 32
 hybrids of, 32
 Boule de Neige, 32
 Mont Blanc, 32
 dauricum, 4
 var. *sempervirens*, 4
 hirsutum, 4
 japonicum, 26, 51, 52
 var. *aureum*, 26
 Kaempferi, 26
 Kosterianum, 26
 Antony Koster, 26
 Miss Louisa Hunnewell, 26
 Metternichii, 32
 mucronatum, 25
Rhododendron mucronulatum, 4
 myrtifolium, 32
 nudiflorum, 27
 obtusum, 26
 pentaphyllum, 25
 poukhanense, 11
 praecox, Early Gem, 4
 Rehderianum, 25
 reticulatum, 26, 27
 var. *albiflorum*, 27
 rhombicum, 26, 27
 Schlippenbachii, 11, 51, 52
 sinense, 26
 Smirnowii, 32
 Tschonoskii, 25
 Vaseyi, 19, 27, 40
Rhododendrons, 2, 32, 50
 Early Flowering, 4
Rhus canadensis, 9
 javanica, 60
Rosa bella, 56
 caudata, 56
 cinnamonea, 28
 Helenae, 56
 Hugonis, 28, 51, 56
 Moyesii, 56
 multibracteata, 56
 multiflora, 56
 var. *cathayensis*, 56
 omeiensis, 28, 56
 var. *pterocantha*, 56
 Roxburgii, var. *normalis*, 56
Rose, Chinese, 28
 Cinnamon, 56
 Crimson Rambler, 56
 Father Hugo's, 56
Rotundifoliae Thorns, 22
Rowan Tree, 27
Sand Pears, Japanese, 14
Sargent Cherry, 6
Scuppernong Grapes, 55
Serbian Spruce, 66, 67
Service Berry, 10
Shad Bush, 10, 16
 a hybrid, 19
Shagbark Hickory, 8
Shrubs, some good, 50

- Siberian Cork-tree, 60
 Silvicolae Thorns, 23
 Sorbus alnifolia, 27
 americana, 59
 var. *decora*, 59
 amurensis, 59
 arnoldiana, 31, 32, 60
 Aucuparia, 27, 31, 59, 60
 var. *dulcis*, 59
 var. *moravica*, 59
 commixta, 59
 discolor, 27, 31
 pekinensis, 27, 59, 60
 pohuashanensis, 59
 Southern Fox Grape, 55
 Spice Bush, 9
 Spiraea Veitchii, 51, 52
 Spring, a late, 3
 Spring Cherry, 6
 Spruce, Balkan, 2
 Douglas, 66, 67
 Serbian, 66
 Spruce-trees, new Chinese, 65
 Street Trees, 63, 64
 Sugar Maple, 64
 Sugar Maples, 60
 Sumach, Chinese, 60
 Fragrant, 9
 Sweet Winter Grape, 54
 Syringa, 37
 Chinese, 39
 affinis, 18
 var. *Giraldii*, 18
 amurensis, 35
 Henryi var. *eximia*, 34
 var. *Lutèce*, 33, 34
 hyacinthiflora, 18
 japonica, 35
 Josikaea, 33
 Julianae, 34
 Koehneana, 35
 Meyeri, 18
 microphylla, 34
 oblata, 18
 pekinensis, 35
 pinnatifolia, 18
 pubescens, 34
 reflexa, 34
 Syringa *Sargentiana*, 34
 Sweginzowii, 34, 51, 52
 tomentella, 34
 villosa, 33, 34
 vulgaris, 17, 18
 Wilsonii, 34
 Wolfii, 34
 yunnanensis, 34
 Taxus cuspidata, 66
 Teas' Hybrid Catalpa, 50
 Tenuifoliae Thorns, 22
 Thorn, Washington, 23, 47
 Thorns, Cockspur, 22
 Thuya plicata, 66
 Tilia americana, 41
 argentea, 43
 canadensis, 66
 caucasica, 43
 cordata, 42, 43, 44
 dasystyla, 43
 euchlora, 43
 glabra, 41, 42, 43
 heterophylla, 42
 var. *Michauxii*, 42
 japonica, 44
 monticola, 42
 neglecta, 42
 petiolaris, 43, 44
 platyphyllos, 42, 43
 var. *asplenifolia*, 42
 var. *pyramidalis*, 42
 var. *vitifolia*, 42
 spectabilis, 43
 var. *Moltkei*, 43
 tomentosa, 43, 44
 vulgaris, 42, 43
 Tomentosae Thorns, 23
 Traveller's Tree, European, 40
 Tree of Heaven, 57, 58, 59
 Tree Lilacs, 33, 35
 Trees now in flower, some of the, 29
 Trees, Street, 63, 64
 Triflorae Thorns, 23
 Tripterygium Regelii, 44
 Tsuga caroliniana, 2, 66
 chinensis, 65
 diversifolia, 46

Tsuga heterophylla, 65

Ulmus campestris, 64

Uniflorae Thorns, 23

Viburnum alnifolium, 10, 47

Canbyi, 40, 47, 48

Carlesii, 11

cassinoides, 39, 40

dentatum, 40, 47

dilatatum, 40

furcatum, 11

Jackii, 31

lantana, 40

Lentago, 30

prunifolium, 30

Sieboldii, 30, 40

tomentosum, 40

venosum, 40, 47, 48

Wrightii, 40

Viburnums, 37

late-flowering, 39

some early-flowering, 10

the last, 47

Virides Thorns, 22

Vitis amurensis, 55

arizonica, 54

bicolor, 55

cinerea, 54

Coignetiae, 55

Vitis cordifolia, 54

Davidii, 55

Doaniana, 54

labrusca, 54, 55

Pagnuccii, 55

palmata, 54

pulchra, 55

rotundifolia, 55

rupestris, 54

vinifera, 55, 56

vulpina, 54

Walnut-trees, 63

Washington Thorn, 23, 47

Water Oak, 64

Weeping Cherry, 7

White Fir of Colorado, 66

White Pine, western, 66

Chinese, 66

Himalayan, 66

Japanese, 66

Mexican, 2, 65

western, 66

Wild Goose Plum, 62

Wild Plum, 63

Winter-flowering Witch Hazels, 3

Witch Hazels, 51

Zenobia pulverulenta, 48

var. *nitida*, 48

1920. "Index [new ser:v.5]." *Bulletin of popular information - Arnold Arboretum, Harvard University* 6(17), 69–76. <https://doi.org/10.5962/p.321078>.

View This Item Online: <https://www.biodiversitylibrary.org/item/216956>

DOI: <https://doi.org/10.5962/p.321078>

Permalink: <https://www.biodiversitylibrary.org/partpdf/321078>

Holding Institution

Harvard University Botany Libraries

Sponsored by

BHL-SIL-FEDLINK

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.