exception of those in the tufts in the axils of the veins below. This tree, which is not rare in the northern and middle states, is one of the best trees to shade the streets of northern cities. The largest and handsomest Linden-trees in the neighborhood of Boston are of this hybrid.

The two Lindens of eastern Europe, *T. tomentosa* and *T. petiolaris*, are distinct and handsome trees with leaves silvery white on the lower surface, and can be easily and successfully grown in southern New England. *T. tomentosa*, which is common in the forests of Hungary, in this country forms a broad, compact, round-topped head with erect branches and large leaves erect on short stalks. *T. petiolaris* is a more beautiful tree with pendulous branches which form a narrow head and leaves drooping on long slender stems. It has proved to be one of the handsomest exotic trees which can be planted in the eastern states. It is occasionally seen in the neighborhood of Boston, but it is more common southward, especially in Newport, Rhode Island, where there are a number of noble specimens.

It is too soon to speak with much knowledge of the value of the Asiatic species as ornamental trees in this climate. Most of them have been introduced in recent years, and the oldest Asiatic Linden now in the Arboretum, *Tilia japonica*, was raised here from seed only planted in 1893. A comparatively large tree in Japan, the Arboretum species are now from twenty to twenty-five feet high, and are attractive trees with gracefully drooping branches and open habit. The leaves unfold earlier in the spring than those of any other Linden in the collection, and are small, cordate at base and pale on the lower surface, like those of the small-leaved European Linden (*T. cordata*) to which the Japanese tree bears some resemblance. The Arboretum trees have now flowered every season for several years, and the flowers are large, bright yellow, and like those of other Lindens, very fragrant. For its flowers, which appear when few trees bloom in this climate and are beautiful and conspicuous, this Linden should be better known. An earlier Asiatic Linden to reach the Arboretum, where it was first raised in 1883, was the north China *T. mongolica*. This was a small tree, at least in this country, with small, nearly triangular, lustrous leaves. When only a few years old it began to flower and produce fertile seeds. It proved, however, to be short-lived here and soon disappeared, to be replaced by what are still young plants of a later generation or of different introduction. All the other Asiatic species are or have been in the collection at different times. They are all hardy enough, but at best grow slowly, and appear to lack vigor of constitution. Of the species lately introduced *T. Oliveri* now appears the most promising.

Hybrid Lindens. As in many other genera of plants, the union of two species has produced Lindens superior to the parents. As has already been stated, *Tilia vulgaris*, which is believed to be a natural hybrid, is a better tree, at least in this country, than either of the parents. The Crimean *Tilia euchora*, with dark green, lustrous leaves, is believed to be a natural hybrid between *T. caucasica* and *T. cordata*. This handsome tree is hardy in the Arboretum but does not grow as well here as in western Europe where it is often recommended as a street tree. One of the handsomest Linden-trees in the Arboretum collection, *T. spectabilis*, is believed to be a hybrid of *T. glabra* and

T. petiolaris. It is a fast growing tree with leaves as large or larger than those of its American parent but silvery white on the lower surface like those of *T. petiolaris*. What is believed to be a variety of this hybrid (var. *Moltkei*) originated many years ago at the Spaeth Nursery near Berlin. It is a tree of denser habit and greener leaves than *T. spectabilis*, and in the Arboretum it is a handsomer and faster-growing tree than the native species.

Heather. Of the true Heaths only the red and white-flowered forms of *Erica carnea* are perfectly hardy here. This is a native of the mountains of central Europe, and an evergreen plant only a few inches high which spreads gradually into a broad mat. It is one of the first plants to flower in the Arboretum, and this year was in full bloom on the 15th of March. This is one of the best small evergreen shrubs for a sunny Massachusetts rockery. *Erica tetralix* and *E. vagans*, two handsome European species, have sometimes lived for two or three years at a time in the Arboretum, but have not proved very hardy in any of the positions where they have been planted. The Arboretum two years ago established in its propagating department at the corner of Centre and Prince Streets a collection of dwarf shrubs planted in frames and protected from the heat of the summer sun by lath shades raised high enough to permit a person to walk under them and to insure a free circulation of air. In these frames it has been found possible to grow successfully a number of shrubs which require partial shade and daily summer watering, and are too small and often too delicate to be properly protected in the open ground in a public garden of the size and character of the Arboretum. In this collection are now established such difficult plants as *Salix herbacea* and *S. uva-ursi*, *Linnaea borealis*, *Epigaea repens*, *Cassiope hypnoides*, *Loiseleuria procumbens*, *Kalmia microphylla*, *Rhododendron indicum*, *Vaccinium praestans*, and some three hundred other interesting dwarf shrubs which have never before been successfully cultivated in the Arboretum. In this collection it is now believed possible to maintain *Erica tetralix*, *E. vagaris* and possibly other dwarf species, and here will probably grow the so-called Irish Heath (*Daboecia*) which has not yet proved hardy here. The Heather (*Calluna*) is fortunately hardy in nearly all its forms, and an important plant for the New England summer garden or to naturalize in open New England woods. There is a good collection of these varieties of *Calluna* in the Shrub Collection. The first of them to flower this year (var. *rubra*) with gray leaves and crimson flowers is already in full bloom. The flowers of some of the white-flowered forms, of which there are several, are beginning to open, and now for several weeks the *Calluna*-collection will be an interesting feature of the Shrub-Collection. These plants in their compact habit and abundant bloom show the advantage of a severe pruning of the old wood in early spring before the plants start to grow. Unless this is done they become thin and bare, and are often short-lived. *Calluna* should be planted in not too rich, thoroughly drained soil and in full exposure to the sun.

The next of these Bulletins will appear during the month of August.

1921. "Hybrid Lindens." *Bulletin of popular information - Arnold Arboretum, Harvard University* 7(14), 55–56. <https://doi.org/10.5962/p.321161>.

View This Item Online: <https://www.biodiversitylibrary.org/item/216958>

DOI: <https://doi.org/10.5962/p.321161>

Permalink: <https://www.biodiversitylibrary.org/partpdf/321161>

Holding Institution

Harvard University Botany Libraries

Sponsored by

BHL-SIL-FEDLINK

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.