SCIÆNA MACROLEPIDOTA.

CHARACTER GENERICUS.

Caput squamosum.

Pinnæ dorsales duæ, in fossula recondendæ.

Membr. branch. radiis sex.

CHARACTER SPECIFICUS, &c.

*Sciæna flava, fasciis transversis fusco-violaceis,
pinnis maculatis.*

Gen. Zool. 4. p. 543.

Sciæna macrolepidota. S. squamis magnis.

Bloch. ichth. 9. p. 35. t. 298.

Maria incolit Indica Sciæna macrolepidota, magnitudine quasi Percæ communis fluviatilis.

SCIENTIA MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

MACROPHYLLOTA.

Surge wrasse. Surgr.

THE
LARGE-SCALED SCIÆNA.

GENERIC CHARACTER.

Head scaly.

Dorsal fins two, seated in a furrow, into which they may occasionally be withdrawn.

Gill-membrane six-rayed.

SPECIFIC CHARACTER, &c.

Yellow Sciæna, with transverse brownish-violet bands, and spotted fins.

Large-scaled Sciæna.

Gen. Zool. 4. p. 543.

The large-scaled Sciæna is a native of the Indian seas, and grows to the size of the common or river Perch.

Shaw, George. 1813. "Sciæna macrolepidota, The Large-scaled Sciæna [Pl. 1042]." *The Naturalist's Miscellany* 24(CCLXXXII), -. <https://doi.org/10.5962/p.322322>.

View This Item Online: <https://www.biodiversitylibrary.org/item/296719>

DOI: <https://doi.org/10.5962/p.322322>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322322>

Holding Institution

Museums Victoria

Sponsored by

Atlas of Living Australia

Copyright & Reuse

Copyright Status: Public domain. The BHL considers that this work is no longer under copyright protection.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.