On Stone by Wm E. Hitchcock

Prong-Horned Antelope.

Drawn from Nature by J. W. Audubon

Lith. Printed & Col'd by J. T. Bowen, Phila.

GENUS ANTILOCAPRA.—ORD.

DENTAL FORMULA.

$$\text{Incisive } \overset{0}{-}; \quad \text{Canine } \frac{0-0}{0-0}; \quad \text{Molar } \frac{6-6}{6-6} = 32.$$

Horns common to both sexes; small in the female; horns persistent, greatly compressed, rough, pearly, slightly striated, with an anterior process, and the point inclining backwards; eye large; no suborbital sinus; no inguinal pores; no muzzle; facial line, converse; no canines; no succentorial hoofs; tail very short; hair stiff, coarse, undulating, flattened; female, mammæ.

Habit, peaceable, gregarious, herbivorous, confined to North-America.

Only one well determined species belongs to this genus.

The generic name *Antilocapra*, is derived from the two genera *Antelope* and *Capra*, Goat Antelope.

ANTILOCAPRA AMERICANA.—ORD.

PRONG-HORNED ANTELOPE.

PLATE LXXVII. MALE and FEMALE.

Cornibus pedalibus compressis, intus planis, antiæ granulatis striatisque propugnaculo compresso procurvo cum cornum parte posteriore retrorsum uncinata furcam constituyente; colore russo fusciscente, gutture, cluniumque disco albis: statura, Cervus Virginianus.

CHARACTERS.

Horns compressed, flat on the inner side, pearly and striated, with a compressed snag to the front; colour, reddish dun; throat and disk on the buttocks, white. Size of the Virginia deer.

SYNONYMES.

- TEUTHLAMACAMÆ. Hernandez, Nov.-Hispan, p. 324, fig. 324. An. 1651.
 LE SQUENOTON. Hist. d'Amerique, p. 175. An. 1723.
 SQUINATON. Dobb's, Hudson's Bay, p. 24. An. 1744.
 ANTILOPE, CABRE OR GOAT. Gass Journal, pp. 49, 111.
 ANTILOPE. Lewis and Clarke Journ., Vol. i., pp. 75, 208, 396; Vol. ii., p. 169.
 ANTILOPE AMERICANA. Ord, Guthrie's Geography. 1815.
 CERVUS HAMATUS. Blainville, Nouv-Ball. Society. 1816.
 ANTILOCAPRA AMERICANA. Ord, Jour. de Phys., p. 80. 1818.
 ANTILOPE FURCIFER. C. Hamilton Smith, Lin. Trans., Vol. xiii., plate 2. An. 1823.
 ANTILOPE PALMATA. Smith, Griffith, Cuv., Vol. v., p. 323.
 ANTILOPE AMERICANA. Harlan Fauna, p. 250.
 " Godman, Nat. Hist., Vol. ii., p. 321
 ANTILOPE FURCIFER. Richardson, F. B. A., p. 261, plate 21.

DESCRIPTION.

The Prong-horned Antelope possesses a stately and elegant form, and resembles more the antelope than the deer family. It is shorter and more compactly built than the Virginia deer; its head and neck are also shorter and the skull is broader at the base. The horns of the male are curved upwards and backwards with a short triangular prong about the centre, inclined inwards, not wrinkled. Immediately above the prong the horn diminishes to less than half the size, below the prong the horn is flat and very broad, extremity of the horn sharp and pointed, and of the prong blunt. There are irregular little points on the horns of the male, two or three on each side. One specimen has two on the inside of each horn and one on the outside irregularly disposed.

Nostrils large and open, placed rather far back, eyes large and prominent, ears of moderate size, acuminate in shape; on the back of the neck in winter specimens there is a narrow ridge of coarse hairs resembling a short mane. In summer there only remains of this mane a black stripe on the upper surface of the neck; eyelashes profuse; there is no under-fur. The hairs are of a singular texture, being thick, soft, wavy and slightly crimped beneath the surface: they are brittle, and when bent do not return to their original straight form, interiorly they are white, spongy and pithy; scrotum pendulous. There is not the slightest vestige of any secondary hoofs on either of its fore or hind legs, such as are seen in deer and other animals. The hoofs are strong and compact, small and diminishing suddenly to a point.

COLOUR.

The nose is yellowish brown, eye lashes black, the orbits with a blackish brown border, outer edge and points of the ears brownish black. There is

a white band about two inches wide in front of and partly encircling the throat, narrowing to a point on each side of the neck; beneath this is a brown band about the same breadth, underneath which is a grayish white spot of nearly a triangular shape; this is formed by a patch on each side of the throat of yellowish brown. The chest, belly, and sides to within five or six inches of the back are grayish white. A large light-coloured patch of nine inches in breadth exists on the rump, similar to that on the Rocky Mountain sheep and the elk. This whitish patch is separated by a brown-yellowish line, running along the vertebræ of the back to the tail. Legs, pale brownish yellow, approaching to dull buff colour, all the upper surface yellowish brown; under jaw and cheek, pale or grayish white; lips, whitish.

Female.—The female is a size smaller than the male. The neck is shorter. The form is similar, except that the markings are rather fainter; the brownish yellow which surrounds the different whitish or grayish white spots and bands being much paler than in the male. The horn is destitute of a prong; it is only three inches in length, nearly straight, and running to an acute point. The female possesses no mane

DIMENSIONS.

	FEET. INCHES.	
From point of nose to root of tail,	4	2
Height, to shoulder from end of hoof,	3	1
Length of ear,		4
Length of prong,		6

HABITS.

Reader, let us carry you with us to the boundless plains over which the prong-horn speeds. Hurra for the prairies and the swift antelopes, as they fleet by the hunter like flashes or meteors, seen but for an instant, for quickly do they pass out of sight in the undulating ground, covered with tall rank grass. Observe now a flock of these beautiful animals; they are not afraid of man—they pause in their rapid course to gaze on the hunter, and stand with head erect, their ears as well as eyes directed towards him, and make a loud noise by stamping with their forefeet on the hard earth; but suddenly they become aware that he is no friend of theirs, and away they bound like a flock of frightened sheep—but far more swiftly do the graceful antelopes gallop off, even the kids running with extraordinary speed by the side of their parents—and now they turn around a steep hill and disappear, then perhaps again come in view, and once more stand and gaze at the intruder. Sometimes, eager with curiosity and anxious to

examine the novel object which astonishes as well as alarms them, the antelopes on seeing a hunter, advance toward him, stopping at intervals, and then again advancing, and should the hunter partly conceal himself, and wave his handkerchief or a white or red rag on the end of his ramrod, he may draw the wondering animals quite close to him and then quickly seizing his rifle send a ball through the fattest of the group, ere the timid creatures have time to fly from the fatal spot.

The Indians, we were told, sometimes bring the antelope to within arrow-shot (bow-shot), by throwing themselves on their backs and kicking up their heels with a bit of a rag fastened to them, on seeing which moving amid the grass the antelope draws near to satisfy his curiosity.

The atmosphere on the western prairies is so pure and clear that an antelope is easily seen when fully one mile off, and you can tell whether it is feeding quietly or is alarmed; but beautiful as the transparent thin air shews all distant objects, we have never found the great western prairies equal the *flowery* descriptions of travellers. They lack the pure streamlet wherein the hunter may assuage his thirst—the delicious copses of dark, leafy trees; and even the thousands of fragrant flowers, which they are poetically described as possessing, are generally of the smaller varieties; and the Indian who roams over them is far from the ideal being—all grace, strength and nobleness, in his savage freedom—that we from these descriptions conceive him. Reader, do not expect to find any of the vast prairies that border the Upper Missouri, or the Yellow-Stone rivers, and extend to the Salt Lakes amid the Californian range of the Rocky Mountains, verdant pastures ready for flocks and herds, and full of the soft perfume of the violet. No; you will find an immense waste of stony, gravelly, barren soil, stretched before you; you will be tormented with thirst, half eaten up by stinging flies, and lucky will you be if at night you find wood and water enough to supply your fire and make your cup of coffee; and should you meet a band of Indians, you will find them wrapped in old buffalo robes, their bodies filthy and covered with vermin, and by stealing or begging they will obtain from you perhaps more than you can spare from your scanty store of necessaries, and armed with bows and arrows or firearms, they are not unfrequently ready to murder, or at least rob you of all your personal property, including your ammunition, gun and butcher knife!

The Prong-horned Antelope brings forth its young about the same time as the common deer: from early in May to the middle of June; it has generally two fawns at a birth. We have heard of no case in which more than that number has been dropped at a time, and probably in some cases only one is fawned by the dam. The young are not spotted like the fawn of the common deer, but are of a uniform dun colour. The dam

remains by her young for some days after they are born, feeding immediately around the spot, and afterwards gradually enlarging her range ; when the young are a fortnight old they have gained strength and speed enough to escape with their fleet-footed mother from wolves or other four-footed foes. Sometimes, however, the wolves discover and attack the young when they are too feeble to escape, and the mother then displays the most devoted courage in their defence. She rushes on them, butting and striking with her short horns, and sometimes tosses a wolf heels over head, she also uses her forefeet, with which she deals severe blows, and if the wolves are not in strong force, or desperate with hunger, puts them to flight, and then seeks with her young a safer pasturage, or some almost inaccessible rocky hill side.

The rutting season of this species commences in September, the bucks run for about six weeks, and during this period fight with great courage and even a degree of ferocity. When a male sees another approaching, or accidentally comes upon one of his rivals, both parties run at each other with their heads lowered and their eyes flashing angrily, and while they strike with their horns they wheel and bound with prodigious activity and rapidity, giving and receiving severe wounds,—sometimes like fencers, getting within each others "points," and each hooking his antagonist with the recurved branches of his horns, which bend considerably inwards and downwards.

The Prong-horned Antelope usually inhabits the low prairies adjoining the covered woody bottoms during spring and autumn, but is also found on the high or upland prairies, or amid broken hills, and is to be seen along the margins of the rivers and streams : it swims very fast and well, and occasionally a herd when startled may be seen crossing a river in straggling files, but without disorder, and apparently with ease.

Sometimes a few of these animals, or even only one or two by themselves may be seen, whilst in other instances several hundreds are congregated in a herd. They are remarkably shy, are possessed of a fine sense of smell, and have large and beautiful eyes, which enable them to scan the surface of the undulating prairie and detect the lurking Indian or wolf, creep he ever so cautiously through the grasses, unless some intervening elevation or copsewood conceal his approach. It is, therefore, necessary for the hunter to keep well to *leeward*, and to use extraordinary caution in "sneaking" after this species ; and he must also exercise a great deal of patience and move very slowly and only at intervals, when the animals with heads to the ground or averted from him, are feeding or attracted by some other object. When they discover a man thus stealthily moving near them, at first sight they fly from him with great speed, and

often retire to the broken grounds of the clay hills, from which they are not often tempted to stray a great distance at any time. As we have already mentioned, there are means, however, to excite the timid antelope to draw near the hunter, by arousing his curiosity and decoying him to his ruin. The antelopes of the Upper Missouri country are frequently shot by the Indians whilst crossing the river; and, as we were informed, preferred the northern side of the Missouri; which, no doubt, arises from the prevalence on that bank of the river of certain plants, trees or grasses, that they are most fond of. Males and females are found together at all seasons of the year. We have been told that probably a thousand or more of these animals have been seen in a single herd or flock at one time, in the spring.

It was supposed by the hunters at Fort Union, that the prong-horned antelope dropped its horns; but as no person had ever shot or killed one without these ornamental and useful appendages, we managed to prove the contrary to the men at the fort by knocking off the bony part of the horn, and showing the hard, spongy membrane beneath, well attached to the skull and perfectly immoveable.

The Prong-horned Antelope is never found on the Missouri river below *L'eau qui court*; but above that stream they are found along the great Missouri and its tributaries, in all the country east of the Rocky Mountains, and in many of the great valleys that are to be met with among these extraordinary "big hills." None of these antelopes are found on the shores of the Mississippi, although on the headwaters of the Saint Peter's river they have been tolerably abundant. Their walk is a slow and somewhat pompous gait, their trot elegant and graceful, and their gallop or "run" light and inconceivably swift; they pass along, up or down hills, or along the level plain with the same apparent ease, while so rapidly do their legs perform their graceful movements in propelling their bodies over the ground, that like the spokes of a fast turning wheel we can hardly see them, but instead, observe a gauzy or film-like appearance where they should be visible.

In autumn, this species is fatter than at any other period. Their liver is much prized as a delicacy, and we have heard that many of these animals are killed simply to procure this choice morsel. This antelope feeds on the short grass of the prairies, on mosses, buds, &c.; and suffers greatly during the hard winters experienced in the north-west; especially when the snow is several feet in depth. At such times they can be caught by hunters provided with snow shoes, and they are in this manner killed, even in sight of Fort Union, from time to time.

It is exceedingly difficult to rear the young of this species; and, although many attempts have been made at Fort Union, and even an old one caught

and brought within an enclosure to keep the young company, they became furious, and ran and butted alternately against the picket-wall or fence, until they were too much bruised and exhausted to recover. WILLIAM SUBLETTE, Esq., of St. Louis, Missouri, however, brought with him to that city a female antelope, caught when quite young on the prairies of the far west, which grew to maturity, and was so very gentle, that it would go all over the house, mounting or descending the stairs, and occasionally going on to the roof of the building he lived in. This female was alive when we first reached St. Louis, but not being aware of its existence, we never saw it. It was killed before we left by a buck-elk, belonging to the same gentleman.

Whilst on our journey in the far west, in 1843, on one occasion, we had the gratification of seeing an old female, in a flock of eight or ten antelopes, suckling its young. The little beauty performed this operation precisely in the manner of our common lambs, almost kneeling down, bending its head upwards, its rump elevated, it thumped the bag of its mother, from time to time, and reminded us of far distant scenes, where peaceful flocks feed and repose under the safeguard of our race, and no prowling wolf or hungry Indian defeats the hopes of the good shepherd who nightly folds his stock of the Leicester or Bakewell breed. Our wild antelopes, however, as we approached them, scampered away; and we were delighted to see that first, and in the van of all, was the young one!

On the 21st July, 1843, whilst in company with our friend, EDWARD HARRIS, Esq., during one of our hunting excursions, we came in sight of an antelope gazing at us, and determined to stop and try if we could bring him toward us by the trick we have already mentioned, of throwing our legs up in the air and kicking them about, whilst lying on our back in the grass. We kicked away first one foot and then the other, and sure enough, the antelope walked slowly toward us, apparently with great caution and suspicion. In about twenty minutes he had advanced towards us some two or three hundred yards. He was a superb male, and we looked at him for several minutes when about sixty yards off. We could see his fine protruding eyes; and being loaded with buck-shot, we took aim and pulled trigger. Off he went, as if pursued by a whole Black-foot Indian hunting party. Friend HARRIS sent a ball at him, but was as unsuccessful as ourselves, for he only ran the faster for several hundred yards, when he stopped for a few minutes, looked again at us, and then went off, without pausing as long as he was in sight. We have been informed by LAFLEUR, a man employed by the Company, that antelopes will escape with great ease even when they have one limb broken, as they can run fast enough upon three legs to defy any pursuit. Whilst we were encamped at the

"Three Mamelles," about sixty miles west of Fort Union, early one morning an antelope was heard *snorting*, and was seen by some of our party for a few minutes only. This snorting, as it is called, resembles a loud whistling, singing sound prolonged, and is very different from the loud and clear snorting of our common deer; but it has always appeared to us to be almost useless to attempt to describe it; and although at this moment we have the sound of the antelope's snort *in our ears*, we feel quite unable to give its equivalent in words or syllables.

The antelope has no lachrymal pits under the eyes, as have deer and elks, nor has it any gland on the hind leg, so curious a feature in many of those animals of the deer tribe which drop their horns annually, and only wanting (so far as our knowledge extends) in the *Cervus Richardsonii*, which we consider in consequence as approaching the genus *Antelope*, and in a small deer from Yucatan and Mexico, of which we had a living specimen for some time in our possession.

The prong-horned antelope often dies on the open prairies during severe winter weather, and the remains of shockingly poor, starved, miserable individuals of this species, in a state of the utmost emaciation, are now and then found dead in the winter, even near Fort Union and other trading posts.

The present species is caught in pens in the same manner nearly as the bison, (which we have already described at p. 97) but is generally despatched with clubs, principally by the women. In the winter of 1840, when the snow was deep in the ravines, having drifted, Mr. LAIDLAW, who was then at Fort Union, caught some of them by following them on horseback and forcing them into these drifts, which in places were as much as ten to twelve feet deep. They were brought to the fort in a sleigh, and let loose about the rooms; they were to appearance so very gentle that the people suffered their children to handle them, although the animals were loose. They were placed in the carpenter's shop, one broke its neck by leaping over a turning-lathe, and the rest all died; for as soon as they had appeased the cravings of hunger, they began to fret for their accustomed liberty, and regained all their original wildness. They leaped, kicked and butted themselves against every obstacle, until too much exhausted to recover.—These individuals were all captured by placing nooses, fixed on the end of long poles, round their necks, whilst they were embedded in the soft and deep snow drifts, to which they had been driven by Mr. LAIDLAW

There are some peculiarities in the gait of this species that we have not yet noticed. The moment they observe a man or other strange object producing an alarm, they bound off for some thirty or forty yards, raising all their legs at the same time. and *bouncing*, at it were, from two to three

feet above the ground ; after this they stretch their bodies out and gallop at an extraordinary speed. We have seen some which, when started, would move off and run a space of several miles, in what we thought did not exceed a greater number of minutes !

From what we have already said, it will be inferred that the wolf is one of the most formidable enemies of this species. We have, however, not yet mentioned that in some very cold and backward seasons the young, when first born at such times, are destroyed by these marauders in such numbers that the hunters perceive the deficiency and call them scarce for the next season. Antelopes are remarkably fond of saline water or salt, and know well where the *salt-licks* are found. They return to them daily, if near their grazing grounds, and lay down by them, after licking the salty earth or drinking the salt water. Here they will remain for hours at a time, in fact until hunger drives them to seek in other places the juicy and nourishing grasses of the prairie. This species is fond of taking its stand, when alone, on some knoll, from which it can watch the movements of all wanderers on the plains around, and from which a fair chance to run in any direction is secured, although the object of its fear may be concealed from view occasionally by a ravine, or by another projecting ridge like its own point of sight.

We had in our employ a hunter on the Yellow-Stone River, who killed two female antelopes and broke the leg of a third at one shot from an ordinary western rifle. The ball must have passed entirely through the two first of these animals.

We have represented on our plate two males and a female in the foreground, with a flock of these timid creatures running at full speed in the distance.

We subjoin the following account of the Antelopes seen by J. W. AUDUBON and his party on their overland journey through Northern Mexico and Sonora to California.

“ Leaving Altar, Sonora, the country was flat and uninteresting, except that large patches of coarse grass, sometimes miles in length, took the place of the naked clay plains we had been riding through. The tall cactus, described by FREMONT and EMORY, in its eccentric forms was remarkable enough even by daylight, but at night, a very little superstition, with the curved and curiously distorted forms, produced in some cases by disease of the plant, or by the violent gales that periodically sweep those prairies, might make the traveller suppose this was a region in which beings supernatural stalked abroad. The shrill whistle of the Antelope, new to us all, added to the wild and unearthly character of the scene. The Maricapos Indians were said to be friendly, but we *did not know it*, and

after our long watchings against Camanche, Apache, Wako and Paramanii, who among us, as we knew how Indians sometimes personate the animals of the section they live in, but listened with intense interest to the slightest noise foreign to our previous knowledge. The short quick stampings of impatience or nervousness, continually repeated by the animals, were, however, soon distinguished in the stillness of our prairie camp at night, and feeling thus assured that only one of the deer tribe was the cause of our anxiety, blankets and tent soon covered us, and we left the beautiful and innocent creatures, now that we knew them, to their own reflections, if any they made, as to who and what we were, until morning.

At day light, RHOADES and VAN HORN, two hunters good as ever accompanied a train across the broad prairies ranged over by Buffalo, Elk, or Deer, looked out the trails, and reported Antelopes; but brought none to camp; not expecting to see any more of this herd, we started on our tramp towards the great Sonora Desert.

STEVENSON had a new horse, and as he had never been mounted without blindfolding him, after the Mexican fashion with young horses, being wild, his owner, by way of making him *more gentle*, commenced beating him with a stick that might have been selected to kill him; before I had time to know what was going on and interfere for the poor horse, he had looked to his own interests, pulled away, and with a bounding gallop went off, like an escaped prisoner, leading four of our best men and horses some ten miles ahead of the train, and when the runaway was at length overtaken, VAN HORN, PENNYPACKER, MC. CUSKER, and myself were greatly in advance; the curve we had made from the road was slight, and on reaching it again, no trail told that the company had passed, so we had time to look about us, and loitered to rest our tired horses, when simultaneously we saw the back of a deer or Antelope; its head was hidden by the tall grass in which it was grazing on the soft juicy young shoots at the roots of the old tussocks: VAN HORN, with his unerring aim and Mississippi rifle, the eccentric twist of which, no doubt taken from WESSON's patent, renders these guns superior to all we have tried, was told to kill it. For a few seconds he was lost to our sight, though only a hundred yards from us, so low did he squat in the sparse tufts of dead grass and stinking wormwood. How curious it is to stand waiting the result of the skill and caution of the well tried hunter, at such a time; again and again we saw the back of the Antelope, as he passed one bunch of shrubbery after another, but never saw our hunter: at every moment we expected to see the wary animal with sense of smell so keen as nine times out of ten to save him from his enemies, bound away; but how different was his bound when he did leap, not forward, but straight upward.

And now we saw VAN HORN, a quarter of a mile off, running to where the last leap was made by his prey, and then came on the sluggish air, the crack of his rifle, almost after we had forgotten to listen for it, as a rifle cracks nowhere except on prairies, where neither woods, rocks or hills send back the sound. When I saw this beautiful creature, a most magnificent male, the first I had ever seen in the flesh, though the drawing for the 'Quadrupeds' had been long made and published, how I wished to redraw it! delicate even to the descriptions of the gazelle, muscular and sinewy as the best bred grey hound that Scotland ever produced.

I anticipated a treat, as VAN HORN gave me a hind quarter for our men, which I tied doubly secure to my saddle. But when night came, after ten hours' ride, although we enjoyed our steaks, the deer of the Cordilleras was too fresh in our memories to permit us to say that this Antelope was the best meat we had eaten."

* * * "The eastern spurs of the coast range were just behind us; the black-tailed deer was scarcely past, for a few miles back, high up on one of the conical velvety hills of this range, we had seen three, looking at us from under one of the dwarf oaks that grow at a certain altitude, in forms peculiar to this country; above or below, either a different formation or total absence of shrubbery occurring. We were winding along the base of a moderate line of hills of the *Sierra Nevada*, when what we took for a flock of sheep, the trail of which we had been following for three days on the way to the mines from Los Angeles, was discovered, and we hoped for mutton, to say nothing of the company we anticipated; but our flock of sheep was like the 'Phantom Bark,' for it 'seemed never the nigher,' *au contraire*, turning a hill went out of sight, and we never got another view; we saw another flock some miles on, and at first, supposing it the same, wondered how they could travel so fast. This was probably another portion of the one we had trailed for so many days. We were gratified by the whole flock running near us, from which we argued we were in the chosen country of the Antelope, the broad Tule valley. The flock ran 'shearing' about, as the formation of the land compelled them to turn to the right or left, showing their sides alternately in light and shade. When they are on the mountain sides and discover a foe, or any object that frightens them, the whole flock rush headlong for the plains, whether the enemy is likely to intercept them or not, and they seem to fly with the single idea, that they are in a dangerous place, and must change it for some other, no matter what; at times a whole flock would run to within shot of our company, determined as it were to go through the line, and I believe in one or two instances would have done so, if they had not been shot at by our too impatient party. When on

the plains, the same desire possesses them to get to the hills, and back they go a hundred or two in a flock, seldom slackening their speed, except for a few seconds to look again, and be more frightened than ever at what had first startled them. The rolling hills of the western line of the Sierra Nevada were their most favourite locality in this valley, as far as we saw, but LAYTON and myself met an accidental individual or two, nearly up to Sacramento city, as we travelled through the beautiful, park-like scenes of this portion of California to the diggings of the head waters of the "American Fork."

As to the shedding of the horns of this species, I never was able to ascertain it, but a fine buck we killed, late in November, had a soft space between the head and horn, over the bone, that looked as if it had grown that length in one season. A young Antelope is better eating than a deer, but an old one, is *decidedly* goatly.

GEOGRAPHICAL DISTRIBUTION.

The Prong-horned Antelope is an inhabitant of the western portions of North America, being at no time found to the east of the Mississippi river. Its most northerly range is, according to RICHARDSON, latitude 53° on the banks of the north branch of the Saskatchewan. They range southerly on the plains east of the Rocky Mountains into New Mexico. The precise latitude we have not been able to ascertain, but we have seen specimens that were said to have been obtained along the eastern ridge of the mountains within the tropics in Mexico. The account given by HERNANDEZ, as well as his bad figure of his *Teuthlamacame*, can apply to no other species; this was obtained in Mexico. LEWIS and CLARKE found it on the plains west of the Columbia River, and it is now known to be an inhabitant of California. It has, therefore, a very extensive geographical range.

GENERAL REMARKS.

We have after much reflection and careful examination, concluded to adopt Mr. ORD's genus *Antilocapra* for this species. It differs in so many particulars from the true Antelopes, that naturalists will be compelled either to enlarge the character of that genus, or place it under one already formed. Its horns are branched, of which no instance occurs among all the species of Antelope; it is destitute of crumens or lachrymal openings, and is entirely deficient in the posterior or accessory hoofs, there being only two on each foot.

Major HAMILTON SMITH, (Cuv. Animal Kingdom, Vol. v., p. 321,) formed a genus under the name of *Dicranocerus*, under which he placed a second species which he named *A palmata*. Although the generic name given by

SMITH is in many respects preferable, as being more classically correct, still, if we were to be governed by the principle that we should reject a genus because the compound word from which it is derived is composed of two languages, or if it does not designate the precise character of the species, we would be compelled to abandon many familiar genera, established by LINNÆUS himself.

The specific name of ORD, we have also adopted in preference to the more characteristic one "*furcifer*" of SMITH, under a rule which we have laid down in this work not to alter a specific name that has been legitimately given.

We have added the *A palmata*, palmated Antelope of Major SMITH, as a synonyme. We have compared so many specimens differing from each other in shades of colour and size of horns, that we have scarcely a doubt of his having described a very old male of the Prong-horned Antelope.

Audubon, John James and Bachman, John. 1851. "Antilocapra americana, Prong-horned Antelope [Pl. LXXVII, male and female]." *The quadrupeds of North America* 2, 193–205. <https://doi.org/10.5962/p.322348>.

View This Item Online: <https://www.biodiversitylibrary.org/item/108514>

DOI: <https://doi.org/10.5962/p.322348>

Permalink: <https://www.biodiversitylibrary.org/partpdf/322348>

Holding Institution

Duke University Libraries (archive.org)

Sponsored by

Duke University Libraries

Copyright & Reuse

Copyright Status: Not provided. Contact Holding Institution to verify copyright status.

This document was created from content at the **Biodiversity Heritage Library**, the world's largest open access digital library for biodiversity literature and archives. Visit BHL at <https://www.biodiversitylibrary.org>.